


Informacije o proizvodu (EN)

TEAM GROUP 8GB DDR4 3200MHz TPD48G3200HC2201

TEAMGROUP 



Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

<https://tehnoteka.rs/p/team-group-8gb-ddr4-3200mhz-tpd48g3200hc2201-akcija-cena/>

DDR4
ELITE+



ELITE PLUS

TEAMGROUP's ELITE series launches an all new DDR4 memory module product, with an operating voltage of only 1.2V, which saves a lot of power consumption. It reduces the heat generated by the product itself and also maintains the ambient temperature around the system. This product is fully compliant with JEDEC standards and is guaranteed to be 100% compatible with all major platforms on the market. Both single channel and dual channel package are released at the same time to meet the needs of different levels of users. With up to 64GB Kit (32GBx2) of temporary storage space, data processing speed is twice as fast. The superb performance of TEAMGROUP's ELITE series provides you with excellent quality of stability, long-term efficiency and low power consumption.

Main Feature

- New-generation product of DRAM module
- 1.2 V memory module
- Massive 32 GB Kit capacity
- Lifetime warranty
- Compared with DDR3-1866, the bandwidth performance is improved by 12.35%

Specification

Module Type	DDR4 288 Pin Non-ECC Unbuffered DIMM			
Capacity	4GB / 4GBx2 / 4GBx4 / 8GB / 8GBx2 / 8GBx4 / 16GB / 16GBx2 / 32GB / 32GBx2			
Frequency	2133MHz	2400MHz	2666MHz	3200MHz
Data Transfer Bandwidth	17,000 MB/s (PC4 17000)	19,200 MB/s (PC4 19200)	21,300 MB/s (PC4 21300)	25,600 MB/s (PC4 25600)
Latency	CL15-15-15-36	CL16-16-16-39	CL19-19-19-43	CL22-22-22-52
Voltage	1.2V			
Dimensions	32(H) x 134(L) x 6.5(W)mm			
Heat Spreader	Aluminum heat spreader			
Warranty	Lifetime warranty			

Ordering Information



Color	Frequency	CAS Latency/Voltage	Capacity	IC Specifications	Team P/N
Gold & Black	DDR4-2133 (PC4-17000)	CL15-15-15-36 1.2V	4GB	x8	TPD44G2133HC1501
			8GB	x8	TPD48G2133HC1501
			16GB	x8	TPD416G2133HC1501
	DDR4-2400 (PC4-19200)	CL16-16-16-39 1.2V	4GB	x8	TPD44G2400HC1601
			8GB	x8	TPD48G2400HC1601
			16GB	x8	TPD416G2400HC1601
			32GB	x8	TPD432G2400HC1601

Ordering Information



Color	Frequency	CAS Latency/Voltage	Capacity	IC Specifications	Team P/N
Gold & Black	DDR4-2666 (PC4-21300)	CL19-19-19-43 1.2V	4GB	x8	TPD44G2666HC1901
			8GB	x8	TPD48G2666HC1901
			8GB	X16	TPD48G2666HC19016
			16GB	x8	TPD416G2666HC1901
			32GB	x8	TPD432G2666HC1901
	DDR4-3200 (PC4-25600)	CL22-22-22-52 1.2V	8GB	x8	TPD44G3200HC2201
			8GB	x16	TPD48G3200HC2201
			16GB	x8	TPD48G3200HC22016
			32GB	x8	TPD416G3200HC2201
			4GB	x8	TPD432G3200HC2201

Color	Frequency	CAS Latency/Voltage	Capacity	IC Specifications	Team P/N
Gold & Black	DDR4-2400 (PC4-19200) (AMD)	CL16-16-16-39 1.2V	4GB	x8	TPD44G2400HC1602
			8G	x8	TPD48G2400HC1602
			16GB	x8	TPD416G2400HC1602
			32GB	x8	TPD432G2400HC1602
	DDR4-2666 (PC4-21300) (AMD)	CL19-19-19-43 1.2V	4GB	x8	TPD44G2666HC1902
			8GB	x8	TPD48G2666HC1902
			8GB	x16	TPD48G2666HC19026
			16GB	x8	TPD416G2666HC1902
	DDR4-3200 (PC4-25600) (AMD)	CL22-22-22-52 1.2V	4GB	x8	TPD44G3200HC2202
			8GB	x8	TPD48G3200HC2202
			8GB	x16	TPD48G3200HC22026
			16GB	x8	TPD416G3200HC2202
	DDR4-3200 (PC4-25600) (AMD)	CL22-22-22-52 1.2V	32GB	x8	TPD432G3200HC2202

Color	Frequency	CAS Latency/Voltage	Capacity	IC Specifications	Team P/N
Gold & Black	DDR4-2133 (PC4-17000)	CL15-15-15-36 1.2V	4GBX2	x8	TPD48G2133HC15DC01
			8GBX2	x8	TPD416G2133HC15DC01
			16GBX2	x8	TPD432G2133HC15DC01
			4GBx4	x8	TPD416G2133HC15QC01
			8GBx4	x8	TPD432G2133HC15QC01
	DDR4-2400 (PC4-19200)	CL16-16-16-39 1.2V	4GBX2	x8	TPD48G2400HC16DC01
			8GBX2	x8	TPD416G2400HC16DC01
			16GBX2	x8	TPD432G2400HC16DC01
			32GBx2	x8	TPD464G2400HC16DC01
			4GBx4	x8	TPD416G2400HC16QC01
	DDR4-2666 (PC4-21300)	CL19-19-19-43 1.2V	8GBx4	x8	TPD432G2400HC16QC01
			4GBX2	x8	TPD48G2666HC19DC01
			8GBX2	x8	TPD416G2666HC19DC01
			8GBX2	x16	TPD416G2666HC19DC016
			16GBX2	x8	TPD432G2666HC19DC01
	DDR4-3200 (PC4-25600)	CL22-22-22-52 1.2V	32GBx2	x8	TPD464G2666HC19DC01
			4GBx4	x8	TPD416G2666HC19QC01
			8GBx4	x8	TPD432G2666HC19QC01
			4GBX2	x8	TPD48G3200HC22DC01
			8GBX2	x8	TPD416G3200HC22DC01
	DDR4-3200 (PC4-25600)	CL22-22-22-52 1.2V	8GBX2	x16	TPD416G3200HC22DC016
			16GBX2	x8	TPD432G3200HC22DC01
			32GBX2	x8	TPD464G3200HC22DC01

Ordering Information



Color	Frequency	CAS Latency/Voltage	Capacity	IC Specifications	Team P/N
Gold & Black	DDR4-2400 (PC4-19200) (AMD)	CL16-16-16-39 1.2V	4GBX2	x8	TPD48G2400HC16DC02
			8GBX2	x8	TPD416G2400HC16DC02
			16GBX2	x8	TPD432G2400HC16DC02
			32GBX2	x8	TPD464G2400HC16DC02
	DDR4-2666 (PC4-21300) (AMD)	CL19-19-19-43 1.2V	4GBX2	x8	TPD48G2666HC19DC02
			8GBX2	x8	TPD416G2666HC19DC02
			8GBX2	x16	TPD416G2666HC19DC026
			16GBX2	x8	TPD432G2666HC19DC02
	DDR4-3200 (PC4-25600) (AMD)	CL22-22-22-52 1.2V	4GBX2	x8	TPD48G3200HC22DC02
			8GBX2	x8	TPD416G3200HC22DC02
			8GBX2	x16	TPD416G3200HC22DC026
			16GBX2	x8	TPD432G3200HC22DC02
			32GBX2	x8	TPD464G3200HC22DC02

Color	Frequency	CAS Latency/Voltage	Capacity	IC Specifications	Team P/N
Red & Black	DDR4-2133 (PC4-17000)	CL15-15-15-36 1.2V	4GB	x8	TPRD44G2133HC1501
			8GB	x8	TPRD48G2133HC1501
			16GB	x8	TPRD416G2133HC1501
	DDR4-2400 (PC4-19200)	CL16-16-16-39 1.2V	4GB	x8	TPRD44G2400HC1601
			8GB	x8	TPRD48G2400HC1601
			16GB	x8	TPRD416G2400HC1601
			32GB	x8	TPRD432G2400HC1601
	DDR4-2666 (PC4-21300)	CL19-19-19-43 1.2V	4GB	x8	TPRD44G2666HC1901
			8GB	x8	TPRD48G2666HC1901
			8GB	x16	TPRD48G2666HC19016
			16GB	x8	TPRD416G2666HC1901
	DDR4-3200 (PC4-25600)	CL22-22-22-52 1.2V	32GB	x8	TPRD432G2666HC1901
			4GB	x8	TPRD44G3200HC2201
			8GB	x8	TPRD48G3200HC2201
			8GB	x16	TPRD48G3200HC22016
				16GB	x8
			32GB	x8	TPRD432G3200HC2201



Color	Frequency	CAS Latency/Voltage	Capacity	IC Specifications	Team P/N	
Red & Black	DDR4-2400 (PC4-19200) (AMD)	CL16-16-16-39 1.2V	4GB	x8	TPRD44G2400HC1602	
			8G	x8	TPRD48G2400HC1602	
			16GB	x8	TPRD416G2400HC1602	
			32GB	x8	TPRD432G2400HC1602	
	DDR4-2666 (PC4-21300) (AMD)	CL19-19-19-43 1.2V	4GB	x8	TPRD44G2666HC1902	
			8GB	x8	TPRD48G2666HC1902	
			8GB	x16	TPRD48G2666HC19026	
			16GB	x8	TPRD416G2666HC1902	
	DDR4-3200 (PC4-25600) (AMD)	CL22-22-22-52 1.2V	32GB	x8	TPRD432G2666HC1902	
			4GB	x8	TPRD44G3200HC2202	
			8GB	x8	TPRD48G3200HC2202	
			8GB	x16	TPRD48G3200HC22026	
				16GB	x8	TPRD416G3200HC2202
				32GB	x8	TPRD432G3200HC2202

Ordering Information



Color	Frequency	CAS Latency/Voltage	Capacity	IC Specifications	Team P/N
Red & Black	DDR4-2133 (PC4-17000)	CL15-15-15-36 1.2V	4GBX2	x8	TPRD48G2133HC15DC01
			8GBX2	x8	TPRD416G2133HC15DC01
			16GBX2	x8	TPRD432G2133HC15DC01
			4GBx4	x8	TPRD416G2133HC15QC01
			8GBx4	x8	TPRD432G2133HC15QC01
	DDR4-2400 (PC4-19200)	CL16-16-16-39 1.2V	4GBX2	x8	TPRD48G2400HC16DC01
			8GBX2	x8	TPRD416G2400HC16DC01
			16GBX2	x8	TPRD432G2400HC16DC01
			32GBx2	x8	TPRD464G2400HC16DC01
			4GBx4	x8	TPRD416G2400HC16QC01
	DDR4-2666 (PC4-21300)	CL19-19-19-43 1.2V	8GBx4	x8	TPRD432G2400HC16QC01
			4GBX2	x8	TPRD48G2666HC19DC01
			8GBX2	x8	TPRD416G2666HC19DC01
			8GBX2	x16	TPRD416G2666HC19DC016
			16GBX2	x8	TPRD432G2666HC19DC01
			32GBx2	x8	TPRD464G2666HC19DC01
			4GBx4	x8	TPRD416G2666HC19QC01
	DDR4-3200 (PC4-25600)	CL22-22-22-52 1.2V	8GBx4	x8	TPRD432G2666HC19QC01
			4GBX2	x8	TPRD48G3200HC22DC01
			8GBX2	x8	TPRD416G3200HC22DC01
8GBX2			x16	TPRD416G3200HC22DC016	
16GBX2			x8	TPRD432G3200HC22DC01	
			32GBX2	x8	TPRD464G3200HC22DC01

Color	Frequency	CAS Latency/Voltage	Capacity	IC Specifications	Team P/N
Red & Black	DDR4-2400 (PC4-19200) (AMD)	CL16-16-16-39 1.2V	4GBX2	x8	TPRD48G2400HC16DC02
			8GBX2	x8	TPRD416G2400HC16DC02
			16GBX2	x8	TPRD432G2400HC16DC02
			32GBx2	x8	TPRD464G2400HC16DC02
	DDR4-2666 (PC4-21300) (AMD)	CL19-19-19-43 1.2V	4GBX2	x8	TPRD48G2666HC19DC02
			8GBX2	x8	TPRD416G2666HC19DC02
			8GBX2	x16	TPRD416G2666HC19DC026
			16GBX2	x8	TPRD432G2666HC19DC02
			32GBx2	x8	TPRD464G2666HC19DC02
	DDR4-3200 (PC4-25600) (AMD)	CL22-22-22-52 1.2V	4GBX2	x8	TPRD48G3200HC22DC02
			8GBX2	x8	TPRD416G3200HC22DC02
			8GBX2	x16	TPRD416G3200HC22DC026
			16GBX2	x8	TPRD432G3200HC22DC02
			32GBX2	x8	TPRD464G3200HC22DC02

Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda Team Group, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanесenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

<https://tehnoteka.rs/p/team-group-8gb-ddr4-3200mhz-tpd48g3200hc2201-akcija-cena/>