

Informacije o proizvodu (EN)

A-DATA SSD 1TB AGAMMIXS70B-1T-CS



Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

<https://tehnoteka.rs/p/a-data-ssd-1tb-agammixs70b-1t-cs-akcija-cena/>

XPG GAMMIX S70 BLADE
PCIe Gen4x4 M.2 2280 Solid State Drive

SHARP AS A BLADE

XPG GAMMIX S70 BLADE PCIe Gen4x4 M.2 2280 Solid State Drive

Enjoy next-gen performance with the XPG GAMMIX S70 BLADE PCIe Gen4x4 M.2 2280 solid state drive (SSD). Sporting the latest PCIe Gen4x4 interface and a host of other capabilities, this SSD is capable of reaching blazing-fast read/write speeds of up to 7400/6400MB per second.

Features

- R/W speed up to 7,400/6,400MB/s
- Ultra-fast PCIe Gen4x4 interface
- Compliant with NVMe 1.4
- High-temperature resistant aluminum heatsink which is able to reduce temperatures by up to 20%
- Capacity up to 2TB
- SLC Caching and DRAM cache buffer
- Advanced LDPC ECC Technology
- E2E Data Protection and RAID Engine
- AES 256-bit encryption support
- Compact M.2 2280 form factor – ideal for gaming and high-end desktops

Ordering Information

Capacity	Model Number	EAC Code
1TB	AGAMMIXS70B-1T-CS	4711085933065
2TB	AGAMMIXS70B-2T-CS	4711085933072



Specifications

- Capacities: 1TB / 2TB
- NAND Flash: 3D NAND
- Interface: PCIe Gen4x4
- Form Factor: M.2 2280
- MTBF: 2,000,000 hours
- Dimensions (L x W x T):
80 x 22 x 4.3mm (with heatsink)
80 x 22 x 3.3mm (without heatsink)
- Weight: 10g / 0.35oz (with heatsink)
6g / 0.24oz (without heatsink)
- Operating Temperature: 0°C~70°C
- Storage Temperature: -40°C~85°C
- Shock Resistance: 1500G/0.5ms
- Certifications: CE, FCC, BSMI, KC, Morocco, EAC
- Warranty: 5-year limited

Performance


Capacity	ATTO	ATTO	CDM	CDM	AS SSD	AS SSD	4K	4K	TBW
	Seq. Read (MB/sec)	Seq. Write (MB/sec)	(QD32-T1) Seq. Read (MB/sec)	(QD32-T1) Seq. Write (MB/sec)	Seq. Read (MB/sec)	Seq. Write (MB/sec)	Random Read IOPS	Random Write IOPS	
1TB	7400	5500	7400	5500	5600	5000	350K	720K	740TB
2TB	7400	6400	7400	6400	5700	5500	650K	740K	1480TB

*M/B: MSI X570 GAMING PLUS, CPU: AMD Ryzen 7 3700X 8-Core Processor @ 3.60GHZ


*Performance may vary based on SSD capacity, hardware test platform, test software, operating system and other system variables

Schematics

<With heatsink>



<Without heatsink>



Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda Adata, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanесenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

<https://tehnoteka.rs/p/a-data-ssd-1tb-agammixs70b-1t-cs-akcija-cena/>