

## Informacije o proizvodu (EN)

CHIEFTEC napajanje 500W APB-500B8



Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

<https://tehnoteka.rs/p/chiefttec-napajanje-500w-apb-500b8-akcija-cena/>

The APB-500B8 of the new **VALUE SERIES** offers both quality and **80 PLUS® 230V EU** efficiency at a highly competitive pricing. Equipped with a vast amount of required connectors, long native cables and a silent running fan with installed thermal board, the PSU runs quietly on full load and provides **REAL POWER**, thereby providing all security features. Certified by **CE, CB, EAC, TÜV** and amongst many others, it's the **VALUE** choice!








| Technical data                |                                                                                                                                                                                                     |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Model                         | Value 500W                                                                                                                                                                                          |
| Artikel no.                   | APB-500B8                                                                                                                                                                                           |
| EAN code                      | 4710713230569                                                                                                                                                                                       |
| Weight (without/with package) | 1.22 kg / 1.35 kg                                                                                                                                                                                   |
| Specification                 | ATX 12V 2.3                                                                                                                                                                                         |
| Form factor                   | PS II                                                                                                                                                                                               |
| Efficiency                    | 80 PLUS® 230V EU                                                                                                                                                                                    |
| PFC                           | Active PFC (0.9) (only 230V)                                                                                                                                                                        |
| Fan                           | 120mm silent fan                                                                                                                                                                                    |
| Dimension (DxWxH)             | 140mm x 150mm x 87mm                                                                                                                                                                                |
| Security                      | AFC (Automatic Fanspeed Control)<br>OPP (Overload Protection)<br>OVP (Overvoltage Protection)<br>SCP (Short-circuit Protection)<br>SIP (Surge & Inrush Protection)<br>UVP (Undervoltage Protection) |
| Warranty                      | 24 Months                                                                                                                                                                                           |

| Output data |                     |                     |     |      |      |       |
|-------------|---------------------|---------------------|-----|------|------|-------|
| Value 500W  | AC Input            | 200-240V 47-63Hz 4A |     |      |      |       |
|             | DC Output           | +3.3V               | +5V | +12V | -12V | +5VSB |
|             | Max. Current        | 18A                 | 17A | 38A  | 0.3A | 2.5A  |
|             | Max. Combined Power | -                   |     | 456W | 3.6W | 12.5W |
| 500W        |                     |                     |     |      |      |       |

\* The listed specifications may be altered at any point in time without any pre-notice.

\*\* Chieftec® is a registered trademark. All other brands and/or logos are property of the respective owners.

|                                                                                     | Cable             | Connectors | Length (mm) |
|-------------------------------------------------------------------------------------|-------------------|------------|-------------|
|    | 20+4 PIN ATX      | 1          | 500         |
|    | 8 PIN EPS (4+4)   | 1          | 350         |
|    | 8 PIN PCI-E (6+2) | 1          | 350         |
|    | MOLEX             | 2          | 350/150/150 |
|                                                                                     | FLOPPY            | 1          |             |
|  | SATA              | 3          | 350/150/150 |

Certification



\* The listed specifications may be altered at any point in time without any pre-notice.

\*\* Chieftec® is a registered trademark. All other brands and/or logos are property of the respective owners.

Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda Chieftec, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanесenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

<https://tehnoteka.rs/p/chieftec-napajanje-500w-apb-500b8-akcija-cena/>