

## Informacije o proizvodu (EN)

CHIEFTEC napajanje BDK-750FC 750W



Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

<https://tehnoteka.rs/p/chiefttec-napajanje-bdk-750fc-750w-akcija-cena/>

- 80 PLUS® Bronze certified efficiency
- Fully modular cable management
- Half-bridge LLC converter with DC-to-DC technology
- Premium Japanese capacitors
- FDB 12cm fan



The **SteelPower Series** from Chieftronic brings many of the well-received and proven upmarket features and components from the **PowerPlay** series into the mainstream gamer's market. Gamers can now benefit from the tight voltage regulation and low ripple thanks to the use of **half-bridge LLC** converters with **DC-DC** technology as well as premium Japanese capacitors in combination with **80PLUS Bronze efficiency** and fully modular cable management.

Offered in wattages of 550W, 650W and 750W, the SteelPower series benefits from a high power-density design allowing all the above mentioned to be packed into a compact 14cm long housing with a 120mm FDB silent fan. The design of the PSU comes in a rugged understated look.








Technical data	
Model	Steel Power Series
Article No.	BDK-750FC
ATX 12V version	v 2.53
Efficiency	80 PLUS® Bronze
PFC	Actives PFC
Fan	120mm FDB silent fan
Dimension (DxWxH)	140mm x 150mm x 86mm
Security	AFC (Automatic Fan speed Control) OCP (Overcurrent protection) OPP (Overload protection) OTP (Over-temperature protection) OVP (Overvoltage protection) SCP (Short-circuit protection) SIP (Surge & Inrush Protection) UVP (Under Voltage protection)
Warranty	60 Months

Output data						
BDK-750FC	AC Input	100-240V / 47 - 63Hz / 10.0A				
	DC Output	+3.3V	+5V	+12V	-12V	+5VSB
	Max. Current	20.0A	20.0A	62.5A	0.3A	2.5A
	Max. Combined Power	120W		750W	3.6W	12.5W
			750W			

\* The listed specifications may be altered at any point in time without any pre-notice.

\*\* CHIEFTRONIC® is a registered trade mark. All other brands and/or logos are property of the respective owners.

	Cable	Connectors	Length (mm)
	20+4 PIN ATX	1	650
	8 PIN PCIe (6+2)	4	2x 500/150
	8 PIN EPS (4+4)	2	600/150
	SATA	6	2x 500/150/150
	Molex	3	500/150/150/150
	Floppy	1	

### Certification



Version: 03/2021

\* The listed specifications may be altered at any point in time without any pre-notice.

\*\* CHIEFTRONIC® is a registered trade mark. All other brands and/or logos are property of the respective owners.

Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda Chieftec, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanесenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

<https://tehnoteka.rs/p/chieftec-napajanje-bdk-750fc-750w-akcija-cena/>