

Informacije o proizvodu (EN)

COOLER MASTER napajanje MWE White 700W



Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

<https://tehnoteka.rs/p/cooler-master-napajanje-mwe-white-700w-akcija-cena/>



Make It Yours.

MWE 700 WHITE 230V V2

MPE-7001-ACABW

POWER UP



FEATURES

Single +12V Rail : All power comes from a single +12V source, ensuring consistent output through all connected cables.

120mm HDB Fan : The 120mm HDB fan employs responsive fanspeed control, limiting noise to specific cooling requirements during use.

DC-to-DC Technology : The DC-to-DC + LLC circuit design offers reliable, stable output to all connected components.

Silent Mode : The fan will not spin under lower loads or in standby mode, ensuring a quiet user experience during casual operation.

Flat Black Cables : The flat cables take up less space and are easier to manipulate within the chassis.

3 Year Warranty : This unit comes with a standard limited manufacturing warranty of 3 years from the date of purchase.

PACKAGE INFORMATION

| Cable Type | EAN | UPC |
|------------|---------------|--------------|
| AU | 4719512083079 | 884102055560 |
| BR | 4719512083086 | 884102055577 |
| EU | 4719512083055 | 884102055546 |
| JP | 4719512083116 | 884102055607 |
| KR | 4719512083093 | 884102055584 |
| ST | 4719512083062 | 884102055553 |
| TW | 4719512083109 | 884102055591 |
| UK | 4719512083048 | 884102055539 |
| US | 4719512083031 | 884102055522 |

| | |
|--------------------|---|
| Nett Weight | 1.498 kg / 3.303 lb |
| Gross Weight | 1.896 kg / 4.18 lb |
| Package Dimensions | 245 x 190 x 110mm (9.65 x 7.48 x 4.33") |
| Carton Dimensions | 570 x 260 x 215mm (22.44 x 10.24 x 8.46") |
| Unit / Carton | 5 pcs |
| Carton / Pallet | 32 pcs |


The MWE White offers 80 Plus Standard certification, guaranteeing an average efficiency of 85% at typical load. The DC-to-DC + LLC circuit design allows the unit to convert power from the single +12V rail reliably, efficiently, and safely for a better overall user experience. The thermally sensitive HDB fan cools based on temperature, adjusting constantly as the system's needs change. Not only does this waste less power but it also creates a quieter overall user experience by not running the fan at maximum noise level when not needed. For a great entry level computing experience, choose the MWE White.

SPECIFICATIONS

| | | |
|------------------------|--|----|
| Product Name | MWE 700 White 230V V2 | |
| Item Code | MPE-7001-ACABW | |
| ATX Version | Intel ATX 12V V2.52 | |
| PFC | Active PFC | |
| Input Voltage | 200-240V | |
| Input Current | 6A | |
| Input Frequency | 50-60Hz | |
| Dimensions (L x W x H) | 140 x 150 x 86mm | |
| Fan Size | 120 | |
| Fan Bearing | HDB | |
| Fan Speed | 2400 RPM | |
| Noise @ 20% | 11.12dB-A | |
| Noise @ 50% | 20.4dB-A | |
| Noise @ 100% | 40.8dB-A | |
| Efficiency | 85% Typically | |
| 80 PLUS Rating | 80 PLUS Standard 230V EU | |
| ErP 2014 Lot 3 | Yes | |
| Operating Temperature | 40°C | |
| Power Good Signal | 100 -500ms | |
| Hold Up Time | >14ms at 100% full load@230Vac | |
| MTBF | >100,000 hours | |
| Protections | OVP / OPP / SCP / UVP / OTP | |
| Regulatory | CCC, CE, TUV-RH, RCM, EAC, cTUVus, FCC, BSMI, KC, CB | |
| Connectors | ATX 24 Pin | x1 |
| | EPS 4+4 Pin | x1 |
| | EPS 8 Pin | x1 |
| | SATA | x6 |
| | Peripheral 4 Pin | x3 |
| | PCI-e 6+2 Pin | x4 |

| AC INPUT | 200-240V~ 6A 50-60Hz | | | | |
|-------------|----------------------|-----|------|------|--------|
| DC OUTPUT | +3.3V | +5V | +12V | -12V | +5Vstb |
| | 20A | 20A | 58A | 0.3A | 3A |
| TOTAL POWER | 120W | | 696W | 3.6W | 15W |
| | 700W | | | | |

FEATURES



All power comes from a single +12V source, ensuring consistent output through all connected cables.




The 120mm HDB fan employs responsive fanspeed control, limiting noise to specific cooling requirements during use.



The DC-to-DC + LLC circuit design offers reliable, stable output to all connected components.



This certification guarantees a typical efficiency of 85% under normal operating conditions.



The flat cables take up less space and are easier to manipulate within the chassis.



This unit comes with a standard limited manufacturing warranty of 3 years from the date of purchase.

Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda Cooler Master, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanесenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

<https://tehnoteka.rs/p/cooler-master-napajanje-mwe-white-700w-akcija-cena/>