

## Informacije o proizvodu (EN)

COOLER MASTER napajanje V750 Gold I Multi 750W



Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

<https://tehnoteka.rs/p/cooler-master-napajanje-v750-gold-i-multi-750w-akcija-cena/>

## MAKE IT DIGITAL



### FEATURES

**Semi-Digital Platform :** The digital platform connects directly to the motherboard via included USB 3.0 wire, allowing software based performance monitoring and customization.

**80 PLUS Gold Certified :** This certification guarantees a minimum typical efficiency of 90% under normal operating conditions.

**Fully support ATX3.0 :** Fully support ATX3.0 design guide with peak power 200% 100us & 300W native 12VHPWR cable.

**Smart Thermal Control Mode :** Under the premise of PSU functioning and reliability normally. Customize the FAN curve mode through Masterplus+.

**Full Modular Cable Management :** Full modular cables reduce clutter, increase airflow, and improve overall efficiency and thermal performance.

**10 Year Warranty :** This unit comes with a standard limited manufacturing warranty of 10 years from the date of purchase.

### PACKAGE INFORMATION

Cable Type	EAN	UPC
BUS	4719512119259	884102091575
BUK	4719512119266	884102091582
BEU	4719512119273	884102091599
BST	4719512119280	884102091605
BAU	4719512119297	884102091612
BBR	4719512119303	884102091629
BKR	4719512119310	884102091636
BTW	4719512119327	884102091643
BJP	4719512119334	884102091650
BIN	4719512119341	884102091667
BWO	4719512119358	884102091674

Nett Weight	2.43 kg / 5.357 lb
Gross Weight	3 kg / 6.614 lb
Package Dimensions	303 x 202 x 125mm (11.93 x 7.95 x 4.92")
Carton Dimensions	527 x 325 x 246mm (20.75 x 12.8 x 9.69")
Unit / Carton	4 pcs
Carton / Pallet	24 pcs

The V Gold i was created with two main design principles in mind. The first was fundamental high quality PSU design. Cooler Master wanted to deliver a top-tier PSU that would provide all the bells and whistles a modern user might want or need for their high-end system. The second principle was control. As technology advances, digital solutions make it possible to monitor and customize more aspects of PC hardware. This now includes power supplies. With its digital infrastructure, V Gold i allows users to observe and alter performance in real time via Cooler Master's own MasterPlus+ free software.

### SPECIFICATIONS

Product Name	V750 Gold i multi	
Item Code	MPZ-7501-AFAG	
ATX Version	ATX 12V Ver. 3.0	
PFC	Active PFC	
Input Voltage	100-240V	
Input Current	10 - 6A	
Input Frequency	50 - 60Hz	
Dimensions (L x W x H)	160 x 150 x 86mm	
Fan Size	135mm	
Fan Bearing	FDB	
Fan Speed	2200rpm	
Efficiency	≥ 90% @ Typical Load	
80 PLUS Rating	80 PLUS Gold	
ErP 2014 Lot 3	Yes	
Operating Temperature	0 ~ 50°C	
Power Good Signal	100-150 ms	
Hold Up Time	≥ 20ms	
MTBF	>100,000 hours	
Protections	OPP/ OVP/ OCP/ UVP/ SCP/ OTP/ Surge & Inrush Protection	
Regulatory	UL, TUV, CE, FCC, BSMI, CCC, KC, KCC, EAC, BIS, UKCA, RoHS2.0	
Connectors	ATX 24 Pin	x1 = 1x (650mm)
	EPS 4+4 Pin	x1 = 1x (650mm)
	EPS 8 Pin	x1 = 1x (650mm)
	SATA	x12 = 3x (500+120+120+120mm)
	Peripheral 4 Pin	x4 = 1x (400+120+120+120mm)
	PCI-e 6+2 Pin	x3 = 3x (5500mm)
	12VHPWR	x1 = 1x(650mm)
USB	x1 = 1x(800mm)	

AC INPUT	100-240V~ 10 - 6A 50 - 60Hz				
DC OUTPUT	+3.3V	+5V	+12V	-12V	+5Vstb
	20A	20A	62.5A	0.3A	3A
TOTAL POWER	120W		750W	3.6W	15W
	750W				

## FEATURES




The digital platform connects directly to the motherboard via included USB 3.0 wire, allowing software based performance monitoring and customization.



This certification guarantees a minimum typical efficiency of 90% under normal operating conditions.



The 135mm silent fan creates less friction, making it great for low RPM operations while delivering quiet cooling performance.



All Japanese capacitors to make sure the quality



Fully support ATX 3.0 with native 12VHPWR connector



This unit comes with a standard limited manufacturing warranty of 10 years from the date of purchase.



Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda Cooler Master, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanесenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

<https://tehnoteka.rs/p/cooler-master-napajanje-v750-gold-i-multi-750w-akcija-cena/>