

Informacije o proizvodu (EN)

LC-Power napajanje LC1200P V2.52 1200W

LCPOWER



Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

<https://tehnoteka.rs/p/lc-power-napajanje-lc1200p-v252-1200w-akcija-cena/>

LC1200P V3.0

Platinum Series ATX PSU with 1200 W & PCIe 5.0

The LC1200P V3.0 is an 80 PLUS® PLATINUM certified, fully modular ATX power supply, which offers your system high stability and performance.



- ATX form factor
- 1200 W
- 135 mm fan
- full modular cable management
- black ribbon cable
- 80 PLUS® PLATINUM certified
- high efficiency up to 92 %
- full range: 110 - 240 V
- DC-to-DC technology
- high-performance +12 V rail (100 A)
- 8x PCI-Express 6+2 pin
- **2x PCI-Express 5.0 12+4 pin**

Technical specification - LC1200P V3.0

| | |
|-------------------------------------|--|
| Dimension (PSU): | 86 x 180 x 150 mm |
| Dimension (package): | 120 x 295 x 225 mm |
| Weight (product/overall): | 3,67 / 4,03 kg |
| Fan: | 135 mm |
| Connectors: | |
| 20+4 pin mainboard: | 1x 650 mm |
| 4+4 pin mainboard 12 V (8 pin EPS): | 2x 650 mm |
| 4 pin mainboard 12 V: | 1x 800 mm |
| PCI-Express 5.0 12+4 pin: | 2x 650 mm |
| PCI-Express 6+2 pin: | 4x 675 mm / 4x 750 mm |
| SATA: | 5x 500 mm / 5x 650 mm / 5x 800 mm / 5x 950 mm |
| PATA: | 2x 500 mm / 2x 650 mm / 2x 800 mm |
| FDD: | 1x 900 mm |

| | |
|-----------------------|---|
| Form factor: | ATX, Version 3.0 |
| PFC: | active |
| Full range: | 110 - 240 V |
| Standby: | < 0,5 W |
| Efficiency: | up to 92 % |
| Certified: | 80 PLUS® PLATINUM |
| Security circuitries: | OVP (Over-Voltage Protection), OCP (Over-Current Protection), OPP (Over-Power Protection), SCP (Short-Circuit Protection), UVP (Under-Voltage Protection) |
| Material: | metal, plastic |
| Mark of conformity: | CE, TÜV |
| Colour: | black |
| Barcode: | 4260070129827 |
| Manufacturer code: | LC1200P V3.0 |

Power rating:

| | | | | | |
|-----------------------|---|------|--------|-------|-------|
| AC Input | 110-240 V ~ 15 A 47-60 Hz Active PFC ATX V3.0 | | | | |
| DC Output | +3,3V | +5V | +12V | -12V | +5Vsb |
| Output Current | 20 A | 20 A | 100 A | 0,3 A | 3 A |
| Combined Output Power | 100 W | | 1200 W | 3,6 W | 15 W |
| Max. Combined | 1200 W | | | | |

IMPORTANT:

Please connect only one graphics card up to 450 W or 600 W to the power supply. Alternatively two graphics cards up to 300 W each can be connected.

*How to use:

- Option 1: 20x SATA & 3x PATA
- Option 2: 16x SATA & 6x PATA

Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda LC-Power, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanесenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

<https://tehnoteka.rs/p/lc-power-napajanje-lc1200p-v252-1200w-akcija-cena/>