

## Uputstvo za upotrebu (EN)

GIGABYTE kućište Aorus C700 Glass GB-AC700G

**GIGABYTE™**



Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:


<https://tehnoteka.rs/p/gigabyte-kuciste-aorus-c700-glass-gb-ac700g-akcija-cena/>

# AORUS

## C700 GLASS

### INSTALLATION GUIDE

### Assembly Drawing



- A** I/O panel
- B** Front panel
- C** Tempered glass side panels
- D** Vertical and horizontal graphics card Installation
- E** Top panel
- F** Detachable dust filter
- G** PSU mounting plate
- H** 3.5"/2.5" drive bays
- I** 2.5" drive bays
- J** PWM fans (Pre-installed 120mm\*3)
- K** ARGB & PWM fans (Pre-installed 120mm\*2)

#### Warranty

Gigabyte provides limited product warranty. For the latest and current terms of the Limited Product Warranty, please visit <http://www.gigabyte.com/support-downloads/customer-service.aspx>.

#### WEEE Information

This symbol on the product or in the instructions means that your electrical and electronic equipment should be disposed at the end its life separately from your household waste. There are separate collection system for recycling in the EU.

For more information, please contact the local authority or your retailer where you purchased the product.

符合中国《电器电子产品有害物质限制使用管理办法》标示  
产品中有害物质的名称及含量



部件名称	有毒有害物质或元素					
	铅(Pb)	汞(Hg)	镉(Cd)	六价铬(Cr(VI))	多溴联苯(PBB)	多溴二苯醚(PBDE)
机箱组	X	○	○	○	○	○
面板组	X	○	○	○	○	○
I/O模块	X	○	○	○	○	○
风扇	X	○	○	○	○	○
安装套件	X	○	○	○	○	○
电源	X	○	○	○	○	○

本表格依据 SJ/T 11364 的规定编制。  
○：表示该有害物质在该部件所有均质材料中的含量均在 GB/T 26572 规定的限量要求以下。  
X：表示该有害物质至少在该部件的某一均质材料中的含量超出 GB/T 26572 规定的限量要求，但所有部件都符合欧盟 RoHS 要求。


Asia (Headquarters)  
GIGA-BYTE TECHNOLOGY CO., LTD. Taiwan  
Address: No.6, Baoqiang Rd., Xindian Dist., New Taipei City 231, Taiwan  
Tel: +886-2-8912-4000  
<http://www.gigabyte.com>

China  
GIGABYTE CHINA  
Address: 24/F, HaiTong Securities Tower, No.689 Guangdong Road, Shanghai, China  
Tel: +86-21-6340-0912


Europe  
G.B.T. TECHNOLOGY TRADING GMBH Germany  
Address: Bullenkoppel 16, 22047 Hamburg, Deutschland  
Tel: +49-40-25 33 040

North America  
G.B.T. INC. USA  
Address: 17358 Railroad Street, City of Industry, CA91748 USA  
Tel: +1-626-854-9338

#### I/O Connectors




#### RGB Lighting




#### Remove the panels


#### Side Panel



#### Top Panel




#### Front Panel



\*Be careful when handling the tempered glass panel.

Maximum compatibility

Support vertical and horizontal graphics card installation




ACCESSORY KIT

Figure	Part's Name	Qty	Used For
	Screw - A	8	PSU
	Screw - B	54	Motherboard(12) / SSD(40) / GPU (2)
	Screw - C	8	HDD
	Standoff - 6.5mm	4	Motherboard(9, pre-installed)
	Cable Tie	8	Cable management



Install the vertical graphics card

Requires the PCIe riser cable (not included)



\*Plug the PCI-E riser cable before installing the graphics card.

Install the power supply



RGB & Fan control system



**RGB FUSION 2.0**  
With 16.7M customizable color options and numerous lighting effects, you can choose lighting effects or synchronize with other AORUS devices.



Please use the included hub (refer the below image) to connect the ARGB and PWM fans.

Users can control the RGB & Fan speed on the top I/O panel.

Mode Button: Adjust the modes between RGB FUSION 2.0.

RGB Button: Adjust the various colors.

FAN ± Button: Adjust the fan speed by each level.




\* Must connect the MB USB for chassis light power and control.


\* Choose **only one** 5V 3 pin ARGB connector to connect your MB.

Install water cooling radiators & cooling fans


1 (Top)



2 (Front)





3 (Rear)





Install the internal 2.5" SSDs & 3.5" HDDs

3.5" HDD can be replaced by 2.5" SSD.

For 2.5" Cage



For 3.5" Cage



The 3.5" drive bay can be disassembled when the users need more space for installing the radiator or PSU.

Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda Gigabyte, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanесenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

<https://tehnoteka.rs/p/gigabyte-kuciste-aorus-c700-glass-gb-ac700g-akcija-cena/>