

Uputstvo za upotrebu (EN)

LC-Power kućište Bright Sail X 713W




LC-POWER




Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:


<https://tehnoteka.rs/p/lc-power-kuciste-bright-sail-x-713w-akcija-cena/>




- A: Removal of the front and side panels
- B: Installation of the power supply (PSU)
- C: Installation of the motherboard
- D: Installation of fan(s) and/or radiator(s)
- E: Installation of 3.5" HDDs
- F: Installation of 2.5" HDDs or SSDs
- G: Installing PCI / PCI-e card(s) and removing the expansion slot covers




•Note: Additional copper mounting points are provided if required.



- Remove front and side panel retaining screws before attempting to remove either of the panels.



- Please ensure that the PSU intake or exhaust fan is positioned towards the ventilation holes (bottom) of the case.



Fan support:



Front :	3x 120 mm or 2x 140 mm
Top :	2x 120/140 mm
Rear :	1x 120 mm

Water cooling support :

Front :	1x 240/280/360 mm
Top :	1x 240 mm
Rear :	1x 120 mm




- Unscrew and remove HDD enclosure.
- Install first 3.5" HDD in the top of the enclosure, and secure with screws provided (No. 4).
- Install additional 3.5" HDD into additional enclosure(s).
- Insert enclosure into the case and secure with thumbscrews.




-

- Install SSD and secure with screws.




- 

- Unscrew and remove the corresponding PCI expansion slot cover.
- Insert PCI / PCI-e card into your motherboard.
- Secure PCI / PCI-e card with screws provided (No.1).
- Adjust PCI / PCI-e card bracket to suit your card.



H.D.D LED - HDD LED
+P & -P - Power LED
POWER SW - Power Switch



Service & notes

Avoid direct sunlight and a high temperature environment, keep the case far away from fire and heat sources. Keep it in dry places, keep it away from corrosiveness causing materials.

The product has a two year warranty period from the date of purchase, service issues will be handled by your dealer. If the case is damaged due to improper operation, the warranty period expires immediately.

Check www.ic-power.com or contact us by e-mail at: service@ic-power.com.

Silent Power Electronics GmbH
Formerweg 8
47877 Willich
Germany

Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda LC-Power, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanесenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

<https://tehnoteka.rs/p/lc-power-kuciste-bright-sail-x-713w-akcija-cena/>