

Uputstvo za upotrebu (kratko EN)

ZOTAC nVidia GeForce RTX 3060 Ti Twin Edge OC 8GB GDDR6X 256-bit grafička kartica

ZOTAC



Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

<https://tehnoteka.rs/p/zotac-nvidia-geforce-rtx-3060-ti-twin-edge-oc-8gb-gddr6x-256-bit-graficka-kartica-akcija-cena/>

GRAPHICS CARD INSTALLATION

01
Power Off the computer. Unplug the cable(s) connected to the system, and remove any existing discrete graphics card(s).

02
Remove the system case cover and locate the PCI Express x16 slot on the motherboard. Please refer to your motherboard specifications.

03
Remove the expansion slot cover(s) for the available slot(s) where the graphics card will be installed.

GRAPHICS CARD INSTALLATION

04/05
Insert the card firmly into the expansion slot. Secure the graphics card using the system case screw(s).

06
Connect any required PCI-e power cable(s) from the system power supply to the graphics card. Power requirements may vary by graphics card model.

07
Replace the system case cover and reconnect the system power cable.

GEFORCE DRIVER INSTALLATION

PLEASE MAKE SURE TO HAVE THE LATEST AVAILABLE DRIVERS INSTALLED FOR YOUR ZOTAC GAMING GEFORCE GRAPHICS CARD FOR OPTIMAL GAMING PERFORMANCE.

NOTE: The latest GeForce Drivers are available at GEFORCE.com. An Internet connection is required to proceed.



1) Scan the above QR code to go to the NVIDIA GEFORCE® Drivers website or enter the URL into your system's Internet browser - <https://www. GeForce.com/drivers>

2) Follow the onscreen menu to download the GeForce drivers for your graphics card model and OS.

3) Locate the downloaded file on your system and double click it to begin the installation process.

4) Follow the on-screen instructions to complete the installation and restart the system once done.

GEFORCE DRIVER INSTALLATION

PLEASE MAKE SURE TO HAVE THE LATEST AVAILABLE DRIVERS INSTALLED FOR YOUR ZOTAC GAMING GEFORCE GRAPHICS CARD FOR OPTIMAL GAMING PERFORMANCE.

NOTE: The latest GeForce Drivers are available at GEFORCE.com. An Internet connection is required to proceed.



1) Scan the above QR code to go to the NVIDIA GEFORCE® Drivers website or enter the URL into your system's Internet browser - <https://www. GeForce.com/drivers>

2) Follow the onscreen menu to download the GeForce drivers for your graphics card model and OS.

3) Locate the downloaded file on your system and double click it to begin the installation process.

4) Follow the on-screen instructions to complete the installation and restart the system once done.

CONNECT A MONITOR

CONNECTING A DISPLAY TO THE GRAPHICS CARD



ZOTAC.COM



USEFUL LINKS

PRODUCT REGISTRATION
Register your new product on ZOTAC.COM to get FREE extended product warranty where applicable. Product registration must be successfully submitted within a limited time of new product purchase. Availability and window of time for product registration may vary by product and region.

FIRESTORM UTILITY
Our advanced fine-tuning software utilizes a simplified design to allow easy and immersive control of your ZOTAC and ZOTAC GAMING graphics cards. Monitor GPU performance, adjust the speed of clock, memory and fan, customize fan profile as well as SPECTRA RGB lighting, and do much more.

SUPPORT/CONTACT US
Need any help with your ZOTAC products? Please go to our Support page to find the answers, or simply contact us so we can provide the needed support.

Under no circumstances is ZOTAC Technology Ltd. held liable for any lost wages or revenues incurred due to defective or damaged products. ZOTAC Technology Ltd. does not provide any additional warranty for its products except as stated in the warranty terms, whether by implication or merchant implication.

WARRANTY

ZOTAC Technology Limited stands by the quality of its products with a limited warranty. The ZOTAC warranty ensures all products are free of material and workmanship defects from the factory. The warranty applies to the original purchaser and is non-transferable.

The ZOTAC warranty is only applicable under the following conditions:

- A copy of the original sales receipt is kept.
- Damage to the product was not due to user installation.
- User did not damage the product, including abuse, over-clocking, natural disaster, negligence, misuse, modifications (cooling included), power supply, damage due to the result of other damaged components, etc.
- Product was used for its intended purpose.

It is up to the original purchaser to obtain warranty service. To submit a ZOTAC graphics card for warranty service, the owner must contact the regional ZOTAC Customer Service where available or the original reseller within the standard warranty period.

All warranty conditions and terms are subject to change without prior notice. For current warranty details, please check our online policies at ZOTAC.COM

Under no circumstances is ZOTAC Technology Ltd. held liable for any lost wages or revenues incurred due to defective or damaged products. ZOTAC Technology Ltd. does not provide any additional warranty for its products except as stated in the warranty terms, whether by implication or merchant implication.

EXTENDED WARRANTY

ZOTAC products come with a standard warranty period. In addition, customers will be entitled to extended product warranty through an online product registration process within a limited time of new product purchase where applicable. ZOTAC reserves the right to change the terms and conditions without advance notice.

The ZOTAC warranty will not be extended if: (1) the product is repaired, modified or altered, unless such repair, modification or alteration is authorized in writing by ZOTAC Technology Limited, (2) the serial number of the product is damaged or missing, or (3) the customer does not complete the product registration within the registration window of the purchase date. Products can be registered only at ZOTAC.COM

All warranty conditions and terms are subject to change without prior notice. For current warranty details, please check our online policies at ZOTAC.COM

Under no circumstances is ZOTAC Technology Ltd. held liable for any lost wages or revenues incurred due to defective or damaged products. ZOTAC Technology Ltd. does not provide any additional warranty for its products except as stated in the warranty terms, whether by implication or merchant implication.

SAFETY

1) Before playing video games
Make sure that the room is well illuminated and lighting is adjusted to the brightness of the monitor. Keep a static distance from the display monitor.

2) Static electricity precautions
Do not take the graphics card out from the original static electricity protection package until you are ready to install it. Before installing, wear a grounded wrist strap if possible, or discharge static electricity by touching the bare metal surface of the system chassis. Carefully hold the graphics card by its rear bracket, and avoid touching the "gold finger" PCB edge connector unless it is necessary.

3) Turn off system power before installing the graphics card
Turn off the AC main power to the system, by the AC main power switch or by detaching the AC power cord. Damage to the graphics card or the system components, or injury to you may result if power is turned on during the installation. Please directly a qualified technician if necessary. The manufacturer assumes no liability for any damage, caused directly or indirectly, by improper installation by unauthorized service personnel.

4) Electrical safety
Each graphics card requires a power supply that meets or exceeds a minimum wattage and/or PCIe connectors. High-end graphics cards may feature higher power consumption. Make sure that separate power cables are used on high power draw graphics cards and your power supply is set to the correct voltage for your region.

5) Operation Safety
Do not touch the card or block the fans from running while in operation to reduce the risk of injury. Parts such as the backplate and heatsink can be hot to the touch under heavy load. Allow for at least 5 minutes to pass after powering down to make sure all components have cooled down for safe handling.

6) Trigger Warning: Photosensitive epilepsy
Extremely pronounced lighting effects such as fast image changes, repetitions of simple geometric shapes, flashes of light may induce epileptic fits or blackouts in some persons. Even persons with no previous known tendency to epilepsy may be in danger if you or member of your family has been diagnosed as prone to epilepsy, please consult your physician before playing the video game. Parents should monitor their children carefully when they play video games. Stop playing immediately if the following symptoms are detected: nausea, vision disturbance, muscle tension or cramps, orientation problems, involuntary movements or brief loss of consciousness.

Failure to follow the warranty terms and conditions will result in an automatic void of the ZOTAC warranty. The warranty does not cover normal wear and tear items such as the cooling fan.

Under no circumstances is ZOTAC Technology Ltd. held liable for any lost wages or revenues incurred due to defective or damaged products. ZOTAC Technology Ltd. does not provide any additional warranty for its products except as stated in the warranty terms, whether by implication or merchant implication.

Under no circumstances is ZOTAC Technology Ltd. held liable for any lost wages or revenues incurred due to defective or damaged products. ZOTAC Technology Ltd. does not provide any additional warranty for its products except as stated in the warranty terms, whether by implication or merchant implication.

GUIDE D'INSTALLATION RAPIDE

INSTALLATION DE LA CARTE GRAPHIQUE

1. Éteignez l'ordinateur et débranchez le câble d'alimentation.
2. Débranchez le câble d'alimentation du câble d'alimentation.
3. Débranchez le câble d'alimentation du câble d'alimentation.
4. Débranchez le câble d'alimentation du câble d'alimentation.

GUÍA DE INSTALACIÓN RÁPIDA

INSTALACIÓN DE LA TARJETA GRÁFICA

1. Desconecte el cable de alimentación del ordenador.
2. Desconecte el cable de alimentación del cable de alimentación.
3. Desconecte el cable de alimentación del cable de alimentación.
4. Desconecte el cable de alimentación del cable de alimentación.

QUICK INSTALLATION GUIDE

INSTALLATION OF THE GRAPHICS CARD

1. Turn off the computer and unplug the power cable.
2. Disconnect the power cable from the power supply.
3. Disconnect the power cable from the power supply.
4. Disconnect the power cable from the power supply.

快速安装指南

安装 GeForce 显卡

1. 关闭计算机并拔掉电源线。
2. 断开电源线与电源供应器的连接。
3. 断开电源线与电源供应器的连接。
4. 断开电源线与电源供应器的连接。

快速安装指南

显卡安装步骤

1. 关闭计算机并拔掉电源线。
2. 断开电源线与电源供应器的连接。
3. 断开电源线与电源供应器的连接。
4. 断开电源线与电源供应器的连接。

快速安装指南

显卡安装步骤

1. 关闭计算机并拔掉电源线。
2. 断开电源线与电源供应器的连接。
3. 断开电源线与电源供应器的连接。
4. 断开电源线与电源供应器的连接。

快速安装指南

安装 GeForce 显卡

1. 关闭计算机并拔掉电源线。
2. 断开电源线与电源供应器的连接。
3. 断开电源线与电源供应器的连接。
4. 断开电源线与电源供应器的连接。

快速安装指南

显卡安装步骤

1. 关闭计算机并拔掉电源线。
2. 断开电源线与电源供应器的连接。
3. 断开电源线与电源供应器的连接。
4. 断开电源线与电源供应器的连接。

快速安装指南

显卡安装步骤

1. 关闭计算机并拔掉电源线。
2. 断开电源线与电源供应器的连接。
3. 断开电源线与电源供应器的连接。
4. 断开电源线与电源供应器的连接。

快速安装指南

安装 GeForce 显卡

1. 关闭计算机并拔掉电源线。
2. 断开电源线与电源供应器的连接。
3. 断开电源线与电源供应器的连接。
4. 断开电源线与电源供应器的连接。

快速安装指南

显卡安装步骤

1. 关闭计算机并拔掉电源线。
2. 断开电源线与电源供应器的连接。
3. 断开电源线与电源供应器的连接。
4. 断开电源线与电源供应器的连接。

快速安装指南

显卡安装步骤

1. 关闭计算机并拔掉电源线。
2. 断开电源线与电源供应器的连接。
3. 断开电源线与电源供应器的连接。
4. 断开电源线与电源供应器的连接。

快速安装指南

安装 GeForce 显卡

1. 关闭计算机并拔掉电源线。
2. 断开电源线与电源供应器的连接。
3. 断开电源线与电源供应器的连接。
4. 断开电源线与电源供应器的连接。

快速安装指南

显卡安装步骤

1. 关闭计算机并拔掉电源线。
2. 断开电源线与电源供应器的连接。
3. 断开电源线与电源供应器的连接。
4. 断开电源线与电源供应器的连接。

快速安装指南

显卡安装步骤

1. 关闭计算机并拔掉电源线。
2. 断开电源线与电源供应器的连接。
3. 断开电源线与电源供应器的连接。
4. 断开电源线与电源供应器的连接。

快速安装指南

显卡安装步骤

1. 关闭计算机并拔掉电源线。
2. 断开电源线与电源供应器的连接。
3. 断开电源线与电源供应器的连接。
4. 断开电源线与电源供应器的连接。

快速安装指南

显卡安装步骤

1. 关闭计算机并拔掉电源线。
2. 断开电源线与电源供应器的连接。
3. 断开电源线与电源供应器的连接。
4. 断开电源线与电源供应器的连接。

快速安装指南

显卡安装步骤

1. 关闭计算机并拔掉电源线。
2. 断开电源线与电源供应器的连接。
3. 断开电源线与电源供应器的连接。
4. 断开电源线与电源供应器的连接。

快速安装指南

安装 GeForce 显卡

1. 关闭计算机并拔掉电源线。
2. 断开电源线与电源供应器的连接。
3. 断开电源线与电源供应器的连接。
4. 断开电源线与电源供应器的连接。

快速安装指南

显卡安装步骤

1. 关闭计算机并拔掉电源线。
2. 断开电源线与电源供应器的连接。
3. 断开电源线与电源供应器的连接。
4. 断开电源线与电源供应器的连接。

快速安装指南

显卡安装步骤

1. 关闭计算机并拔掉电源线。
2. 断开电源线与电源供应器的连接。
3. 断开电源线与电源供应器的连接。
4. 断开电源线与电源供应器的连接。

快速安装指南

显卡安装步骤

1. 关闭计算机并拔掉电源线。
2. 断开电源线与电源供应器的连接。
3. 断开电源线与电源供应器的连接。
4. 断开电源线与电源供应器的连接。

快速安装指南

显卡安装步骤

1. 关闭计算机并拔掉电源线。
2. 断开电源线与电源供应器的连接。
3. 断开电源线与电源供应器的连接。
4. 断开电源线与电源供应器的连接。

快速安装指南

显卡安装步骤

1. 关闭计算机并拔掉电源线。
2. 断开电源线与电源供应器的连接。
3. 断开电源线与电源供应器的连接。
4. 断开电源线与电源供应器的连接。

快速安装指南

显卡安装步骤

1. 关闭计算机并拔掉电源线。
2. 断开电源线与电源供应器的连接。
3. 断开电源线与电源供应器的连接。
4. 断开电源线与电源供应器的连接。

快速安装指南

显卡安装步骤

1. 关闭计算机并拔掉电源线。
2. 断开电源线与电源供应器的连接。
3. 断开电源线与电源供应器的连接。
4. 断开电源线与电源供应器的连接。

快速安装指南

显卡安装步骤

1. 关闭计算机并拔掉电源线。
2. 断开电源线与电源供应器的连接。
3. 断开电源线与电源供应器的连接。
4. 断开电源线与电源供应器的连接。

快速安装指南

显卡安装步骤

1. 关闭计算机并拔掉电源线。
2. 断开电源线与电源供应器的连接。
3. 断开电源线与电源供应器的连接。
4. 断开电源线与电源供应器的连接。

Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda ZOTAC, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanесenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

<https://tehnoteka.rs/p/zotac-nvidia-geforce-rtx-3060-ti-twin-edge-oc-8gb-gddr6x-256-bit-graficka-kartica-akcija-cena/>