

## Informacije o proizvodu (EN)

EPSON multifunkcijski štampač EcoTank L6460

# EPSON



Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

<https://tehnoteka.rs/p/epson-multifunkcijski-stampac-ecotank-l6460-akcija-cena/>

# THE ULTIMATE PRINTER FOR YOUR BUSINESS



Robust and reliable. These are the EcoTank L6460 and L6490. Compact in size, the printers fit into any given space in your office. Enjoy hassle-free, auto-duplex printing that lowers printing cost; and face down output for better security. DURABrite ET Ink uses pigment-based ink to deliver durable, water-resistant and extra-sharp print. You can also download the Epson Smart Panel app and transform your mobile devices into an intuitive control centre to set up, monitor and operate the printers. Improve business efficiency with enhanced print performance from this stylish printing solution today.



Print Speed (Black)



Ultra-High Page Yield (Black)



Duplex Printing



Automatic Document Feeder



Fax\*



Wi-Fi Direct



Epson Connect



Epson Smart Panel

Prints start from

**12 PAISE**



### Versatility meets Productivity

Super compact printer which fits any business environment with fast print speed of up to 17.0 ipm (black) and 9.5 ipm (colour).

### Save on Consumables

Enjoy remarkably low cost per print with high page yield of up to 7,500 pages for black and white and up to 6,000 pages for colour.

### Care for Environment

With Epson Heat-free technology, less power is required to operate the EcoTank as compared to laser printer, reducing environmental impact.

## SPECIFICATIONS

| Product Name  | L6460  | L6490  |
|---|--|--|
| <b>Printer Type</b>   | Print, Scan, Copy with ADF   | Print, Scan, Copy, Fax with ADF  |
| <b>Printing</b>   | PrecisionCore Printhead  |  |
| Printing Technology   | 400 x 1 nozzles (Black), 128 x 1 nozzles per Colour (Cyan, Magenta, Yellow)  |  |
| Nozzle Configuration  | 4800 x 1200 dpi  |  |
| Maximum Resolution  | Print Speed <sup>1</sup>   |  |
| Draft Text - Memo, A4 (Black <sup>1</sup> / Colour <sup>2</sup> ) | Up to 37.0 ppm / 23.0 ppm  |  |
| ISO 24734, A4 (Black / Colour)                                    | Simplex: Up to 17.0 ipm / 9.5 ipm   Duplex: Up to 7.5 ipm / 5.0 ipm  |  |
| First Page Out Time (Black / Colour)                              | Simplex: Up to 7.0 sec / 11.0 sec  |  |
| Printer Language  | ESC/P-R, ESC/P Raster  |  |
| Automatic 2-sided printing  | Yes (up to A4 size)  |  |
| <b>Copying</b>  |  |  |
| Copy Speed  | Simplex: Up to 12.0 ipm / 6.0 ipm  |  |
| ISO 29183, A4 (Black / Colour), Flatbed                           | Simplex: Up to 10.0 ipm / 4.5 ipm  |  |
| ISO 24735, A4 (Black / Colour), ADF                               | 99 copies  |  |
| Maximum Copies from Standalone                                    | 25 - 400%  |  |
| Reduction / Enlargement   | 600 x 600 dpi  |  |
| Maximum Copy Resolution   | Legal  |  |
| Maximum Copy Size   |  |  |
| <b>Scanning</b>   |  |  |
| Scanner Type  | Flatbed colour image scanner   |  |
| Sensor Type   | CIS  |  |
| Optical Resolution  | 1200 x 2400 dpi  |  |
| Maximum Scan Area   | 216 x 297 mm   |  |
| Scanner Bit Depth   |  |  |
| Colour  | 48-bit input, 24-bit output  |  |
| Grayscale   | 16-bit input, 8-bit output   |  |
| Black & White   | 16-bit input, 1-bit output   |  |
| Scan Speed (Flatbed / ADF (Simplex))                              |  |  |
| Monochrome 200dpi   | Flatbed: Up to 12 sec / ADF: Up to 6.0 ipm   |  |
| Colour 200dpi   | Flatbed: Up to 27 sec / ADF: Up to 5.0 ipm   |  |
| <b>Fax Function</b>   |  |  |
| Type of Fax   | N/A  | Walk-up B/W and Colour Fax Capability  |
| Receive Memory / Page Memory                                      | N/A  | 2MB, Page memory up to 180 pages   |
| Error Correction Mode   | N/A  | ITU-T T.30   |
| Fax Speed (Data Transfer Rate)                                    | N/A  | Up to 33.6 kbps, Approx. 3 sec/page  |
| Fax Resolution  | N/A  | Up to 200 x 200 dpi  |
| Transmission Paper Size   |  |  |
| Flatbed   | N/A  | Letter, A4   |
| ADF   | N/A  | Letter, A4, 8.5 x 13", Legal   |
| Receiving Paper Size  | N/A  | Letter, A4, Legal  |
| Speed Dial / Group Dial   | N/A  | Up to 100 numbers, 99 groups   |
| Fax Features  | N/A  | PC Fax (Transmission / Receive), Automatic Redial, Address book, Broadcast Fax (Mono Only), Transmit Reservation, Polling Reception, Fax Preview |
| <b>ADF Function</b>   |  |  |
| Support Paper Thickness   | 64-95 g/m <sup>2</sup>   |  |
| Paper Capacity  | 35 sheets (A4 Paper), 10 sheets (Legal)  |  |
| <b>Paper Handling</b>   |  |  |
| Number of Paper Trays   | 2 (Front 1, Rear 1)  |  |
| Paper Hold Capacity   |  |  |
| Input Capacity  | Cassette 1: Up to 250 sheets of Plain Paper (80 g/m <sup>2</sup> ), up to 20 sheets of Premium Glossy Photo Paper. Rear Slot: 1 sheet (80 g/m <sup>2</sup> )       |  |
| Output Capacity   | Up to 30 sheets of Plain Paper (80 g/m <sup>2</sup> )<br>Up to 20 sheets of Premium Glossy Photo Paper   |  |
| Paper Size  | Legal, Indian Legal, Letter, A4, 16K (195 x 270 mm), B5, A5, B6, A6, Hagaki (100 x 148 mm), 8.5 x 13", 5 x 7", 4 x 6", Legal (8.5 x 14")<br>Envelopes: #10, DL, C6 |  |
| Maximum Paper Size  | 215.9 x 1200 mm  |  |
| Print Margin  | 3 mm top, left, right, bottom via custom settings in printer driver  |  |
| <b>Interface</b>  |  |  |
| USB   | USB 2.0  |  |
| Network   | Wireless IEEE 802.11b/g/n, Wi-Fi Direct, Ethernet  |  |
| Network Protocol  | TCP/IPv4, TCP/IPv6   |  |
| Network Management Protocols                                      | SNMP, HTTP, DHCP, BOOTP, APIPA, PING, DDNS, mDNS, Sntp, SLP, WSD, LLTD   |  |
| <b>Mobile and Cloud Printing</b>                                  |  |  |
| Epson Connect   | Epson iPrint, Epson Email Print, Remote Print Driver, Scan to Cloud  |  |
| Other Mobile Solutions  | Apple AirPrint, Mopria Print Service, Epson Smart Panel  |  |
| <b>Control Panel</b>  |  |  |
| LCD Screen  | 2.4" Colour LCD Touch Screen   |  |
| <b>Printer Software</b>   |  |  |
| Software Support  | Epson ScanSmart  |  |
| Operating System Compatibility                                    | Windows XP / XP Professional / Vista / 7 / 8 / 8.1 / 10<br>Windows Server 2003 / 2008 / 2012 / 2016<br>Mac OS X 10.6.8 or later                                    |  |
| <b>Electrical Specifications</b>                                  |  |  |
| Rated Voltage   | AC 220-240 V   |  |
| Rated Frequency   | 50-60 Hz   |  |
| Power Consumption   | 12.0 W (Operating), 5.4 W (Standby), 0.9 W (Sleep), 0.2 W (Power Off)  | 12.0 W (Operating), 5.5 W (Standby), 0.9 W (Sleep), 0.2 W (Power Off)  |
| <b>Noise Level</b>  |  |  |
| PC Printing / Plain Paper Default <sup>2</sup>                    | Sound Power (Black / Colour) 6.4 / 6.8 B(A), Sound Pressure (Black / Colour) 51 / 55 dB(A)   |  |
| <b>Consumables</b>  | <b>Page Yield<sup>3</sup></b>  | <b>Order Code</b>  |
| Black Ink Bottle 127 mL   | 7,500  | C13T06G198   |
| Cyan Ink Bottle 70 mL   | 6,000 (Composite Yield)  | C13T06G298   |
| Magenta Ink Bottle 70 mL  |  | C13T06G398   |
| Yellow Ink Bottle 70 mL   |  | C13T06G498   |
| User Replaceable Maintenance Box                                  | Yes  | C13T04D100   |

### Dimensions & Weight

**L6460 (SKU C11CJ89503)**  
Weight: 7.3 kg



**L6490 (SKU C11CJ88503)**  
Weight: 7.3 kg



<sup>1</sup> Print speed (Pages Per Minute) is calculated when printed on A4 plain paper in the fastest mode, 10 x 15 cm photo print speed when printed on Epson Premium Glossy Photo Paper. Print speed may vary depending on system configuration, print mode, document complexity, software, type of paper used and connectivity. Print speed does not include processing time on host computer.



#1 Black Text #2 Colour

<sup>2</sup> Default mode in accordance with ISO7779 for MFPs.

<sup>3</sup> Quoted yields are based on the ISO 24711/24712 patterns of mixed text and colour graphics with Epson methodology. Quoted yields are based on the replacement ink bottles purchased. For print quality, part of the ink from the included bottles is used for printer startup so yields could be lower than those of replacement ink bottles. Actual yields will vary due to reasons including images printed, print settings, temperature and humidity. Yields may be lower when printing infrequently or predominantly with one ink colour. Ink is used for both printing and printhead maintenance. All inks are used for both black and colour printing.

© 2021 Epson India Pvt. Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON and EXCEED YOUR VISION are registered trademarks of Seiko Epson Corporation. All other products names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Android is a trademark of Google Inc.

Dealer's Stamp

Information correct at time of printing  
Printed September 2021



**Epson Helpline:** For product info or service - 1800 425 0011  
For service - 1800 123 001 600 or 1860 300 016 000 (9AM - 6PM) (Mon- Sat)  
Email: ffp@epson-india.in

www.epson.co.in

### Regional Offices:

Ahmedabad - 3314 8500/01, Chennai - 3967 7500, Ernakulam - 4012 315, Coimbatore - 98942 19200,  
Kolkata - 4603 4729, Mumbai - 3079 8200, New Delhi - 3312 0300, Pune - 3028 6000/05,  
Hyderabad - 4857 0032, Jaipur - 0141 4923119

Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda Epson, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanесenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

<https://tehnoteka.rs/p/epson-multifunkcijski-stampac-ecotank-l6460-akcija-cena/>