tehnotzka

https://tehnoteka.rs

Informacije o proizvodu (EN)

EPSON štampač WorkForce WF-100W





Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

https://tehnoteka.rs/p/epson-stampac-workforce-wf-100w-akcija-cena/



SPECIFICATION SHEET

WorkForce® WF-100

WIRELESS MOBILE PRINTER



The lightweight, wireless mobile printer for professionals on the go.

The world's lightest and smallest mobile printer¹ — the ultimate in portability; ready to print invoices, presentations, contracts and more

Built-in wireless and Wi-Fi Direct®² — easily print from iPad[®], iPhone[®], tablets, smartphones and laptops³

Flexible battery charging — travel-friendly USB battery charging; or, use the AC adapter

Built-in battery — a rechargeable lithium-ion battery offers dependable performance in a small package

Productivity-boosting portability — print professional-quality business documents or borderless 4" x 6" photos anywhere, anytime

Efficient - save battery life with the automatic power-off feature

Easy to use — bright 1.4" color LCD plus convenient control panel for simple setup and operation

Professional-quality prints — speeds up to 6.7 ISO ppm (black) and 3.8 ISO ppm (color)^{\dagger}

Durable, quick-dry inks - for fade and water resistant prints

Sleek design - designed to keep up with busy professionals on the go

Designed for use exclusively with Epson ink cartridges.*



Iobile Printers WorkForce



WorkForce® WF-100

Printing Technology 4-color (CMYK) drop-on-demand MicroPiezo[®] inkjet technology

Printer Language Epson ESC/P®-R Maximum Print Resolution 5760 x 1440 optimized dpi Maximum Photo Print Speed # 4" x 6" borderless photo in as fast as 77 sec

ISO Print Speed Black 6.7 ISO ppm / Color 3.8 ISO ppm (AC Power) Black 3.5 ISO ppm / Color 2.0 ISO PPM (Battery power) **Minimum Ink Droplet Size**

3 droplet sizes, as small as 3 picoliters

Connectivity

Standard Connectivity

Hi-Speed USB Wireless (802.11 b/g/n)2 Wi-Fi Direct²

Operating Systems Windows® 8.x (32-bit, 64-bit), Windows 7 (32-bit, 64-bit), Windows Vista® (32-bit, 64-bit) Windows XP SP3 (32-bit), Windows XP Professional x64 Edition, Windows Server[®] 2012 R2⁴, Windows Server 2012⁴, Windows Server 2008 R2⁴, Windows Server 2008⁴, Windows Server 2003 R2⁴, Windows Server 2003⁴, Mac OS® X 10.5.8 - 10.9.x5

Mobile Printing

Epson Connect™3 Epson® Email Print, Epson iPrint™ Mobile App, Epson Remote Print

Other Apple[®] AirPrint[™], Google Cloud Print[™], Kindle Fire[™]

Paper Handling

Maximum Paper Size 8.5" x 14" Paper Sizes 3.5" x 5", 4" x 6", 5" x 7", 8" x 10", 8.5" x 11", A4, A6, half letter, executive

Borderless Photo Sizes 4" x 6"

Paper Types Plain paper, Epson Bright White Paper, Epson Presentation Paper Matte, Epson Premium Presentation Paper Matte, Epson Premium Presentation Paper Matte Double-sided, Epson Premium Photo Paper Glossy, Epson Ultra Premium Photo Paper Glossy, Epson Premium Photo Paper Semi-gloss

Envelope Types No. 10: plain paper

Input Paper Capacity

20 sheets plain paper 1 envelope, 5 sheets photo paper

General

Display 1.4" color LCD Temperature

Operating 32° to 104 °F (0° to 40 °C) AC Adapter 41° to 104 °F (5° to 40 °C) Battery Storage: -22° to 140 °F (-30° to 60 °C) 1 week

Relative Humidity Operating: 20 - 80%

Storage: 20 - 90% (no condensation) Sound Level

Power: 6.3 B(A) Pressure: 49 dB(A)

Rated Voltage AC: 100 - 240V Universal (Automatic) USB Power: 5V (based on USB 2.0) DC Power Inlet: 24V Rated Frequency 50 - 60 Hz

Rated Current

0.4A - 0.2A (Not charging battery) 0.6A - 0.3A (Charging battery)

Charge via USB Yes (when charging via USB, printer must be turned off or sleep condition)

Recharge Time with AC Adapter 2.5 hours

Recharge Time with USB (Power Off) 2.5 hours (1.5A) 10 hours (0.5A)

Quick Charge (w/AC Adapter)

5 minutes (up to five Black & White prints) **Battery Life**

100 Black & White pages / 50 color pages

Approx. 11 W Not Charging (Printing) Approx. 14 W Charging (Printing) Approx. 4 W Not Charging (Ready) Approx. 14 W Charging (Ready) Approx. 1.3 W Not Charging (Sleep) Approx. 12 W Charging (Sleep) Approx. 0.3 W Not Charging (Power Off) Approx. 11 W Charging (Power Off)

Safety Approvals

Safety standards UL60950, CSA C22.2 No. 60950 EMI FCC Part 15 subpart B class B, CAN/CSA-CEI/IEC CISPB 22 class B

General (continued)

Country of Origin Philippines Weight and Dimensions (W x D x H) Printing: 12.2" x 9.1" x 8.5" Storage: 12.2" x 6.1" x 2.4"

Weight: 3.5 lb

What's in the Box WorkForce WF-100 printer, built-in Lithium-ion battery, AC Adapter, USB cable, instruction manual, CD-ROM for product setup, Ink cartridges⁶ - Two 215-series ink cartridges: One Black, One Tri-color (Cyan, Magenta, Yellow), extra maintenance box

Software Included⁷ Epson printer driver

Warranty One-year limited warranty in the U.S. and Canada

Ink

Ink Type Pigment ink (fade and water resistant) Ink Palette Cvan, Magenta, Yellow and Black

Ink Cartridge Configuration One individual Black ink cartridge, one Tri-color ink cartridge (Cyan, Magenta, Yellow)

Fade Resistance / Print Longevity⁸ Up to 118 years Replacement Ink Cartridges⁶ T215 Standard-capacity Black (Yield, ISO pages - 250)

T215 Standard-capacity Tri-color (Cyan, Magenta, Yellow) (Yield, ISO pages - 200)

Printer is designed for use with Epson cartridges only, not third-party cartridges or ink. www.epson.com/cartridgereturn*

Eco Features

RoHS compliant Recyclable product9 Epson America, Inc. is a SmartWaySM Transport Partner¹⁰

Ordering Information

WorkForce WF-100

C11CE05201

*This product uses only genuine Epson-brand cartridges. Other brands of ink cartridges and ink supplies are not compatible and, even if described as compatible, may not function properly.

† Print speed quoted using AC power. Battery-powered print speeds are 3.5 ISO ppm (black) and 2.0 ISO ppm (color). Black and color print speeds are measured in accordance with ISO/IEC 24734. Actual print times will vary based on system configuration, software, and page complexity. For more information, visit www.epson.com/printspeed | †† Color photo in Draft Mode on Premium Photo Paper Glossy measured from start of paper feed. Actual print times will vary based on system configuration, software and page complexity. See www.epson.com/printspeed | †† Color photo in Draft Mode on of performance subject to the range of the router being used. Wi-Fi Direct may require printer software.] **3** Most features require an Internet connection to the printer, and well as an Internet. and/ or email-enabled device. For a list of Epson Connect enabled printers and compatible devices and apps, visit www.epson.com/connect | **4** Only printing is supported under Mac OS X. | **5** Some applications and/or functions may not be supported under Mac OS X. | **6** Replacement cartridge yields are based on ISO/IEC 24711 tests in default mode printer software. and / or email-enabled device. For a list of Epson Connect enabled printers and compatible devices and apps, visit www.epson.com/connect | **4** Only printing continuously. Cartridger yields are based on ISO/IEC 24711 tests in default mode printer software. All colors have to be installed for printing. For print quality, part of the ink from the included cartridges is used for printer startup and a variable amount of ink remains in the cartridges of prints displayed under glass in indoor display conditions; album permanence based on accelerated testing of prints displayed under glass in indoor display conditions; album permanence based on accelerated testing of prints in dark storage conditions. Actual print tabability will vary according to media, printed image, display conditions, glass or UV filter or properly store them are places for encounting and almospheric conditions. Epson doe

Specifications and terms are subject to change without notice. EPSON, Epson ESC/P, MicroPiezo and WorkForce are registered Specifications and terms are subject to change without houce. EPSON, EPSON, ESOP, microfrezo and WorkForce are registered trademarks, EPSON Exceed Your Vision is a registered logomark and Epson Connect and Epson DiPrint are trademarks of Seiko Epson Corporation. Built to Perform is a trademark of Epson America, Inc. Apple, iPad, iPhone and Mac OS are trademarks of Apple Inc., registered in the U.S. and other countries. AirPrint is a trademark of Apple Inc. Google Cloud Print is a trademark of Google Inc. Wi-Fi Direct® is a registered trademark and Wi-Fi CERTIFIED[™] is a trademark of Wi-Fi Alliance®. All other product and brand names are trademarks and/or registered trademarks of their respective companies. Epson disclaims any and all rights in these marks. Copyright 2014 Epson America, Inc.CPD-41544 9/14

Epson America. Inc.

3840 Kilroy Airport Way, Long Beach, CA 90806

Epson Canada Limited 185 Renfrew Drive, Markham, Ontario L3R 6G3 www.epson.com www.epson.ca

Power Consumption

tehnotzka

Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda Epson, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanesenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

https://tehnoteka.rs/p/epson-stampac-workforce-wf-100w-akcija-cena/