tehnot≡ka

Informacije o proizvodu (EN)

CANON multifunkcijski štampač Maxify GX6040





Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

https://tehnoteka.rs/p/canon-multifunkcijski-stampac-maxify-gx6040-akcija-cena/

MAXIFY GX6040

SMALL DECISIONS, MAXIMUM IMPACT

Ideal for businesses needing high volume, speedy and cost-effective daily colour printing from a compact, feature-packed 3-in-1 with 350-sheet paper capacity, 50-Sheet ADF (auto document feeder), and a low Total Cost of Ownership.







Low costs that stay low

Keep business printing costs down with huge yields of $14,000^{\circ}$ pages from a set of colour ink bottles or $6,000^{\circ}$ pages from a black ink bottle. Switch to Economy mode and print up to 1.5 times more pages for even greater savings³

Durable documents – on the double

Harness 4 pigment-based inks to print stand-out business documents with marker and friction resistance. Enjoy pin-sharp print detail at deadline-beating speeds of 24 ipm in black and 15.5 ipm in colour – and get a first print out as quickly as 7 seconds. With dedicated business functions – such as scanning to a USB, email or network folder, or assigning permissions to printer users – managing your printer and document workflow is effortless

Compact yet highly capable

Make light work of busy schedules with a 50-sheet document feeder, 6.9cm colour touch screen, plus a paper supply of 350 sheets (250 sheet cassette and 100 sheet rear feed) that handles diverse media such as glossy, semi-gloss, magnetic sheets and envelopes, and even allows you to print banners up to 1.2m in length

Maximise efficiency

Take a responsible approach with energy efficient inkjet printing and high yield ink bottles that allow you to print more pages thereby reducing waste. Plus a user-replaceable maintenance cartridge keeps downtime to a minimum, so you're never without your printer when you need it most

Get connected

Print, scan, copy, and connect to the cloud via the Canon PRINT app and PIXMA Cloud Link, and enjoy device compatibility via AirPrint (iOS) and Mopria (Android). Harness Ethernet connectivity for added security and stability in network environments. And with 2.4GHz and 5GHz dual-band Wi-Fi support, be confident you'll always remain connected



50 short ADE













PRODUCT RANGE



Canon MAXIFY GX6040



Canon MAXIFY GX7040



Canon MAXIFY MB5440

Canon MAXIFY GX6040

Canon MAXIFY GX7040 Canon MAXIFY MB5440 Canon MAXIFY MB5140 Canon MAXIFY iB4140



TECHNICAL SPECIFICATIONS

MAXIFY GX6040

GENERAL SPECIFICATIONS

Functions

PRINTER SPECIFICATIONS

Print Resolution Print Margins (min.) Print Technology

Mono Print Speed Colour Print Speed

First Page Out Time (approx.)

Two Sided Printing

CONSUMABLES AND INK YIFI DS

Standard Ink Bottles

Maintenance cartridae Bottle Yield (Plain paper)

PAPER SUPPORT

Paper Types

Maximum Paper Input

Paper Sizes

Paper Weight

SCANNER SPECIFICATIONS Scanner Resolution (Optical)

Scan Speed (ADF) Approx.

Line Scanning Speed Scanning Depth (Input /

(tuatuO **Maximum Document Size**

COPIER SPECIFICATIONS Copy Speed

Wi-Fi. Ethernet. Print, Copy, Scan & Cloud

Up to $600 \times 1200 \, \mathrm{dpi}^{\,[1]}$

Top: 3mm, Bottom: 5mm, Left & Right: 3.4mm

1 Print Head

Refillable ink tank printer approx. 24.0 ipm [2] approx.15.5 ipm ^[2]

Mono: 7 sec (ready/simplex) [2] Colour: 8 sec (ready/simplex) [2]

Auto Duplex Print (A4, A5, B5, Letter - Plain Paper)

GI-46 BK GI-46 C

GI-46 M GI-46 Y

MC-G01 (User Replaceable)

Colour: 14,000 pages (Economy mode 21,000 pages) [5]

Glossy Photo Paper "Everyday Use" (GP-501) High Resolution Paper (HR-101N), Envelope,

Dark Fabric Iron on Transfers (DF-101), Light Eabric Iron on Transfers (LE-101)

Cassette: Max. 250 sheets (plain paper) ADF: A4, LTR: 50 Sheets, LGL: 10 Sheets

length: 127 mm - 1,200 mm) Cassette: A4, LTR, A5, B5 ADF: A4, LTR, LGL

(Photo Paper Plus Glossy II (PP-201)

Simplex. 16.9 ipm Colour [2]

Colour: 1.4 ms/line (300 dpi)

Colour: RGB each 16bit/8bit Grevscale: 16 bit / 8 bit

Platen: A4/Letter (216 x 297 mm)

sFCOT (colour): Approx. 12 sec [8]

ESAT/Simplex ADF (black): Approx. 22.2 ipm

Copy quality Intensity adjustment Multiple Copy

Copy Functions

Copy Zoom

GENERAL Display

Display Languages

Standard Interface

Mobile Apps (iOS®/ ANDROID™)

Printer Features

A4 colour documents printing [3]

Black: 6,000 pages (Economy mode 9,000 pages) [4]

Plain Paper

Red Label Superior 80 g/m² (WOP111), Canon Oce Office Colour Paper 80 g/m² (SAT213)

Photo Paper Pro Luster (LU-101), Photo Paper Plus Glossy II (PP-201) Matte Photo Paper (MP-101),

Photo Paper Plus Semi-gloss (SG-201), Restickable Photo Paper(RP-101) Magnetic Photo Paper(MG-101) Double sided Matte Paper (MP-101D) Rear Tray: Max. 100 sheets (plain paper)

Rear Tray: A4, A5, A6, B5, LTR, LGL, 4"x6" (10 x 15 cm), 5"x7" (13 x 18 cm), 7"x10" (18 x 25 cm), 8"x10" (20 x 25 cm), Square 5"x 5", (127mm x 127mm),

Envelopes (DL, COM10), Custom size (width: 89 mm - 216 mm,

Rear Tray: Plain Paper: 64 g/m² - 105 g/m²

or supported genuine Canon papers Canon paper: Max. paper weight Approx. 275 g/m²

Cassette: Plain Paper: 64 a/m2 - 105 a/m2

Flatbed (ADF / Platen) CIS colour scanner

1,200 x 1,200 dpi [6 Simplex, 22 2 ipm Black

Greyscale: 1.4 ms/line (300 dpi) [7]

ADF: A4/Letter/Legal (216 x 356 mm)

sFCO1 (colour): Approx. 12 sec sESAT (colour): Approx. 12.7 ipm ^[8] ESAT/Simplex ADF (colour): Approx. 12.2 ipm ^[8] Consumption 3 levels (Economy, Standard, High)

9 levels (automatic adjustment available, AE copy)

99 copies (max)

Document Copying, Two-Sided Copy, Manual Two-Sided Copy with ADF, 2-on-1 and 4-on-1 copy, Collated Copy (ADF only), Frame erase copy (Flatbed only), ID copy

25 - 400%

Fit to page

A5 to A4, B5 to A4, A4 to A5 and A4 to B5

2.7" / 6.9cm I CD (Touch Screen, Color)

33 Languages Selectable: Japanese, English (mm & inch), German, French, Italian, Spanish, Portuguese, Dutch, Danish, Norwegian, Swedish, Finnish, Russian, Ukrainian, Polish, Czech, Slovenian, Hungarian, Slovakian, Croatian, Romanian, Bulgarian, Turkey, Greek, Estonian, Latvian, Lithuanian, Simplified Chinese, Korean, Traditional Chinese, Thai, Indonesia, Vietnamese

Hi-Speed USB (B Port)

Wi-Fi: IEEE802.11 b/g/n/a ^[9]
Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP, Administration password

Wireless LAN Frequency Band: 2.4GHz, 5GHz

Canon PRINT Inkjet/SELPHY app Easy-PhotoPrint Editor app [11] Easy-PhotoPrint Editor Software

Easy-PhotoPrint Editor Software [11] PIXMA Cloud Link (print)

Canon Print Service Plugin (Android)^[12]
Apple AirPrint ^[13]
Wireless Direct Mopria (Android)[15]

Amazon AlexaTM [16] Smart Assistant & Automation Google Assistant™ [16] Support OS Compatibility

Windows 10, Windows 8.1, Windows 7 SP1 Operation can only be guaranteed on a PC with

pre-installed Windows 7 or later.
Driver and IJ Printer Assistant Tool only: Windows Server 2008 R2 SP1, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019

Display environment: XGA 1024x 768 or more

Mac: OS X 10.12.6 ~ macOS 10.15, macOS 11>

Mobile Operating Systems: iOS®, iPadOS, Android $^{\text{TM}}$ [17]

Windows: 1.5GB or more

Note: for bundled software installation. The necessary amount of hard disk space required.

Printer Driver

LI Printer Assistant Tool

Easy-PhotoPrint Editor (download)

PHYSICAL FEATURES

Weight

Minimum System

Software Included

Requirements

Dimensions (W x D x H) With the trays retracted: Dimensions (W x D x H) With the travs extended: Acoustic Noise Levels Operating Temperature

Operating Humidity Power Source

Duty Cycle Power Consumption

Typical Electricity

approx. 11.6 kg

Approx. 399 x 410 x 254 mm

Approx. 399 x 645 x 327 mm

approx. 49.0dB(A) [18]

5-35°C

10-90%RH (no dew condensation)

AC. 100-240V, 50/60Hz up to 45,000 pages

Off: Approx. 0.2W Standby (USB connection to PC): Approx. 0.9W Standby (all ports connected): Approx. 1.6W Time to enter Standby mode: 5minutes 4sec Copying: Approx. 21W [19]

*The wait time for standby cannot be changed (Lot26)



TECHNICAL SPECIFICATIONS

MAXIFY GX6040

Footnote:

- 111 Ink droplets can be placed with a pitch of 1/600 inch at minimum.
- 121 A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.
- 19) Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 24712 chart and continuous printing simulation with the replacement after initial setup.
- [4] The economy mode reduces the ink consumption by lowering the density, 50% more pages than the standard mode can be printed
- [5] The economy mode reduces the ink consumption by lowering the density, 50% more pages than the standard mode can be printed
- [6] Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
- 17 The fastest speed in Hi-Speed USB on Windows PC. Transfer time to computer is not included.
- © Copy speeds are the average of sPCOT and sESAT, ISO/IEC 29183.
 Copy speeds (ADF) are ESAT of copy in sequence, ISO/IEC24735.
 Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.
- 191 Wireless printing requires a working network with wireless 802.11b/g/n/ac or ad capability, operating at 2.4GHz. Wireless performance may vary based on terrain and distance between the printer and wireless network clients.
- I^{10]} Requires an Internet connection and the Canon PRINT Inkjet/SELPHY app, available for free on the App Store and at Google Play. Compatible with iPad, iPhone 3GS or later, and iPod touch 3rd generation or later devices running iOS 7.0 or later, and Android mobile devices running Android 2.3.3 or later. Your device must be connected to the same working network with wireless 802.11 b/g/n/a capability as your printer. Requires a compatible social media account and is subject to that social media accounts Terms of Service. Certain exceptions may apply.
- III) The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems; Microsoft Windows 10 (64-bit/32-bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SP1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution. The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play. Compatible with iPad Air2 (2nd Generation), iPad Mini 4 and iPhone 6s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy-PhotoPrint Editor export data.

Footnote:

- 1/2/ Canon Print Service is a print plug-in for Android smart devices, which enables printing from Android v4.4 - v5.0 devices to many Canon printers via a Wi-Fi network. The plug-in does not work as a standalone app. Available for free at Google Play.
- [13] AirPrint functionality requires a compatible iPad, iPhone, or iPod Touch device running iOS 7,0 or later, and an AirPrint-enabled printer connected to the same network as your iOS device. A printer connected to the USB port of your Mac, PC, AirPort Base station, or Time Capsule is not supported.
- [14] Requires a smart device with the Canon PRINT Inkjet/SELPHY app installed and connected to the desired active wireless network to complete cableless setup.
- 1151 Requires Android mobile device with Android 4.4 operating system or lafer with the Mopria Print Service pre-loaded with that device and the compatible PIXMA printer on the same wireless network. The Mopria experience is also available on Android 4.4 mobile devices with a download of the Mopria Print Service from Google Play.
- [16] Requires an active smart assistant account linked and accompanying app enabled, the smart device and printer to be actively connected with permission to the Canon Inkjet Cloud Printing Center, and the required action(s), skill(s), or applet(s) available/enabled to the compatible printer. Voice commands can not be displayed as text on Amazon smart devices with screens. Only English, French and German supported.
- $\ensuremath{\mathbb{P}}$ 1)Some functions may not be available with these Operating Systems, Please refer to the manual or website for details.
- [18] Plain Paper(A4, B/W). Acoustic Noise is measured based on ISO7779 standard.
- $^{\rm II9}$ Copy: When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.
- [20] Typical Electricity Consumption (TEC) value: TEC value was calculated assuming the unit will be constantly switched among operational mode, sleep mode, and power-off mode for 5 days, and that it will be either in sleep or power-off mode for the remaining 2 days within the same week. The TEC value of this product is calculated by Canon on their own accord using TEC measurement procedure regulated in International ENERGY STAR Program.
- [21] ADF scan speeds are the average of scESAT30secA in "ADF Productivitity Measurement" test, ISO/IEC 17991:2015. When scanning or copying a certain volume of documents (approx. 150 sheets in default settings) continuously from the ADF, the printer may switch to "waiting mode" in which paper feeding stops for several tens of seconds after each scan to prohibit overheating the ADF.

Standard disclaimers

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see www.canon-europe.com/ink/yield
- All brand and product names are trademarks of their respective companies.
- Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.

Canon Inc. canon.com Canon Europe canon-europe.com English edition Canon Europa NV 2021



SMALL DECISIONS, MAXIMUM IMPACT

MAXIFY GX6040

Ideal for businesses needing high volume, speedy and cost-effective daily colour printing from a compact, feature-packed 3-in-1 with 350-sheet paper capacity, 50-Sheet ADF (auto document feeder), and a low Total Cost of Ownership.

Sales Start Date: April 2021



PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code	Recommended Retail Price		
MAXIFY GX6040	4470C009AA	4549292173499	<please fill="" in="" rrp=""></please>		

CONSUMABLES:

Product Name	Mercury Code	EAN Code	Recommended Retail Price					
Standard size								
GI-46BK	4411C001	4549292168952	<please fill="" in="" rrp=""></please>					
GI-46C	4427C001	4549292168976	<please fill="" in="" rrp=""></please>					
GI-46M	4428C001	4549292168990	<please fill="" in="" rrp=""></please>					
GI-46Y	4429C001	4549292169010	<please fill="" in="" rrp=""></please>					
Maintenance Cartridge								
MC-G01	4628C001AA	4549292173710	<please fill="" in="" rrp=""></please>					

MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Gross Weight (kg)	Net Weight (kg)
MAXIFY GX6040	4470C009AA	Individual	1	563	489	352	15.2	TBC
		Pallet (Upper)	12	1134	986	1060.5	184.4	TBC
		Pallet (Bottom)	12	1134	986	1060.5	184.4	TBC

What's in the box?

- Canon MAXIFY GX6040
- Power cord
- 4 high-yield ink bottles (1x Black and 1x C/M/Y)
- Setup software & User's manual CD
- Manuals and other documents

Canon



Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda Canon, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanesenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

https://tehnoteka.rs/p/canon-multifunkcijski-stampac-maxify-gx6040-akcija-cena/