# tehnotzka

https://tehnoteka.rs

### Informacije o proizvodu (EN)

CANON multifunkcijski štampač Pixma G640





Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

https://tehnoteka.rs/p/canon-multifunkcijski-stampac-pixma-g640-akcija-cena/

### TECHNICAL SPECIFICATIONS

## **PIXMA** G640

GUIDED ACCOUNTS     COPY GaseD     COPY GaseD <thcopy gased<="" th="">     COPY GaseD     COPY GasE</thcopy>				
Function         WHE Print Scale Cupy, Cloud         Copy and set of the SLAP Copy and SLAP Cupy and SLAP Cupy and SLAP Cup	GENERAL SPECIFICATIONS	1	COPIER SPECIFICATIONS	I
Partice SciPCICATIONS IN the Lacobian Prior		Wi-Fi, Print, Scan & Copy, Cloud		sFCOT: Approx. 25 sec [18]
Internation         Unit Decision         Decision         Decimient Control Residues           Pile Lection         Pile Residues         Copy Function         Decimient Control Residues           Mote Pirit Speed         Copy Tame         Copy Tame         Decimient Control Residues           Mote Pirit Speed         Copy Tame         Copy Tame         Decimient Control Residues           Mote Pirit Speed         Copy Tame         Copy Tame         Decision           Mote Pirit Speed         Copy Tame         Copy Tame         Pile Residues           Mote Pirit Speed         Copy Tame         Copy Tame         Pile Residues           Mote Pirit Speed         Copy Tame         Copy Tame         Pile Residues           Mote Pirit Speed         Copy Tame         Copy Tame         Pile Residues           Mote Pirit Speed         Copy Tame         Copy Tame         Pile Residues           Mote Pirit Speed         Copy Tame         Copy Tame         Pile Residues           Mote Pirit Speed         Copy Tame         Pile Residues         Pile Residues           Mote Pirit Speed         Copy Tame         Pile Residues         Pile Residues           Mote Pirit Speed         Copy Tame         Pile Residues         Pile Residues           Copy Tame         Cop				
Part Econology         2 Part Paint Heads (in the WARD), Right (CMAY)         Cory Jount 1 and Loads Corp. Indiane entities Corp. Jount 2 and Loads (Loads Paint Speed)         Corp Jount 1 and Loads Corp. Indiane entities Corp. Jount 2 and Loads (Loads Paint Speed)           Color Print Speed         Corp Jount 1 and Loads (Loads Paint Speed)         Corp Jount 1 and Loads (Loads Paint Speed)         Jound Loads (Loads Paint Speed)           Bried Print Paint And Paint 2 and Paint Paint 2 and Pai				
Construction         District of the sector in the sec			Copy Fonctions	
Mono. Print Speed         opprox. 3 P pm <sup>-1</sup> Copy Toom         25-4000 (mit Speed)         25-4000 (mit Speed)           Boddets Phining         Boddets Phining         Boddets Phining         Add tool, All took and All to B           Yee Sided Phining         Yee This Speed         Boddets Phining         His Dod Tool (Monochrone)           Speed State Target Phining         Monochrone Phining         His Dod Tool (Monochrone)         His Dod Tool (Monochrone)           Speed State Target Phining         Monochrone Phining         His Dod Tool (Monochrone)         His Dod Tool (Monochrone)           Speed State Target Phining         Monochrone Phining         His Dod Tool (Monochrone)         His Dod Tool (Monochrone)           Speed State Phining         Monochrone Phining         His Dod Tool (Monochrone)         His Dod Tool (Monochrone)           Speed State Phining         Monochrone Phining         His Dod Tool (Monochrone)         His Dod Tool (Monochrone)           Speed State Phining         Monochrone Phining         His Dod Tool (Monochrone)         His Dod Tool (Monochrone)           Speed State Phining         Monochrone Phining         His Dod Tool (Monochrone)         His Dod Tool (Monochrone)           Speed State Phining         Monochrone Phining         His Dod Tool (Monochrone)         His Dod Tool (Monochrone)           Speed State Phining         His Dod Tool (Monochr	Print lechhology			ID copy
Cacour Find Speed Theo him Speed Boddees Finding A L & X & El (001 Science, 5 × X (104 Science, 7 × X (	Mono Print Speed		Copy Zoom	
Photo Min Speed Isordenes Printing         Bordenes Printing Print Printing         Bordenes Printing Print Printing Prin	Colour Print Speed			
Ad. UB: 4's 4's (100 Som), 5's 7' (130 Som), Space 3's 3' (100 Som), 5's 7' (130 Som), Som 4's 120 Som, 1's 100 Som, 1's 100 Som, 1's 7' Som 4's 120 Som, 1's 100 Som, 1's 100 Som, 1's 100 Som, 1's 7' (130 Som 4's 100 Som, 1's 100 Som, 1's 100 Som, 1's 100 Som, 1's 7' (130 Som 4's 100 Som, 1's 1's 100 Som, 1's 1's 100 Som, 1's 1's 1's 100 Som, 1's 1's 100 Som, 1's 1's 100 Som, 1's 1's 100 Som, 1's 1's 1's 100 Som, 1's 1's 1's 100 Som, 1's				
Press	Borderless Printing		GENERAL	
Support 3.5* 3.3* (pp mm. 89 mm), Caro Suber 4 mining         Weith Security UM-2.4*, WA2-MS, WA2-MS, WP2- MAIN Security UM-2.4*, WP2-MS, WP2- MAIN Security UM-2.4*, WP2-MS, WP2- MAIN Security UM-2.4*, WP2-MS, WP2- MAIN Security UM-2.4*, WP2-MS, WP2-MS, WP2- MAIN Security UM-2.4*, WP2-MS, WP2-				
Card Size 3 Sim 37 I mm [21/3* 3.3 sp1 <sup>10</sup> WH 58 Level 4 Level 4 Simulation of power 2 Simul			Standard Interface	
Two Side d Printing         Manual opportion         Manual opportion         Manual opportion           CONSUMALIES AND YELDS		Card Size 55mm x 91 mm (2.17" x 3.58") [15]		Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP,
CONSUMABLES AND YIELDS Standard ink Bottles     C-GAR 42 CP- C-GAR 42 CP- C-CAR 42	Two Sided Printing			
CONSIMUALIS AND FILEDS				PictBridge Wi-Fi
Git-43 - Co- Git-43 - Co- Git-44 -			Mobile Apps	Canon PRINT Inkjet/SELPHY app [14]
Bedie Vield (Moin paper)         Class 300- (2000)         Printer Features         Bound Could bedie (Minim Bound Sources) (M	Standard Ink Bottles		(iOS®/ ANDROID™)	Creative Park app <sup>[23]</sup>
Belle Yield (Ploin pope)     Color Solutioner pointing <sup>14</sup> PRACE Courd (Jnk (Unit - Iron amortphone or toble (Vit) <sup>14</sup> Belle Yield (Ploin pope)     A color solutioner pointing <sup>16</sup> Color Solutioner Pope       Belle Yield (Photo print)     Color Solutioner Pope     Smart Assiduant & Automation Support     Marcin (Marcin)       Belle Yield (Photo print)     Color Solutioner Pope     Smart Assiduant & Automation Support     Marcin (Marcin)       Parte SUPPORT		GI-43 <m></m>	Printer Features	
Softer Yield (Pain paper)         A c. colume - counsents printing <sup>10</sup> Apple - Softer Caluer, Rouge Page, Marchaeld, <sup>110</sup> Bottler Yield (Pain paper)         A c. colume - Rouge Page, <sup>110</sup> Apple - Softer Caluer, Rouge Page, <sup>110</sup> Bottler Yield (Pain paper)         Colume - Rouge Page, <sup>110</sup> Smort Assistant & Automation Support         Mapple - Softer Caluer, Rouge Page, <sup>110</sup> Bottler Yield (Pain paper)         * Colume - Rouge Page, <sup>110</sup> Smort Assistant & Automation Support         Mapple - Softer Caluer, <sup>110</sup> PAPER SUPPORT Paper Types         * Colume - Rouge Page, <sup>110</sup> Colume - Rouge Page, <sup>110</sup> Colume - Rouge Page, <sup>110</sup> Paper Types         Pain Paper         Pain Paper         Printer Giver and LJ Printer Assistant & Automation Support         Macrico 2 Colume - Rouge Page, <sup>110</sup> Paper Types         Pain Paper         Pain Paper         Printer Giver and LJ Printer Assistant & Automation Support         Macrico 2 Colume - Rouge, <sup>110</sup> Paper Types         Pain Paper         Pain Paper         Printer Giver and LJ Printer Assistant & Automation and the Colume - Rouge, <sup>110</sup> Paper Types         Pain Paper         Painter Paper (Paper)         Painter Paper (Paper)           Paper Types         Painter Paper (Paper)         Painter Paper (Paper)         Painter Caluer, <sup>110</sup> Paper Types         Painter Paper (Paper) <td></td> <td></td> <td></td> <td>PIXMA Cloud Link (print - from smartphone or</td>				PIXMA Cloud Link (print - from smartphone or
Bettle Yield (Ptoto paper)         Ad colour documents printing <sup>TM</sup> Cacuum. 8000 pages Cacuum. 8000 pages Pages Types         Smort Assistant & Automation Syppoint         Apple Authon <sup>11</sup> / <sub>11</sub> (Windows 7.81). Window 7.81 (Windows 7.81). Windows 7.81 (Windows 7.81). Windows 7.81 (Windows 7.821). Windows 7.81 (Windows 5.842, Windows 5.		GI-43 <gy></gy>		tablet only) (**) Capon Print Service Plugin (Android) <sup>[24]</sup>
Colour 3000 points         Magnia (Andraids)	Bottle Yield (Plain paper)	A4 colour documents printing [4]		Apple AirPrint [12]
Bettle Yield (Photo print)         **Entrotet supplementer vield         Smoot A sastaart at Automation Support         Amacan Ausort         Family Comparison           PAFES SUPPORT Paper Types         ***Entrotet supplementer vield         Smoot Ausstaart at Automation Support         OS Compatibility         Windows 10, Windows 70 10, Windows 7				
Bettle Yield (Photo print)         A* &f (Incl Scm) colour photo printing Image Support         Cocogle Assistant M <sup>4 Mag</sup> Cocogle Assistant M <sup>4 Mag</sup> PAPE SUPPORT         * Extinues supplemental yield         O S compatibility         O Compatibility         O pertion can only be guaranteed on a PC with period be formed on a PC with period Paper Mage Support           PaPE Support         Plain Paper         Plain Paper         Plain Paper         Plain Paper         Plain Paper         Plain Paper           Paper Types         Plain Paper         Plain Paper         Plain Paper         Support         Support         O Compatibility         O Compatibility           Paper Types         Plain Paper         Plain Paper         Plain Paper         Macci OS X 10.12.6 - macCOS 10.15         Windows Server 2018         Macci OS X 10.12.6 - macCOS 10.15           Photo Paper Play Semiglios (Go 201).         Photo Paper Play Semiglios (Go 201).         Macci OS X 10.12.6 - macCOS 10.15         Macci OS X 10.12.6 - macCOS 10.15         Macci OS X 10.12.6 - macCOS 10.15           Plain Paper Play Deper Play Semiglios (Go 201).         Photo Paper Play Semiglios (Go 201).         Macci OS X 10.12.6 - macCOS 10.15         Macci OS X 10.12.6 - macCOS 10.15         Macci OS X 10.12.6 - macCOS 10.15           Maximum Paper Input         Read King Paper INPU         Plain Paper X 10.10         Macci OS X 10.12.6 - macCOS 10.15         Macci OS X 10.12.6 - macCOS 10.15 <td></td> <td></td> <td>Smart Assistant &amp; Automation</td> <td></td>			Smart Assistant & Automation	
* Etimolod supplemental vield     Concordination     Operation     Ope	Bottle Yield (Photo print)			Google Assistant <sup>™</sup> <sup>[20]</sup>
PARE SUPPORT       Picin Paper         Paper Types       Picin Paper         Paper Types       Picin Paper         Paper Types       Picin Paper         Paper Types       Picin Paper         Picin Paper Pic Classer (IP-101), Photo Paper Pic Classer (IP-201), Matter Photo Paper (Pk-101), Classer Photo Paper (Pk-101), Classer Photo Paper (Pk-101), Photo Paper Pic Semi-Glass (IS-201), Photo Paper Pic Semi-Glass (IS-201), Classer Photo Paper (IK-101), Classer Photo Photo Paper (IK-101), Classer Photo Photo Paper (IK-101), Classer Photo Photo Photo Paper (IK-101), Classer Photo			OS Compatibility	
PAFES SUPPORT       Printer diver and J Printer Assistant Tool ore available with Idowing CS.         Paper Types       Printer Toger Pro Luster (U-U01), Proper Pro Luster (U-U01), Matter Photo Paper PLO10; Giasy PLO10 Paper PLO10; Giasy PLO10; Giasy PLO10; Giasy PLO10; Giasy PLO10; Giasy PLO10; PLO10; FLO10; Giasy PLO10; FLO10; F				
Project Paper Prior Uster (Uu-10).     Windows Server 2019       Matter Photo Paper (Prive) Glossy (PiP-201)     Matter Photo Paper (Wi-101).       Clossy Photo Paper (Wi-101).     Clossy Photo Paper (Wi-101).       Clossy Photo Paper (Wi-101).     Matter Photo Paper (Wi-101).       Clossy Photo Paper (Wi-101).     Matter Paper (Wi-101).       Photo Paper (Wi-101).     Matter Paper (Wi-101).       Proto Paper (Wi-101).     Matter Paper (Wi-101).       Dark Fabric Iton on Transfers (Ui-101).     Matter Paper (Wi-101).       Dark Fabric Iton on Transfers (Ui-101).     Matter Paper (Wi-101).       Dark Fabric Iton on Transfers (Ui-101).     Carditate Paper (Wi-101).       Dark Fabric Iton on Transfers (Ui-101).     Carditate Paper (Wi-101).       Carditack (manufactured by Avery and Readivements.     Readivements.       Readiver (Dare (Mi-101).     Carditate Paper (Wi-101).       Carditack (manufactured by Avery and Readiverper).     Readiverper).       Readiverper).     Canon Carditate Paper (Wi-101).       Carditack (manufactured by Avery and Readiverper).     Readiverper).       Readiverper).     Canon Carditack (Inter a detailed is of paper load linits, which will vary depending on paper load linits, which will vary depending on paper load linits, which will vary depending on paper Sizes (127mm, Kas Size (170m, Kas Size (170m	PAPER SUPPORT			
Paper Sizes     Protein Paper Plus Glossy II (PP-201) Glossy Photo Paper (M-101), Glossy Photo Paper (M-101), Glossy Photo Paper (M-101N), Photo Paper Plus Service (GP-S01), High Resolution Paper (RM-101N), Photo Paper Plus Service (GP-S01), Photo Paper Plus Service (GP-S01), Double sided Math Paper (MP-101), Double sided Math Paper (MP-101), Double sided Math Paper (MP-101), Double sided Math Paper (MP-101), Double sided Math Paper (MP-1010), Cardstock (Immundactured by Avery and Red RiverPaper), Cardstock (Immundactured by Avery and Red River Paper), Sacamer Paper Scanner Ype Scanner Ype Red River Paper Veliap (Immundactured by Avery and Red River Paper Aveliap (Immundactured by Avery and Red River Paper Avery Riv	Paper Types			
Matter Photo Paper (MP-101).     Matter Photo Paper (MP-101).     Matter Photo Paper (MP-101).       High Resolution Paper (HIS-101N).     Chrome OS       Photo Paper Phus Sem-jelos (SC-201).     Mobile Operating Systems: IOS®, IPadOS.       Android <sup>MP-101</sup> Mobile Operating Systems: IOS®, IPadOS.       Matter Photo Paper (MP-101).     Mather Photo Paper (MP-101).       Dark Fobtic Into no Transfers (IP-101).     Mobile Operating Systems: IOS®, IPadOS.       Double is ided Matter Paper (MP-1010)     Mathinum System       Matter Paper (MP-1010).     Canon Download Centre for support of subsequently released       Double is ided Matter Paper (MP-1010).     Greeting Card (manufactured by Avery and RedWiverPaper).     Minimum System       RedWiverPaper).     Canon Red Libel Superior(WOP111)     Software Included     Windows: 1.558 or more       Naximum Paper Input     RedTray: Max, 103 sheets: Ad (plain paper)     Privater Included     Privater Included       Priper Sizes     A, A, S, SA, LIR, ICL, 4'''s ("(IX) ISCM), 5''' X''     Mather Software Installation. The necessary amount of hard disk space required.       Square 3.X''', ISC (Max, ISC, ISC, ISC, ISC, ISC, ISC, ISC, ISC				
Maximum Paper Input <ul> <li>Chrome OS</li> <li>Mobile Operating Systems: IOS®, IPadOS, Android™<sup>231</sup></li> <li>Mobile Operating Systems: IOS®, IPadOS, Internet System, IPadOS, Internet System, IPadOS, Internet System, IPadOS, IPadOS,</li></ul>		Matte Photo Paper (MP-101),		N 00 Y 10 10 / 00 10 15
Prote Program Flus Semi-gloss (SG-201), Premium Fine AH Rough A-KAC1> Restlickable Phot Poper(RP-101) Magneic Photo Poper(RP-101) Dark Fabric Iron on Transfers (DF-101), Dark Fabric Iron on Transfers (DF-101), Card Mach Label Superior (WP)111) Card Olice Office Colour Paper(SAI213)     Minimum System Requirements     Windows: I.SC8 or more Note: for bundled software installation. The necessary annual of na debialed is of paper load limits, which will vary depending on medio type and page size selected.     Physic CAL FEATURES Weight     Opprox. 66 kg       Paper Sizes     A, A, S, SA, TR. (LG, 4" & 6" (102 (20x2cm)), Square 5" x 5" (127mm x 127mm), Square 5" x 5" (127mm x 127mm), Square 5" x 3" (197 mm x 127mm), Square 5" x				Mac: OS X 10.12.6 ~ macOS 10.15
Restickable Photo Paper(RP-101) Magnetic Photo Paper(RP-101) Dork Fabric from on Transfers (DF-101). Dork Fabric from on Transfers (DF-101). Double sided Mattle Paper (MP-101D) Double sided Mattle Paper (MP-101D). Double sided Mattle Paper (MP-101D). Double sided Mattle Paper (MP-101D). Double sided Mattle Paper (MP-101D). Double sided Mattle Paper (MP-101D). Cardstock (manufactured by Avery and RedRiverPaper). Cardstock (manufactured by Avery and RedRiverPaper).     Minimum System Requirements Requirements     Minimum System Requirements     Windows: 1.528 or more Note: for bundled software installation. The necessary amount of hard disk space required. Printer Driver U Printer Driver U Printer Driver Printer Driver U Printer Driver U Driver Standby (ND Rom Crister) Weight U Driver Standby (ND Rom Crister) Weight Driver Standby (ND Rom Crister) Weight Driver Standby (ND Rom Crister) Weight Driver Standby Crister Card Star Star Driver Standby (U Driver Standby Crister) Card Star Star Driver Standby (ND Rom Crister) Ca				Chrome OS
Magnetic Photo Paper[MG-10])     Dark Fobic Icno on Transfers (DF-10]), Dark Fobic Icno on Transfers (DF-10]), Dark Fobic Icno on Transfers (DF-10]), Double sided Matte Paper (MF-101D)     Cost Group Matte Paper (MF-101D)     Cost Group Matte Paper (MF-101D)       Double sided Matte Paper (MF-101D)     Double sided Matte Paper (MF-101D)     Cost Transfers (DF-10), Double side Matter Paper (MF-101D)     Cost Transfers (DF-10), Double side Matter Paper (MF-101D)     Cost Transfers (DF-10), Double side Matter Paper (MF-10), Double side				Mobile Operating Systems: iOS® iPadOS
Paper Nizes     Paper View Internet on Transfers (DF-101), Light Fabric Iron on Transfers (DF-101), Double sided Matte Paper (MP-101D) Double sided Matte Paper (MP-101D) Greeting Card (manufactured by Avery and RedRiverOper), Canon Coe Office Colour Paper (SAL Note: for bundled software installation. The necessary amount of hard disk space required. Note: for bundled software installation. The necessary amount of hard disk space required. Note: for bundled software installation. The necessary amount of hard disk space required. Note: for bundled software installation. The necessary amount of hard disk space required. Note: for bundled software installation. The necessary amount of hard disk space required. Note: for bundled software installation. The necessary amount of hard disk space required. Note: for bundled software installation. The necessary amount of hard disk space required. Note: for bundled software installation. The necessary amount of hard disk space required. Note: for bundled software installation. The necessary amount of hard disk space required. Note: for bundled software installation. The necessary amount of hard disk space required. Note: for bundled software installation. The necessary amount of hard disk space required. Note: for bundled software installation. The necessary amount of hard disk space required. Note: for bundle software installation. The necessary amount of hard disk space required. Note: for bundle software installation. The necessary amount of hard disk space required. Note: for bundle software installation. The necessary amount of hard disk space required. Note: for bundle software installation. The necessary amount of hard disk space required. Note: for bundle software installation. The necessary amount of hard disk space required. Note: for bundle software installation. Note: for bundle software installation. Note: for bundle software installation. Note: for bundle software installation. Note: for bundle software installatin. Note: for bundle s				
Paper Sizes     Double sided Matte Paper (MP.101D) Greeting Card (monulactured by Avery and RedRiverTaper).     Minimum System Requirements     Windows: 1.5GB or more Note: for bundled software installation. The necessary amount of hard disk space required.       Maximum Paper Input     Rear Tray; Max. 100 sheets: A4 (Jolan paper) Please refer to online manual for a detailed list of paper Load limits, which will vary depending on media type and page size selected.     PHYSICAL FEATURES Weight     approx. 6.6 kg       Paper Sizes     A, A, 55, A5, LT, EL, (L, Y & of (IOA Scrm), Square S, S7, S1, S7 (187 mm, Irays R87 mm, Square S, S7, S1, S7 (187 mm, Irays R87 mm, Square S, S7, S1, S7 (187 mm, Irays R87 mm, Square S, S7, S1, S7 (187 mm, Irays R87 mm, Square S, S7, S1, S7 (187 mm, Irays R87 mm, Square S, S7, S1, S7 (187 mm, Irays R87 mm, Square S, S7, S1, S7 (187 mm, Irays R87 mm, Square S, S7, S1, S7 (187 mm, Irays R87 mm, Square S, S7, S1, S7 (187 mm, Irays R87 mm, Square S, S7, S1, S7 (187 mm, Irays R87 mm, Square S, S7, S1, S7 (187 mm, Irays R87 mm, Square S, S7, S1, S7 (187 mm, Irays R87 mm, Square S, S7, S1, S7 (187 mm, Irays R87 mm, Square S, S7, S1, S7 (187 mm, Irays R87 mm, Square S, S7, S1, S7 (187 mm, Irays R87 mm, Square S, S7, S1, S7 (187 mm, Irays R87 mm, Square S, S7, S1, S7 (187 mm, Irays R87 mm, Square S, S7, S1, S7 (187 mm, Irays R87 mm, Square S, S7, S1, S7 (187 mm, Iragh 89 + 1200 mm)     Power Source Power Source Po				
Register     Greeting Card (manufactured by Avery and Redivertapper).     Minimum System Requirements     Windows: 1.5GB or more Requirements       Note: for bundled software installation. The Cardstock (manufactured by Neenah Paper and DiKRRESS).     Software included     Printer Driver UPrinter Assistant Tool Easy-PhotoPrint Editor (download)       Maximum Paper Input     Recar Tray: Max. 100 sheets: A4 (plain paper)     PHYSICAL FEATURES     approx. 6.6 kg       Paper Sizes     Recar Tray: Max. 100 sheets: A4 (plain paper)     PHYSICAL FEATURES     approx. 6.6 kg       Paper Sizes     (1)x18cm), 7* x10° (18x2cm), 8* x7°     Dimensions (W x D x H)     Approx. 445 x 340 x 167mm (trays retracted)       Note: Size Software June).     Acoustic Noise Levels     approx. 45.55 x 238mm (trays extended)       (1)x18cm), 7* x10° (18x2cm), 8* x10° (20x2cm), Square 3.5* x3.5″ (B7 mm x 89 mm), Square 5.2 Loftman, Legman     Acoustic Noise Levels     approx. 45.5 x5.2 x38mm (trays extended)       Paper Weight     Curds size)     Curds size)     Acoustic Noise Levels     approx. 45.5 x5.2 x38mm (trays extended)       Scamer Tray: Plain paper: 44 - 105 g/m² or supported genuine Canon papers     Standby (0) prof. connected): Approx. 1.2W     The walt time for standby mode: 11 minutes 4sec* Copying: Approx. 16W <sup>10</sup> Scamer Type     CIS flatbed photo and document scanner     Typical Electricity Consumption     The walt time for standby mode: 12 minutes 4sec* Copying: Ap				
Aximum Paper Input     Cardstack (manufactured by Neenah Paper and INKPRESS), Canon Red Label Superior (WOP111) Canon Cec Office Colour Paper (SAT213)     Software Included     Printer Assistant Tool Easy-PhotoPrint Editor (download)       Maximum Paper Input     Presser feet to online manual for a detailed list of paper load limits, which will vary depending on media type and page size selected.     PHYSICAL FEATURES Weight     approx. 4.6 kg       Paper Sizes     A4, A5, B5, A6, LTR, LCL, 4* & (10x15cm), 5* x.7* (13x16m), 7* x 10* (10x25cm), 5* x.7* (10x16m), 5* 3.5* (127mm x 127mm), 5* x 7* (10x16m), 5* 3.5* (127mm x 127mm), 5* x 7* (20x16 Size Sism x 91 mm (12.7*x.35*) (20x16 Size Sism x 91 mm (12.7*x.35*) (20x17 Size Size Size Size Size Size Size Size		Greeting Card (manufactured by Avery and		
Naximum Paper InputINKFRESS), Canon Red Lobel Superior (WOP111) Canon Oce Olfice Colour Paper (SA1213)Software IncludedPrinter Driver Li Printer Assistant Tool Easy-PhotoPrint Editor (download)Maximum Paper InputRear Tray: Max. 100 sheets: A4 (plain paper) Please refer to online manual for a detailed list of paper load limits, which will vary depending on media type and page size selected.PHYSICAL FEATURES Weightapprox. 6.6 kg Approx. 445 x 340 x 167mm (trays retracted) Approx. 445 x 340 x 167mm (trays retracted) Approx. 445 x 535 x 238mm (trays extended) approver. 445 x 535 x 238mm (trays extended) approx. 50.5dB(A) <sup>[1]</sup> Square 5'x 3.5' (127mm x 127mm), Square 5'x 3.5' (127mm x 127mm), 			Requirements	
Maximum Paper Input     Canon Oce Office Colour Paper (\$A1213)     Easy-PhotoPrint Editor (download)       Maximum Paper Input     Rear Tray: Max. 100 sheets: A4 (lokin paper) paper load limits, which will vary depending on media type and page size selected.     PHYSICAL FEATURES Weight     approx. 6.6 kg       Paper Sizes     A4, A5, B5, A6, LTR, LGL, 4" x 6" (lok lScm), 5" x 7" (13x18cm), 7" x 10" (lbx25cm), 8" x 10" (20x25cm), Square 5" x 5" (127mm x). 127mm), Square 5" x 5" (127mm x). 127mm, Square 5" x 5" (127mm x). 127mm 127mm, Square 5" x 5" (127mm x). 127mm 127mm, Square 5" x 5" (127mm x). 127mm 127mm, S			Software Included	
Maximum Paper Input     Rear Tray: Max. 100 sheets: A4 (plain paper) Please refer to online manual for a detailed list of paper load limits, which will vary depending on media type and page size selected.     PHYSICAL FEATURES Weight     approx. 6.6 kg       Paper Sizes     A.4, A5, B5.A6, LR, LG, 4" x 6" (10x1 Scm), 5" x 7" (X18 Icm), 7" x 10" (18x2 Scm), 8" x 10" (20x25cm), Square 5" x 5" (127mm x 127mm), Square 5" x 5" (127mm x				
Paper Sizes     Please refer to online manual for a detailed list of paper load limits, which will vary depending on media type and page size selected.     PHYSICAL FEATURES Weight     approx. 6.6 kg       Paper Sizes     A4, A5, B5, A6, LTR, LGL, 4" x 6" (10x15cm), 5" x 7" (13x18cm), 7" x 10" (18x25cm), 8" x 10" (20x25cm), Square 5", x" (127m xn 127mm), Square 5, x" 3,5" (89 mm x 89 mm), Card Size 55mm x 91 mm (2,17"x3,58")     Acoustic Noise Levels Operating Temperature     approx. 445 x 340 x 167mm (frays refracted) Approx. 445 x 340 x 167mm (frays refracted) approx. 50,50B(A) <sup>[7]</sup> Paper Weight     Card Size 55mm x 91 mm (2,17"x3,58")     Operating Temperature Operating Temperature     5-35° C       Card Size 55mm x 91 mm (2,17"x3,58")     Operating Humidity Power Source     10-90%RH (no dew condensation) AC 100-240V, 50/60Hz       Paper Weight     [Custom size] width 55 - 216 mm, length 89 - 1200 mm Rear Tray: Plain paper: 64 - 105 g/m <sup>2</sup> or supported genuine Canon papers     Power Consumption     Offi Approx. 0.2W Standby (UB connection to PC): Approx. 1.2W Time to enter Standby mode: 11 minutes 4sec* Copying: Approx. 1.4W <sup>[9]</sup> Scanner Type     CIS flatbed photo and document scanner Scanner Kesolution (Optical)     600 x 1200 dpi <sup>[6]</sup> Scanner Speed     Colour: R.5B each 16bit/8bit Greyscale: 1.6 ms/line(300dpi)     Typical Electricity Cosumption     "The weit time for standby cannot be changed 0.18 kWh <sup>[8]</sup>	Maximum Paper Input			Easy-PhotoPrint Editor (download)
Paper Sizes     paper load limits, which will vary depending on media type and page size selected.     Weight     approx. 6.6 kg       Paper Sizes     A4, A5, B5, A6, LTR, LCE, 4" x 6" (10x15cm), 5" x 7" (13x18cm), 7" x 10" (18x25cm), 8" x 10" (20x25cm), Square 3" x 5" (127mm x 127mm), Square 3" x 5" (127m	· · · · · · · · · · · · · · · · · · ·	Please refer to online manual for a detailed list of	PHYSICAL FEATURES	
Paper Sizes     A4, A5, B5, A6, LTR, LGL, 4" x 6" (10x15cm), 5" x 7" (13x18cm), 7" x 10" (18x25cm), 8" x 10" (20x25cm), Square 3.5" x 3.5" (89 mm x 89 mm), Card Size 55mm x 91 mm (2.17"x3.58")     Dimensions (W x D x H)     Approx. 445 x 340 x 167mm (trays retracted) Approx. 445 x 355 x 238mm (trays extended)       Paper Weight     Card Size 55mm x 91 mm (2.17"x3.58")     Operating Temperature Card Size 55mm x 91 mm (2.17"x3.58")     Operating Humidity Power Source     10-90%RH (no dew condensation)       Paper Weight     [Custom size] width 55 - 216 mm, length 89 - 1200 mm     Power Consumption     Off: Approx. 0.2W Standby (USB connection to PC): Approx. 0.6W Standby (USB connection to PC): Approx. 0.6W Standby (UB ports connected): Approx. 1.2W Time to enter Standby mode: 11 minutes 4sec* Copying: Approx. 1.4W <sup>[1]</sup> SCANNER SPECIFICATIONS     Typical Electricity Consumption     Typical Electricity Consumption       Scanner Type     CIS flatbed photo and document scanner Scanner Resolution (Optical)     600 x 1200 dpi <sup>[6]</sup> Greyscale: 1.5 ms/line(300dpi) Greyscale: 1.5 ms/line(300dpi)       Scanning Depth (input / Output)     Calour: R68 beit / 8 bit     Calour: R68 beit / 8 bit				approx. 6.6 kg
(13x18cm), 7" x 10" (18x25cm), 8" x 10" (20x25cm), Square 5"x 5" (127mm x 127mm), Square 5"x 5"x 5" (127mm x 127mm), Square 5"x	Paper Sizes		Dimensions (W x D x H)	
Square 3.5" x 3.5" (89 mm x 89 mm), Card Size 55mm x 91 mm (2.17"x3.58")     Operating Temperature Operating Humidity Power Source     5-35°C       Paper Weight     10-90%RH (no dew condensation)     AC 100-240V, 50/60Hz       Paper Weight     [Custom size] width 55 - 216 mm, length 89 - 1200 mm     Power Consumption       Rear Tray: Plain paper: 64 - 105 g/m <sup>2</sup> or supported genuine Canon papers     Power Consumption     Off: Approx. 0.2W Standby (USB connection to PC): Approx. 0.6W Standby (UB ports connected): Approx. 1.2W Time to enter Standby mode: 11 minutes 4sec* Copyring: Approx. 1.6W <sup>[1]</sup> SCANNER SPECIFICATIONS     Typical Electricity Consumption     Typical Electricity Consumption       Scanner Type     CIS flatbed photo and document scanner Scanner Resolution (Optical)     COV: 3.5 ms/line (300dpi) Greyscale: 1.5 ms/line (300dpi) Greyscale: 1.5 ms/line (300dpi) Greyscale: 1.6 bit / 8 bit       Scanning Depth (Input / Output)     Colour: R68 each 1 bit / 8 bit     Scanner Standby is a bit		(13x18cm), 7" x 10" (18x25cm), 8" x 10" (20x25cm),		Approx. 445 x 555 x 238mm (trays extended)
Card Size 55mm x 91 mm (2.17'x3.58")     Operating Humidity Power Source     10-90%RH (no dew condensation)       Paper Weight     [Custom size] width 55 - 216 mm, length 89 - 1200 mm     Power Consumption       Paper Weight     Rear Tray: Plain paper: 64 - 105 g/m² or supported genuine Canon papers     Power Consumption       SCANNER SPECIFICATIONS     Typical Electricity Copyrig: Approx. 12W     Time to enter Standby mode: 11minutes 4sec* Copyrig: Approx. 16W       Scanner Type     CIS flatbed photo and document scanner     Consumption       600 x 1200 dpi <sup>[6]</sup> Colour: 3.5 ms/line (300dpi) Greyscale: 1.5 ms/line (300dpi)       Greyscale: 1.6 bit / 8 bit     Colour: RGB each 1.6 bit / 8 bit				
Paper Weight     Close is source     AC 100-2407, 30/301/2       Paper Weight     [Custom size] width 55 - 216 mm, length 89 - 1200 mm     Power Consumption     Standby (USB connection to PC): Approx. 0.6W Standby (USB connected): Approx. 1.2W Time to enter Standby mode: 11 minutes 4sec* Copying: Approx. 16W <sup>[9]</sup> SCANNER SPECIFICATIONS     Typical Electricity Consumption     Typical Electricity Consumption       Scanner Type     CIS flatbed photo and document scanner Scanner Resolution (Optical)     600 x 1200 dpi <sup>[6]</sup> Line Scanning Speed     Colour: 3.5 ms/line (300dpi) Greyscale: 1.5 ms/line (300dpi)       Scanning Depth (input / Output)     Colour: R68 each 16bit / 8 bit		Card Size 55mm x 91 mm (2.17"x3.58")		
Paper Weight       Standby (USB connection to PC): Approx. 0.6W         Paper Weight       Rear Tray: Plain paper: 64 - 105 g/m² or supported genuine Canon papers       Standby (ull ports connected): Approx. 1.2W         SCANNER SPECIFICATIONS       Typical Electricity Consumption       Time to enter Standby mode: 11minutes 4sec*         Scanner Type       CIS flatbed photo and document scanner       Consumption         Scanner Resolution (Optical)       600 x 1200 dpi <sup>[6]</sup>		Envelopes(DL, COM10, C5, Monarch),		AC 100-240V, 50/60Hz
Paper Weight       Rear Tray: Plain paper: 64 - 105 g/m² or supported genuine Canon papers       Standby (all ports connected): Approx. 1.2W         SCANNER SPECIFICATIONS       Typical Electricity       Copying: Approx. 16W <sup>[9]</sup> Scanner Type       CIS flatbed photo and document scanner       Consumption         Scanner Resolution (Optical)       600 x 1200 dpi <sup>[6]</sup> 0.18 kWh <sup>[8]</sup> Line Scanning Speed       Colour: 3.5 ms/line (300dpi)       Greyscale: 1.5 ms/line (300dpi)         Greyscale: 1.6 bit / 8 bit       Greyscale: 1.6 bit / 8 bit       Line Scanner Scanner			Power Consumption	
Paper Weight     Rear Iray: Plain paper: 64 - 105 g/m² or supported genuine Canon papers     Time to enter Standby mode: 11minutes 4sec* Copying: Approx. 16W <sup>[P]</sup> "The wait time for standby cannot be changed       SCANNER SPECIFICATIONS     Typical Electricity Consumption     0.18 kWh <sup>[8]</sup> Scanner Type     CIS flatbed photo and document scanner 600 x 1200 dpi <sup>[6]</sup> 0.18 kWh <sup>[8]</sup> Line Scanning Speed     Colour: 3.5 ms/line (300dpi) Greyscale: 1.5 ms/line (300dpi)     5       Scanning Depth (Input / Output)     Colour: RGB each 1 (bit / 8 bit	<b>-</b>	-		
SCANNER SPECIFICATIONS     Typical Electricity Consumption     COpying: Applitot. Tow "The wait time for standby cannot be changed"       Scanner Type     CIS flatbed photo and document scanner     Consumption       Scanner Resolution (Optical)     600 x 1200 dpi <sup>[6]</sup> Line Scanning Speed     Colour: 3.5 ms/line (300dpi) Greyscale: 1.5 ms/line (300dpi)       Scanning Depth (Input / Output)     Colour: RGB each 16bit/8bit	raper Weight			Time to enter Standby mode: 11 minutes 4sec*
SCANNER SPECIFICATIONS     Typical Electricity Consumption     0.18 kWh <sup>[8]</sup> Scanner Type     CIS flatbed photo and document scanner Scanner Resolution (Optical)     0.00 kWh <sup>[8]</sup> Uine Scanning Speed     Colour: 3.5 ms/line (300dpi) Greyscale: 1.5 ms/line (300dpi) <sup>17]</sup>		Seriorite editori papora		
Scanner Type     CIS flatbed photo and document scanner     Consumption       Scanner Resolution (Optical)     600 x 1200 dpi <sup>[6]</sup>	SCANNER SPECIFICATIONS		Typical Electricity	
Line Scanning Speed       Colour: 3.5 ms/line(300dpi)         Greyscale: 1.5 ms/line(300dpi)         Scanning Depth       Colour: RGB each 16bit/8bit         (Input / Output)       Greyscale: 16 bit / 8 bit				l i i i i i i i i i i i i i i i i i i i
Greyscale: 1.5 ms/line(300dpi) <sup>11/7</sup> Scanning Depth (Input / Output)       Colour: RGB each 16bit/8bit         Greyscale: 16 bit / 8 bit				
Scanning Depth         Colour: RGB each 16bit/8bit           (Input / Output)         Greyscale: 16 bit / 8 bit	Line scanning Speed	Greyscale: 1.5 ms/line(300dpi) <sup>[17]</sup>		
	Scanning Depth			
Maximum Document Size   A4/LTR				
	Maximum Document Size	A4/LIR		



Live for the story\_

### TECHNICAL SPECIFICATIONS

## **PIXMA** G640

#### Footnote:

- 1) Ink droplets can be placed with a minimum pitch of 1/4800 inch
- 21A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.
- (3) Photo print speed is based on default driver setting using ISO/JIS-SCID N2 standard on Canon Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
- (4) Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 24712 chart and continuous printing simulation with the replacement after initial setup.
- ISI Page Yield is the estimated value based on Canon individual test method using the ISO/IEC 29103 chart and continuous printing simulation with the replacement after initial setup.
- (a) Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
- 171 Plain Paper(A4, B/W). Acoustic Noise is measured based on ISO7779 standard.
- Pitypical Electricity Consumption (TEC) value: TEC value was calculated assuming the unit will be constantly switched among operational mode, sleep mode, and power-off mode for 5 days, and that it will be either in sleep or power-off mode for the remaining 2 days within the same week. The TEC value of this product is calculated by Canon on their own accord using TEC measurement procedure regulated in International ENERGY STAR Program.
- PI Copy: When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.
- [11] Wireless printing requires a working network with wireless 802.11b/g/n/ac or ad capability, operating at 2.4GHz. Wireless performance may vary based on terrain and distance between the printer and wireless network clients.
  [12] AirPrint functionality requires a compatible iPad, iPhone, or iPad Touch device
- <sup>112</sup> AirPrint functionality requires a compatible iPad, iPhone, or iPod Touch device running iOS 7.0 or later, and an AirPrint-enabled printer connected to the same network as your iOS device. A printer connected to the USB port of your Mac, PC, AirPort Base station, or Time Capsule is not supported.
- <sup>13]</sup> Requires Android mobile device with Android 4.4 operating system or later with the Mopria Print Service pre-loaded with that device and the compatible PIXMA printer on the same wireless network. The Mopria experience is also available on Android 4.4 mobile devices with a download of the Mopria Print Service from Google Play.
- 149 Requires an Internet connection and the Canon PRINT Inkjet/SELPHY app, available for free on the App Store and at Google Play. Compatible with IPad, IPhone 3GS or later, and IPod touch 3rd generation or later devices running iOS 7.0 or later, and Android mobile devices running Android 2.3.3 or later. Your device must be connected to the same working network with wireless 802.11 b/g/n capability as your printer. Requires a compatible social media account and is subject to that social media accounts Terms of Service. Certain exceptions may apply.
  II-ISI Paper types NOT supported for borderless printing are as follows: Envelope, High
- (15) Paper types NOT supported for borderless printing are as follows: Envelope, High Resolution Paper, T-Shirt Transfer, Photo Stickers (14) Requires a smart device with the Canon PRINT Inkjet/SELPHY app installed and
- connected to the desired active wireless network to complete cableless setup. 1<sup>17</sup> The fastest speed in Hi-Speed USB on Windows PC. Transfer time to computer is not
- Included.
   [18] Colour document copy speed is measured based on average of sFCOT and sESAT in Performance Test of ISO/IEC 29183 standard. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.
- and does not take into account warming up time. 19 The economy mode reduces the black ink consumption by lowering the density, 26% more pages than the standard mode can be printed
- 20 Near pictures an active smart assistant account linked and accompanying app enabled, the smart device and printer to be actively connected with permission to the Canon Inkjet Cloud Printing Center, and the required action(s), skill(s), or applet(s) available/enabled to the compatible printer. Voice commands can not be displayed as text on Amazon smart devices with screens. Only English, French and German supported.

- [21] The Easy-PhotoPrint Editor software requires an Internet connection and is compatible with the following operating systems; Microsoft Windows 10 (64-bit/32bit), Microsoft Windows 8.1 (64-bit/32-bit), Microsoft Windows 7 SP1 (64-bit/32-bit), macOS High Sierra v10.13, macOS Sierra v10.12, Mac OS X El Capitan v10.11 and Mac OS X El Capitan v10.10.5. Minimum Windows and macOS/Mac OS X requirements are: 2GB of RAM and a monitor with 1024x768 resolution. The Easy-PhotoPrint Editor mobile application requires an Internet connection and the Easy-PhotoPrint Editor app v1.1.0, available for free on the App Store and at Google Play. Compatible with IPad Air2 (2nd Generation), IPad Mini 4 and iPhone &s or later devices running iOS 10 or later, and Android mobile devices running Android 5.x or later. Certain exceptions may apply. The following file formats are supported: JPEG, PNG, HEIF (devices running iOS 11 and mac OS v10.13 or later), DLP save data, Poster Artist export data, EasyPhoto+ export data, Easy-PhotoPrint Editor export data.
- <sup>[22]</sup> DPS over IP compatible device required.
- [23] Some functions may not be available with these Operating Systems. Please refer to the manual or website for details.
   [24] Canon Print Service is a print plug-in for Android smart devices, which enables
- [24] Canon Print Service is a print plug-in for Android smart devices, which enables printing from Android v4.4 - v5.0 devices to many Canon printers via a Wi-Fi network. The plug-in does not work as a standalone app. Available for free at Google Play.
- <sup>123</sup> Requires an Internet connection and the Creative Park app, available for free on the App Store and at Google Play. Compatible with iOS 12.0 or later/Android OS 5.0 or later operating systems. You must have a Canon ID and a Canon inkjet printer to use this app.

#### Standard disclaimers

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of pager used etc.
- document complexity, print mode, page coverage, type of paper used etc. • Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see www.canon-europe.com/ink/yield
- All brand and product names are trademarks of their respective companies.
- Microsoft, Windows and the Windows logo are trademarks, or registered
  trademarks of Microsoft Corporation in the United States and/or other countries.

Canon Inc. canon.com Canon Europe canon-europe.com English edition Canon Europa NV 2021



# tehnotzka

Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda Canon, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanesenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

https://tehnoteka.rs/p/canon-multifunkcijski-stampac-pixma-g640-akcijacena/