

Informacije o proizvodu (EN)

D-Link USB Hub DUB-M610 6-in-1

D-Link



Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

<https://tehnoteka.rs/p/d-link-usb-hub-dub-m610-6-in-1-akcija-cena/>

6-in-1 USB-C Hub with HDMI/Card Reader/Power Delivery

Hardware Overview

Technical Specifications		
Connectivity		
Device Interfaces	<ul style="list-style-type: none"> HDMI Port (3840 x 2160 or 4096 x 2160 pixels @ 30 Hz) microSD and SD card slots Two USB 3.0 Type-A ports (One port supports BC 1.2) 	<ul style="list-style-type: none"> One USB 3.0 Type-C port with data sync and power delivery of up to 100 W (20 V @ 5 A) USB Type-C connector (Thunderbolt 3 compliant)
Standards	<ul style="list-style-type: none"> USB Specification Version 3.0 USB Specification Version 2.0 USB Specification Version 1.1 Quick Charge BC 1.2 	<ul style="list-style-type: none"> SD, SDHC, SDXC (UHS-I mode) HDMI 1.4 HDCP 2.2 DisplayPort Alternate Mode
General		
Minimum System Requirements	<ul style="list-style-type: none"> Computer running Microsoft Windows, Mac OS, or Chrome OS 	<ul style="list-style-type: none"> A USB Type-C Port with DisplayPort Alternate Mode support
Physical		
Dimensions (W x H x D)	<ul style="list-style-type: none"> 95 x 45 x 11 mm (3.74 x 1.77 x 0.35 in) 	<ul style="list-style-type: none"> Cable length: 15 cm (5.91 in)
Weight	<ul style="list-style-type: none"> 68.0 g (2.40 oz) 	
Power	<ul style="list-style-type: none"> Input: Bus-powered 	<ul style="list-style-type: none"> Consumption: 80 mA, 5 V DC
Temperature	<ul style="list-style-type: none"> Operating: 0 to 45 °C (32 to 113 °F) 	<ul style="list-style-type: none"> Storage: -10 to 70 °C (14 to 158 °F)
Humidity	<ul style="list-style-type: none"> Operating: 10% to 85% RH, non-condensing 	<ul style="list-style-type: none"> Storage: 5% to 90% RH, non-condensing
Certifications	<ul style="list-style-type: none"> CE IC 	<ul style="list-style-type: none"> FCC RCM



For more information: www.dlink.com

D-Link European Headquarters. D-Link (Europe) Ltd., First Floor, Artemis Building, Odyssey Business Park, West End Road, South Ruislip HA4 6QE, United Kingdom. Specifications are subject to change without notice. D-Link is a registered trademark of D-Link Corporation and its overseas subsidiaries. All other trademarks belong to their respective owners. ©2019 D-Link Corporation. All rights reserved. E&OE.

Updated September 2019

D-Link[®]

Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda D-Link, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanесenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

<https://tehnoteka.rs/p/d-link-usb-hub-dub-m610-6-in-1-akcija-cena/>