

Informacije o proizvodu (EN)

EPSON multifunkcijski štampač EcoTank M3170

EPSON



Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

<https://tehnoteka.rs/p/epson-multifunkcijski-stampac-ecotank-m3170-akcija-cena/>

EcoTank[®] ET-M3170 Monochrome All-in-One Supertank Printer

Wireless | Print | Copy | Scan | Fax | Ethernet



Supertank All-in-One

Business

The Cartridge-Free monochrome all-in-one printer with ADF and fax.

Save up to 75 percent with low-cost replacement bottles vs. mono laser toner — about 1/3 of 1 cent per ISO page vs. 2 1/2 cents¹

Worry-free, Cartridge-Free Printing — replacement ink bottle includes enough ink to print up to 6,000 pages²; one standard ink bottle included

Powered by PrecisionCore[®] printing technology — delivers ultra sharp text and remarkable image detail

Do more — high-capacity 250-sheet paper tray; rear tray for specialty media; 35-page ADF; auto 2-sided print, copy, scan and fax; plus, fast first page out

Reliability you can count on — 2-year limited warranty with registration³

Easy touch-and-swipe setup and navigation — 2.4" color touchscreen

Exclusive EcoFit[™] bottle design — uniquely keyed for easy filling of each color

Ultimate wireless — easily print from iPad[®], iPhone[®], Android[™] tablets and smartphones⁴; includes Wi-Fi Direct^{®5} plus Ethernet; voice-activated printing⁶

Save energy — lower power consumption vs. laser⁷

Compact, space-saving design — fits into any office environment



Replacement ink bottle



¹ Savings comparison and cost per ISO page based on the purchase cost of a replacement ink bottle and the cost of enough mono toner cartridges to achieve the total page yields of the ink bottle using the manufacturers' online prices and yields for the highest-capacity toner cartridges for the best-selling similarly featured mono laser printers priced at \$499 (USD) with speeds of 30 ppm or less per industry-available data as of July 2018. Actual savings will vary based on print tasks, print volumes and usage conditions.

²The NPD Group, Inc., Total Channel Tracking Service, U.S. & Canada, Printers, Refillable ink tank included, based on units, August 2017-July 2018. Supertank printers are defined as refillable ink tank printers.

Print

Printing Technology PrecisionCore (TFP1S-mono printhead)
Printer Language Epson ESC/P[®]-R
Print Resolution 600 x 600 optimized dpi
Max. Print Resolution 1200 x 2400 dpi
Print Speed[†] 20.0 ISO ppm (black)
Auto 2-sided Print Speed[†] 9.0 ISO ppm (black)
First Page Out 6 sec Simplex, 13 sec Duplex
Min. Ink Droplet Size 2.8 picoliters

Copy

Speed Flatbed 17 ipm
Speed ADF 14 Black ipm (simplex), 9.0 ipm (duplex)
Quantity Up to 99 pages from standalone
Copy Resolution 600 x 600 (input from ADF and flatbed), 1200 x 1200 (print)
Max Copy Size Legal 8.5" x 14" via ADF
Input Resolution ADF 300 x 400, 600 x 600
Input Resolution Flatbed 300 x 600, 600 x 600
Copy Features
 Automatic reduction and enlargement (25 – 400%)
 1-to-1 Copy and 1-to-2 Copy (user must flip the scan manually)
 256 gradations (1 color)

Scan

Photoelectric Device CIS Photo Sensor
ADF 35 sheets Letter, 10 Legal (25 lb at 95 g/m²) max. (Note: Auto 2-sided scan not supported, but the printer will auto 2-side copy once the user flips the scan page manually)
ADF Paper Size Max. Legal
ADF Paper Thickness Plain Paper: 17 – 25 lb, 64 – 95 g/m²
Scan Speed ADF (ISO 24735 Annex D) (ipm)
 ADF: 7.0 ipm Black, 7.0 ipm Color
 Document Table: 12 ipm Black, 27 ipm Color
Scanner Type Color Flatbed
Max Hardware Resolution 1200 x 2400
ADF Scan Resolution 1200 x 2400
ADF Capacity 35 sheets (Legal: 10)
Max Scan Size 8.5" x 11.7" (Flatbed)
Max Resolution 9600 dpi interpolated
Scanner Bit Depth (color) 48-bit color input / 24-bit color output
Compatibility TWAIN, WIA, ICA
Scan Features
 Scan to Computer Event Manager
 Scan to Computer
 Scan to Cloud⁸
 Not Supported: Scan to Memory Device
TWAIN Reading Resolution 75 – 9600 dpi (1 dpi step)
TWAIN Output Format PDF, JPEG, PNG, TIFF, Multi-TIFF, BMP (Windows[®]), PICT (Mac[®])

Fax

Modem ITU-T T.30 Error Correction Mode
Speed Up to 33.6 Kbps, transmit ~3 sec/page
Memory Up to 180 pages, 2MB receive memory
Speed Dials Up to 100 speed dial numbers, up to 99 group dial
Auto Redial Automatic
PC-Fax Software PC-Fax
Contact List Address Book
Fax Features Transmit reservation, Broadcast fax (mono), PC-Fax, Up to 99 group dial, Polling reception, Fax preview
Transmit Size Letter/A4 (flatbed and ADF)
Receive Size Letter/A4/Legal

Mobile and Voice-activated Printing⁶

Epson Connect[™] Solutions⁴ Epson E-mail Print, Epson iPrint[™] App (iOS[®], Android), Epson Remote Print
Other Google Cloud Print[™] 2.0, AirPrint 1.8

Connectivity

Standard Connectivity
 Hi-Speed USB
 Wireless 802.11 b/g/n⁵
 Wired Ethernet (10/100/1000 Mbps)
 Wi-Fi Direct⁵
Operating Systems
 Windows 10, Windows 8, 8.1 (32-bit, 64-bit), Windows 7 (32-bit, 64-bit), Windows Vista[®] (32-bit, 64-bit), Windows Server[®] 2003 SP2 or later, Windows Server 2016⁹
 Mac OS X[®] 10.6.8 – macOS[®] 10.13.x¹⁰

Paper Handling

PC-free Paper Support Plain (Letter, 8.5" x 14", A4), Photo (4" x 6", 5" x 7", 8" x 10", Letter, A4)
Max. Paper Size 8.5" x 47.2"
Paper Sizes 4" x 6", 5" x 7", 8" x 10", A6, Half Letter, Letter, A4, Executive, Legal, User definable (from 2.2" x 3.4" to 8.5" x 47.2")
Paper Types Multipurpose Plus Paper, Bright White Premium Paper, Premium Presentation Paper – Matte
Support Paper Size by Cassette Legal
Envelope Types No. 10
Max. Paper Weight
 64 – 90 g/m² (plain paper)
 102 – 300 g/m² (Premium Glossy Photo)
 250 sheets (80 g/m²)
Input Paper Capacity
 Cassette 1 – 250 sheets (80 g/m²)
Output Paper Capacity 100 sheets Letter plain paper (Standard Print Mode)
Rear Feed 1 sheet
2-sided Printing (Automatic/Manual) Automatic 2-sided print
Paper Types (Front Tray) Multipurpose Plus Paper, Bright White Premium Paper, Premium Presentation Paper – Matte, Premium Presentation Double-Sided Matte Paper

General

Temperature
 Operating: 50 ° to 95 °F (10 ° to 35 °C)
 Storage: -4 ° to 104 °F (-20 ° to 40 °C)
Relative Humidity
 Operating: 20 – 80%
 Storage: 5 – 85% (no condensation)
Sound Level
 Power: 6.9 B(A)
 Pressure: 56 dB(A)
Power Requirements
 Rated Voltage: AC 100 – 240 V Universal (Automatic)
 Rated Frequency: 50 – 60 Hz
 Rated Current: 0.4 – 0.2 A
Power Consumption
 Approx. 12 W ISO 24712 (Standalone copy printing)
 Approx. 4.3 W (Ready Mode)
 Approx. 0.7 W (Sleep Mode)
 Approx. 0.2 W (Power Off Mode)

Safety Standards

UL60950-1-CAN/CSA-22.2 No. 60950
 EMC FCC Part 15 subpart B class B
 CAN/CSA-CE/IEC CISPR 22 class B

Weight and Dimensions (W x D x H)

Printing: 14.8" x 13.7" x 13.6"
 Storage: 14.8" x 13.7" x 13.6"
 Weight: 16.1 lb

What's in the Box

EcoTank ET-M3170 monochrome printer, manual, CD-ROM for product setup, power cord, 1x bottle 532 Black (120 mL)

Software Included¹¹ Epson printer drivers

Warranty³ 2-year limited warranty in the U.S. and Canada, second year requires product registration

Country of Origin Philippines

Ink

1 ink bottle (Black)
 Replacement Ink Bottle²
 532 Black ink bottle (120 mL) yield: 6,000
 Epson strongly recommends the use of genuine ink to ensure optimal print quality and performance.

Eco Features

ENERGY STAR[®] qualified
 RoHS compliant
 Recyclable product¹²
 Epson America, Inc. is a SmartWay[®] Transport Partner¹³

Ordering Information

EcoTank ET-M3170 C11CG92201

All images simulated.

[†] Black print speed is measured in accordance with ISO/IEC 24734. Actual print times will vary based on factors including system configuration, software, and page complexity. For more information, visit www.epson.com/printspeed | ¹ Savings comparison and cost per ISO page based on the purchase cost of a replacement ink bottle and the cost of enough mono toner cartridges to achieve the total page yields of the ink bottle using the manufacturers' online prices and yields for the highest-capacity toner cartridges for the best-selling similarly featured mono laser printers priced at \$499 (USD) with speeds of 30 ppm or less per industry-available data as of July 2018. Actual savings will vary based on print tasks, print volumes and usage conditions. | ² Part of the ink from the included bottle is used for initial setup; yields are lower than those of replacement ink bottles. Replacement ink bottle yields based on the ISO/IEC 19752 pattern with Epson's methodology. Actual ink yields will vary considerably for reasons including images printed, print settings, temperature and humidity. Ink is used for printing and printer maintenance, and the ink must be available for printing. For more information, visit www.epson.com/inkinfo | ³ 12 months of standard limited warranty or 50,000 plain paper sheets (whichever happens first). For an additional 12 month extended service plan (total of 24 months or 50,000 plain paper sheets, whichever happens first), register your product and use Epson genuine ink bottles. See Limited Warranty for details. | ⁴ Most features require an Internet connection to the printer, as well as an Internet- and/or email-enabled device. For a list of Epson Connect enabled printers and compatible devices and apps, visit www.epson.com/connect | ⁵ Wi-Fi CERTIFIED[™]; level of performance subject to the range of the router being used. Wi-Fi Direct may require printer software. | ⁶ Voice-activated printing is not available with the Epson Expression[®] EcoTank[®] ET-2500 and ET-2550 printers, and Epson printers that are 5 or more years old. See www.epson.com/voice for device compatibility. Epson Connect account and voice-activated account registration required. | ⁷ Based on comparing manufacturers' reported TEC values of the best-selling, similarly featured mono laser printers priced at \$499 (USD) or less with print speeds of 30 ppm or less as of July 2018. Actual power savings will vary by product model and usage. | ⁸ Requires Easy Photo Scan software (included). Mac version may require software download. | ⁹ Only printing is supported under Windows Server OS. | ¹⁰ Some applications and/or functions may not be supported under Mac OS X. | ¹¹ Internet access is required to install OS X drivers and software. | ¹² For convenient and reasonable recycling options, visit www.epson.com/recycle | ¹³ SmartWay is an innovative partnership of the U.S. Environmental Protection Agency that reduces greenhouse gases and other air pollutants and improves fuel efficiency.

Better Products for a Better Future[™]
eco.epson.com



Epson America, Inc.
 3840 Kilroy Airport Way, Long Beach, CA 90806

Epson Canada Limited
 185 Renfrew Drive, Markham, Ontario L3R 6G3

www.epson.com
www.epson.ca

Specifications and terms are subject to change without notice. EPSON, ECOTANK, Epson ESC/P, Expression and PrecisionCore are registered trademarks, EPSON Exceed Your Vision is a registered logomark and Better Products for a Better Future, Epson Connect and Epson iPrint are trademarks of Seiko Epson Corporation. EcoFit is a trademark of Epson America Inc. iPad, iPhone, Mac, macOS and OS X are trademarks of Apple Inc., registered in the U.S. and other countries. Android and Google Cloud Print are trademarks of Google LLC. Windows, Windows Server and Windows Vista are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. Wi-Fi Direct[®] is a registered trademark and Wi-Fi CERTIFIED[™] is a trademark of Wi-Fi Alliance[®]. SmartWay is a registered trademark of the U.S. Environmental Protection Agency. All other product and brand names are trademarks and/or registered trademarks of their respective companies. Epson disclaims any and all rights in these marks. Copyright 2019 Epson America, Inc. Com-SS-Oct-13 CPD-57129R1 3/19

Contact:



Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda Epson, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanесenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

<https://tehnoteka.rs/p/epson-multifunkcijski-stampac-ecotank-m3170-akcija-cena/>