

Informacije o proizvodu (EN)

LENOVO laptop IdeaPad Gaming 3 15IHU6 (82K101CEYA)

Lenovo



Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

<https://tehnoteka.rs/p/lenovo-laptop-ideapad-gaming-3-15ihu6-82k101ceya-akcija-cena/>

OVERVIEW



| | |
|--|---|
| 1. Headphone / microphone combo jack (3.5mm) | 5. Ethernet (RJ-45) |
| 2. USB 3.2 Gen 1 | 6. HDMI 2.0 |
| 3. USB 3.2 Gen 1 | 7. USB-C 3.2 Gen 1 (data transfer only) |
| 4. Power connector | |

PERFORMANCE

Processor

Processor Family

11th Generation Intel® Core™ i5 / i7 Processor

Processor**

| Processor Name | Cores | Threads | Base Frequency | Max Frequency | Cache | Processor Graphics |
|----------------|-------|---------|----------------|---------------|-------|-------------------------|
| Core i5-11300H | 4 | 8 | 3.1GHz | 4.4GHz | 8MB | Intel Iris® Xe Graphics |
| Core i5-11320H | 4 | 8 | 3.2GHz | 4.5GHz | 8MB | Intel Iris Xe Graphics |
| Core i7-11370H | 4 | 8 | 3.3GHz | 4.8GHz | 12MB | Intel Iris Xe Graphics |
| Core i7-11390H | 4 | 8 | 3.4GHz | 5.0GHz | 12MB | Intel Iris Xe Graphics |

Operating System

Operating System**

- Windows® 10 Home 64
- Windows 10 Home 64 Single Language
- Windows 10 Pro 64
- Windows 11 Home
- Windows 11 Home Single Language
- Windows 11 Pro
- No operating system

Graphics

Graphics**

| Graphics | Type | Memory | Boost Clock | TGP | Key Features |
|---|----------|-----------|---------------------|-----|---|
| NVIDIA® GeForce RTX™ 3050 Ti Laptop GPU | Discrete | 4GB GDDR6 | 1485 MHz / 1695 MHz | 90W | Dynamic Boost 2.0, DirectX® 12 Ultimate |
| NVIDIA GeForce GTX 1650 Laptop GPU | Discrete | 4GB GDDR6 | - | - | DirectX 12 |
| NVIDIA GeForce RTX 2050 Laptop GPU | Discrete | 4GB GDDR6 | - | - | DirectX 12 |
| NVIDIA GeForce RTX 3050 Laptop GPU | Discrete | 4GB GDDR6 | 1500 MHz / 1740 MHz | 90W | Dynamic Boost 2.0, DirectX 12 Ultimate |

Monitor Support

Monitor Support

Supports up to 2 independent displays (native display and 1 external monitor via HDMI®)

- HDMI supports up to 3840x2162@60Hz

Chipset

Chipset

Intel SoC (System on Chip) platform

Memory

Max Memory^[1]

Up to 16GB DDR4-3200 offering

Memory Slots

Two DDR4 SO-DIMM slots, dual-channel capable

Memory Type

DDR4-3200

Notes:

[1] The max memory is based on the test results with current Lenovo® memory offerings.

Storage

Storage Support^[1]

Up to two drives, 2x M.2 SSD or 1x 2.5" HDD + 1x M.2 SSD

- 2.5" HDD up to 1TB
- M.2 2242 SSD up to 512GB
- M.2 2280 SSD up to 1TB

Storage Slot

One 2.5" drive slot + two M.2 slots

- One 2.5" SATA HDD slot
- One M.2 2242 PCIe® 3.0 x4 slot
- One M.2 2280 PCIe 3.0 x2 slot

HDD slot and M.2 2280 slot are used exclusively

Storage Type^{***}

| Disk Type | Interface | RPM |
|-----------------------------|-------------------------|------|
| 2.5" SATA HDD | SATA 6Gb/s | 5.4K |
| M.2 2242 SSD | PCIe NVMe®, PCIe 3.0 x4 | - |
| M.2 2242 SSD ^[2] | PCIe NVMe, PCIe 4.0 x4 | - |
| M.2 2280 SSD ^[3] | PCIe NVMe, PCIe 3.0 x4 | - |

Notes:

[1] The storage capacity supported is based on the test results with current Lenovo storage offerings.

[2] Installed M.2 2242 SSD is PCIe 4x4 but run at PCIe 3x4 due to M.2 SSD adapter limitation.

[3] Installed M.2 2280 SSD is PCIe 3x4 but run at PCIe 3x2 due to M.2 SSD adapter limitation.

Removable Storage

Optical

None

Card Reader

No card reader

Multi-Media

Audio Chip

High Definition (HD) Audio, Realtek® ALC3287 codec

Speakers

Stereo speakers, 2W x2, Nahimic Audio

Microphone

Dual-microphone array

Camera

HD 720p, with camera shutter, fixed focus

Battery

Battery

Integrated Li-Polymer 45Wh battery, supports Rapid Charge Pro (charge up to 50% in 30min)

Max Battery Life^[1]

MobileMark® 2014: 8 hr

Notes:

[1] All battery life claims are approximate maximum and based on results using the MobileMark 2014, MobileMark 2018, MobileMark 25, JEITA 2.0, continuous 1080p video playback (with 150nits brightness and default volume level) or Google Power Load Test (PLT) battery-life benchmark tests. Actual battery life will vary depending on many factors such as product configuration and usage, software use, wireless functionality, power management settings, and screen brightness. The maximum capacity of the battery will decrease with time and use.

Power Adapter

Power Adapter^[1]**

- 135W slim tip (3-pin) AC adapter, 100-240V, 50-60Hz
- 170W slim tip (3-pin) AC adapter, 100-240V, 50-60Hz

Notes:

^[1] AC adapter offerings depend on the country.**DESIGN****Display****Display**^[1]**

| Size | Resolution | Touch | Type | Brightness | Surface | Aspect Ratio | Contrast Ratio | Color Gamut | Refresh Rate | Viewing Angle (L/R/U/D) | Key Features |
|-------|-----------------|-------|------|------------|------------|--------------|----------------|-------------|--------------|-------------------------|--------------|
| 15.6" | FHD (1920x1080) | None | IPS | 250nits | Anti-glare | 16:9 | 800:1 | 45% NTSC | 60Hz | 85°/85°/-/- | DC dimmer |
| 15.6" | FHD (1920x1080) | None | IPS | 250nits | Anti-glare | 16:9 | 800:1 | 45% NTSC | 120Hz | 85°/85°/-/- | DC dimmer |
| 15.6" | FHD (1920x1080) | None | IPS | 300nits | Anti-glare | 16:9 | 1000:1 | 45% NTSC | 144Hz | 85°/85°/85°/85° | DC dimmer |
| 15.6" | FHD (1920x1080) | None | IPS | 300nits | Anti-glare | 16:9 | 1000:1 | 100% sRGB | 165Hz | 85°/85°/85°/85° | DC dimmer |

Touchscreen

Non-touch

Notes:

^[1] IPS (in-plane switching) technology may refer to IPS, PLS, ADS, AHVA, AAS.**Input Device****Keyboard**

6-row, multimedia Fn keys, numeric keypad

Keyboard Backlight**

- 4-Zone RGB backlight
- White backlight

Touchpad

Buttonless Mylar® surface multi-touch touchpad, 70 x 120 mm (2.76 x 4.72 inches)

Mechanical**Dimensions (WxDxH)^[1]**

359.6 x 251.9 x 24.2 mm (14.16 x 9.92 x 0.95 inches)

Packaging Dimensions (WxDxH)

535 x 324 x 104 mm (21.06 x 12.76 x 4.09 inches)

Weight^[2]

Around 2.25 kg (4.96 lbs)

Packaging Weight

3.44 kg (7.58 lbs)

Case Color**

- Onyx black
- Shadow black

Surface Treatment

IMR (in-mold decoration by roller)

Case Material

PC-ABS (top), PC-ABS (bottom)

Notes:

[1] The system dimensions may vary depending on configurations.

[2] The system weight is approximate and based on results in Lenovo lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

CONNECTIVITY

Network

Ethernet

Gigabit Ethernet

WLAN + Bluetooth^{[1][2]}

Wi-Fi[®] 6, 802.11ax 2x2 Wi-Fi + Bluetooth 5.1, M.2 card

Notes:

[1] Bluetooth 5.2 is hardware ready but may run at a lower version due to OS limitations.

[2] Wi-Fi 6 full features might be limited by country-level restrictions.

Ports^[1]

Standard Ports

- 1x Ethernet (RJ-45)
- 1x HDMI 2.0
- 1x Headphone / microphone combo jack (3.5mm)
- 1x Power connector
- 1x USB-C[®] 3.2 Gen 1 (support data transfer only)
- 2x USB 3.2 Gen 1

Notes:

[1] The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;

USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;

USB4[®] 20Gbps / USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;

USB4 40Gbps (USB 40Gbps): 40 Gbit/s;

Thunderbolt™ 3/4: 40 Gbit/s.

Docking

Docking

Various docking solutions supported via Thunderbolt / USB-C. For more compatible docking solutions, please visit [Docking for IdeaPad[®] Gaming 3 15IHU6](#)

SECURITY & PRIVACY

Security

Security Chip

Firmware TPM 2.0 integrated in SoC

Fingerprint Reader

No fingerprint reader

BIOS Security

- Power-on password
- Supervisor password
- Hard disk password

Other Security

Camera privacy shutter

SERVICE

Warranty^[1]

Base Warranty**

- 1-year courier or carry-in service
- 1-year courier or carry-in with 2-year system board service (Korea only)
- 2-year (1-yr battery) courier or carry-in service
- 3-year (1-yr battery) courier or carry-in service
- No base warranty

Notes:

[1] The warranty upgrades may be bundled with some models, please check the "Included upgrade" column in the specific model's configurations. For more service extensions, please go to <https://smartfind.lenovo.com/>. To learn more details of warranty policy, please access <https://pcsupport.lenovo.com/warranty>.

ENVIRONMENTAL

Operating Environment

Temperature^[1]

- At altitudes up to 2438 m (8,000 ft)
 - Operating: 5°C to 35°C (41°F to 95°F)
 - Storage: 5°C to 43°C (41°F to 109°F)
- At altitudes above 2438 m (8,000 ft)
 - Maximum temperature when operating under the unpressurized condition: 31.3°C (88°F)

Humidity

- Operating: 8% to 95% at wet-bulb temperature 23°C (73°F)
- Storage: 5% to 95% at wet-bulb temperature 27°C (81°F)

Altitude

Maximum altitude (without pressurization): 3048 m (10,000 ft)

Notes:

[1] When you charge the battery, its temperature must be no lower than 10°C (50°F).

ACCESSORIES

Bundled Accessories

Bundled Accessories

- Lenovo IdeaPad Gaming M100 RGB Mouse (USB connector)
- None

CERTIFICATIONS

Green Certifications^[1]

Green Certifications

- ErP Lot 3
- RoHS compliant

Notes:

[1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or self-declaration.

- Feature with ** means that only one offering listed under the feature is configured on selected models.
- Feature with *** means that one or more offerings listed under the feature could be configured on selected models.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION “AS IS,” WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.



intel



intel



intel



intel



intel



intel

Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda Lenovo, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanесenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

<https://tehnoteka.rs/p/lenovo-laptop-ideapad-gaming-3-15ihu6-82k101ceya-akcija-cena/>