

Informacije o proizvodu (EN)

MSI napajanje MAG A750GL PCIE5 750W



Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

<https://tehnoteka.rs/p/msi-napajanje-mag-a750gl-pcie5-750w-akcija-cena/>



MAG A750GL PCIE5

- ATX 3.0 compatible, native PCIe 5.0 connector
- Supports NVIDIA® GeForce RTX™ 40 Series graphics cards
- Full modular design, Flat cables
- 80 Plus Gold certified for high efficiency
- Active PFC design, Industrial level protection with OVP, OCP, OPP, OTP, SCP, UVP
- 120mm Fluid Dynamic Bearing Fan
- LLC Full Bridge Topology with DC-DC module design

SPECIFICATIONS

| | |
|------------------------------|--|
| Efficiency Rating | 80 PLUS Gold (up to 90%) |
| Modular | Yes (full modular) |
| Fan Size | 120 mm |
| Fan Bearing | Fluid Dynamic Bearing |
| Dimensions (DxWxH) | 140 x 150 x 86 mm |
| PFC Type | Active PFC |
| Input Voltage Range | 100~240 VAC |
| Power Watt | 750W |
| Power Excursion | 1500W (*up to 200% of the PSU's rated power for 100µs) |
| Input Frequency Range | 47-63Hz |
| Protection | OCP / OVP / OPP / OTP / SCP / UVP |
| ATX (24 pin) | 1 |
| EPS (4+4 pin) | 2 |
| PCI-E 5.0 (16 pin) | 1 (450W) |
| PCI-E (6+2 pin) | 3 |
| SATA (15 pin) | 8 |
| MOLEX (4 pin) | 4 |
| FDD (4 pin) | 1 |

MAG A750GL PCIE5

| | | | | | |
|-------------|-------------------------|-------|------|-------|-------|
| AC INPUT | 100-240~, 10A , 47-63Hz | | | | |
| DC OUTPUT | +5V | +3.3V | +12V | -12V | +5Vsb |
| | 20A | 20A | 62A | 0.3A | 2.5A |
| TOTAL POWER | 110W | 744W | 3.6W | 12.5W | |
| | 750W | | | | |

| CONNECTOR | | | | | | |
|----------------------|---------------------|----------|-----------------------|------|-----------------------|-----|
| ATX (20+4 PIN) | EPS (4+4 PIN) | PCI-E5.0 | PCI-E (6+2 PIN) | SATA | MOLEX (PERIPHERAL) | FDD |
| 1 | 2 | 1 | 3 | 8 | 4 | 1 |

Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda MSI, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanесenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

<https://tehnoteka.rs/p/msi-napajanje-mag-a750gl-pcie5-750w-akcija-cena/>