# tehnotzka

https://tehnoteka.rs

## Informacije o proizvodu (EN)

FUJITSU skener ScanSnap iX1600





Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

https://tehnoteka.rs/p/fujitsu-skener-scansnap-ix1600-akcija-cena/

#### **General Specifications**

Product name		iX1600 (White/Black)		
Scanner type		ADF (Automatic Document Feeder)/Manual Feed, Duplex		
Scanning color mode		Color, Grayscale, Monochrome, Automatic (Color/Grayscale/Monochrome <sup>®1</sup> detection)		
Image sensor		Color CIS x 2 (Front x 1, Back x 1)		
Light source		3 Color LED (Red/Green/Blue)		
Optical resolu	ition	600 dpi		
	Auto mode (Default)*3	Simplex/Duplex: 40 ppm		
	Normal mode	Simplex/Duplex: 40 ppm (Color/Grayscale: 150 dpi, Monochrome: 300 dpi)		
Scanning speed*2	Better mode	Simplex/Duplex: 40 ppm (Color/Grayscale: 200 dpi, Monochrome: 400 dpi)		
(A4 portrait)	Best mode	Simplex/Duplex: 40 ppm (Color/Grayscale: 300 dpi, Monochrome: 600 dpi)		
	Excellent mode*1	Simplex/Duplex: 10 ppm (Color/Grayscale: 600 dpi, Monochrome: 1,200 dpi)		
	Normal scan*4	Minimum: 50.8 x 50.8 mm (2 x 2 in.) Maximum: 216 x 360 mm (8.5 x 14.17 in.)		
Document size	Manual scan	A3, B4, 279 x 432 mm (11 x 17 in.)		
	Long paper scanning*5	3,000 mm (863 mm in 32-bit) Smart Device: 863 mm (Duplex) 1,726 mm (Simplex)		
Paper weight (Thickness)		40 to 209 g/m <sup>2</sup> (11 to 56 lb) A8 size or less: 128 to 209 g/m <sup>2</sup> (34 to 56 lb) Cards: 0.76 mm or less (Compliant with the ISO7810 ID-1 type (Includes embossed cards in landscape orientation)		
ADF capacity	*7	50 sheets (A4, 80 g/m² or 20 lb)		
	USB	USB 3.2 Gen1x1 / USB 2.0 / USB 1.1 (Connector Type: Type-B)*8		
Interface	Wi-Fi	IEEE802.11a/b/g/n Frequency band: 2.4 GHz*9		
Wi-Fi Interface		Access Point Connect Mode (Infrastructure mode)**0 Direct Connect Mode (Ad-hoc mode)*1		
LCD		4.3 in. color TFT touch screen		
Power require	ement	AC 100 to 240 V, 50/60 Hz		
	Operating	17 W or less		
Power consumption	Sleep mode (USB connected)	1.5 W or less		
	Sleep mode (Wi-Fi connected)	1.6 W or less		
Operation environment		Temperature: 5 to 35 °C (41 to 95 °F) Relative humidity: 20 to 80% (Non-condensing)		
Dimensions (W x D x H)*12		292 x 161 x 152 mm (11.5 x 6.3 x 6.0 in.)		
Device weight		3.4 kg (7.5 lb)		
Environmental compliance		ENERGY STAR" /RoHS		
Multifeed detection		Overlap detection (Ultrasonic sensor), Length detection		
Driver		ScanSnap Home (ScanSnap specific driver) ● Windows' : Does not support TWAIN/ISIS™ ● macOS: Does not support TWAIN		

1 Available only when connecting to a computer, "2 Scanning speeds may vary due to the system environment used. \*3 Scans will be made in "Best mode" if shorter sides are less than 105 mm and in "Better mode" if not. \*4 A3 scans are possible with use of A3 carrier sheets. \*5 Available in all modes except for "Excellent mode". If not. \*4 A3 scans are apply when using ScanSnap Home. 7 Maximum capacity varies, depending upon paper weight. \*8 Some computers do not recognize the ScanSnap when it is connected to a USB 3.2 GenI/3.0 port. In this case, please use a USB 2.0 cable. \*9 Availability of 5 GHz Wi-Fi may vary depending on region. \*10 Access Point Connect Mode requires a Wi-Fi access point or router. \*115 GHz Wi-Fi is not available with Direct Connect Mode. \*12 Excluding the stacker and other external attachments. point or router.

#### Options

Descri	ption	Part number	Remarks
	nap Home onal License ense)	PA43404-B043	1 additional license for ScanSnap Home
Carrie	r Sheets*1	PA03360-0013	Contains 5 sheets supporting photographs and various document sizes For ScanSnap iX1600, iX1400, iX1500, iX500, iX100, S1100i
Photo Sheets	Carrier	PA03770-0015	Contains 3 sheets supporting photographs (E-size, L-size, King-size), postcards, and business cards
ScanS	nap Bag	PA03951-0651	Stores the ScanSnap iX1600, iX1400, iX1500, iX500 and accessories

<sup>1</sup> Although ScanSnap Carrier Sheets have a listed lifespan of 500 scans, the lifespan may vary with usage. ScanSnap Carrier sheets are intended to scan paper documents with weights of 127 g/m² or less. They also support the scanning of folded documents that are as large as 216 x 297 mm.

#### Consumables

Description	Part number	Remarks
Roller Set	PA03656-0001	Lifetime: Every 200,000 sheets or one year*1 (For ScanSnap iX1600, iX1400, iX1500 or iX500)
Cleaner F1	PA03950-0352	100 ml bottle For use on the Brake roller and Pick roller
Cleaning Wipe	PA03950-0419	24 packets For use on the Brake roller and Pick roller
Cleaning Paper	CA99501-0012	10 sheets Use this non-woven sheet with Cleaner F1

<sup>1</sup> These recommended lifetimes are for 80 g/m<sup>2</sup> (20 lb) A4 sized documents. Therefore, appropriate replacement lifetimes may vary for other document types. <sup>11</sup> It is recommended to use original or approved accessories for consumables, options and cleaning kits, specially designed for your device. Device failures, troubles and damages arising from use of OEM or 30rd Party accessories may render your warranty invalid and incur charges for repair even during the warranty period.

#### ScanSnap iX1600 System Requirements

Windows <sup>®</sup>		
Operating syste	ems	Windows*11 (64-bit), Windows*10 (32-bit / 64- bit)*1*2, Windows* 8.1 (32-bit / 64-bit)*2, Windows* 7 (32-bit / 64-bit)
Hardware	CPU*4	Intel <sup>®</sup> Celeron 1.8 GHz (2core) or higher (Recommended: Intel <sup>®</sup> Core™ i5 2.5 GHz or higher)
requirements*3	Memory capacity*4	2 GB or more (Recommended: 4 GB or more)
	Display resolution	1,024 x 768 pixels or more
	Disk capacity*5*6	3.8 GB or more of free hard disk space
canSnap device m rop if the recomm	nay not work if the conner nended CPU, memory ca	dows* 10 ARM-based PCs.*2 Operate Windows in desktop mode. *3 The cted computer does not meet these requirements. *4 Scanning speeds may apacity and USB 1.1 requirements are not met. *5 Indicated disk capacity anSnao Home. *6 NET Framework 4.7 or later must be installed. If it is not

requirements apply when downloading Scathap Home. In 14 Framework 4.7 or later must be installed, it is not installed, it is installed with ScanSnap Home. Up to 4.5 GB of disk space is required for the installation. "Please refer to the ScanSnap website for the latest support information of the driver and applications. Compatibility may differ depending on the software's version. "The system requirements may change depending on the support policies of the above system and third-party software.

#### Mac

Operating syste	ems	macOS High Sierra 10.13 or later
Hardware	CPU*2*3	Intel <sup>®</sup> Core i5 1.4 GHz or higher (Recommended: Core i5 2.5 GHz or higher)
requirements*1	Memory capacity*3	2 GB or more (Recommended: 8 GB or more)
	Display resolution	1,024 x 768 pixels or more
	Disk capacity	2.0 GB or more of free hard disk space
1 The ScanSnan de	wice may not work if the	connected computer does not meet these requirements *? The ScanSpan

\*1 The ScanSnap device may not work if the connected computer does not meet these requirements. \*2 The ScanSnap device also operates with Apple Silicon-based Mac computers. Please visit the ScanSnap website for latest support information. \*3 Scanning speeds may drop if the recommended CPU, memory capacity and USB 11 requirements are not met. \*Compatibility may differ depending on software versions. Please visit the ScanSnap website for latest information on driver and application support. \*The system requirements may change depending on the support policies of the above system and third-party software.

#### Software Windows\* Mac

VERGY ST

ScanSnap	Home*1
ScanSnap	Manager*2
Kofax Power PDF Standard*3*4	Kofax Power PDF Standard for Mac*3*4
ABBYY FineRead	er for ScanSnap™
isit the company website for download information. https:/	ernet. Activation is also necessary for software use. Please //scansnap.fujitsu.com/g-support/en. *2 ScanSnap Manager ense certificate to download the software. *4 Kofax Power

Accessori	es				
Safety Prec	autions •AC Cable	•AC Adapter	•USB Cable	Receipt Guide	

This scanner is designed to digitize materials that can be reproduced lawfully, in accordance with applicable copyright regulations and other laws. ScanSnap users are responsible for how they use this scanner. It is imperative that ScanSnap users comply with all applicable local rules and laws, including, without limitation, copyright laws when using this scanner.

\*ABBYY\*FineReader\* Engine © ABBYY. OCR by ABBYY. ABBYY and FineReader are trademarks of ABBYY Software, Ltd. which may be registered in some jurisdictions. 'Intel, Pentium, and Intel Core are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries. 'ISIS'' is a trademark of Open Text. 'Mac, macOS, and the Mac logo are trademarks of Apple Inc. 'Kofax and Power PDF are trademarks or registered trademarks of Kofax Limited in the United States and other countries. 'ScanSnap, the ScanSnap logo and ScanSnap Home are registered trademarks of the United States and other countries. 'ScanSnap, the ScanSnap logo and ScanSnap the trademarks or registered trademarks of the respective companies.

### **ABBYY**<sup>°</sup> FineReader<sup>®</sup> PFU Limited, a Fujitsu company, has determined that this product

meets the ENERGY STAR<sup>\*</sup> guidelines for energy efficiency. ENERGY STAR<sup>\*</sup> is a registered trademark of the United States. energy



For more ScanSnap related	d information, visit our website a	it :
▲ Safety Precautions	precautions prior to using this product	Do not place this device in wet, moist, steamy, dusty or oily areas. Using this product under such conditions may result in electrical shock, fire or damage to this product.

Specifications are subject to change without notice

©2021 PFU Limited Printed in some country 2021.01 U-208 SZX 50S



# Ultimate efficiency and flexibility.

## INTUITIVE SCANNING AT YOUR FINGERTIPS

### Ease into a whole new world of digitalization and unlocking seamless flow of information

### ScanSnap iX1600 – Evolved flagship model of the ScanSnap series

A brand new experience to digitize, augment, organize, and share information to fuel your business growth and innovation with the fastest model in the ScanSnap Series.

Able to load up 50 sheets at a time and scan at a speedy 40 pages per minute, the iX1600 produces superior, high-quality images. Simply open the document chute, and ScanSnap is ready to go. Fast start-up and stable feeding performance provide you with a peace of mind while you carry out your tasks.

### **Optimized user experience**



### Scan anywhere, whenever you want

- Connects via Wi-Fi. Works without a computer.
- Scans on any smart device or popular cloud service<sup>1</sup>, desktop or document management application.

1 Available services vary by region.





## Intuitive and ideal for team sharing

The iX1600 comes equipped with a 4.3-inch touch screen, providing an easy to use interface with simple icons and intuitive user experience. Keeping documents in order is a breeze, whether at the office or home. Select which device you would like to scan to, and share between multiple members and devices anytime.

### Satisfaction

Easy to install, configure and start. Just for anyone - Personal, SOHO, Remote Office/Work from home, Small businesses, New to ScanSnap, New to scanning.

Available in black and white, choose the color you want based on your preference.

### **Stress-free usability**



### Scan receipts and much more

Scan larger-sized documents, like A3 documents, envelopes, and much more, with Manual Scan Mode<sup>2</sup>. Effortlessly scan small documents with the Receipt Guide. No need to be concerned about fixing receipts and business cards that tend to curl or skew.

6 6 1

2 Manual Scan Mode is available when using ScanSnap Home.

### ScanSnap Home - All-in-one software to optimize your productivity



A software specially designed for ScanSnap scanners, assisting users to easily manage, edit, and utilize various types of scanned data.


Combining all your favorite functions, it allows users to organize your documents, receipts, business cards, photos and much more all in one application.

### Name files faster

ScanSnap Home uses the text, found on your scanned documents to identify file names. Accuracy is heightened with increased use.


#### Find files easily

Finding documents can never be easier. ScanSnap Home comes with functions to re-organize and perform searches on document types using folders, tags, and keywords.









### **Reliable and intelligent**

With professional grade feeding technology and ultrasonic sensors, iX1600 handles multi-page documents with ease and can additionally detect and alert the user of multi-feeding errors. A host of intelligent automatic image processing functions enables users to scan confidently without adjusting settings.

# tehnotzka

Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda Fujitsu, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanesenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

https://tehnoteka.rs/p/fujitsu-skener-scansnap-ix1600-akcija-cena/