tehnotzka

https://tehnoteka.rs

Informacije o proizvodu (EN)

EPSON štampač L8050 EcoTank ITS





Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

https://tehnoteka.rs/p/epson-stampac-I8050-ecotank-its-akcija-cena/

INK TANK SYSTEM PRINTERS ECOTANK L8050/L18050

EPSON

VERSATILITY MEETS HIGH-QUALITY PHOTO PRINTING.

EPSON

Presenting cost-effective borderless A3+* photo printing solutions perfectly suited for design drawing, stunning photos, and versatile media printing such as DVD/CD and PVC/ID card printing. Now with an integrated ink tank design, the printer is compact in size and fits easily into different spaces. The Epson L8050 and L18050 models also come with replaceable parts and can be easily maintained. Easily set up your printer by using Epson Smart Panel app on your mobile device and turning it into an intuitive control centre that allows you to print and troubleshoot effortlessly.





Quality Meets Productivity

Enjoy superior quality photos made possible with 6 colour dye inks, coupled with fast print speed of up to 8.0 ipm (A4).

Sustainability in Mind

Heat-Free Technology enables low power consumption and requires fewer replacement parts, minimising total environmental impact.

Ease of Use

Epson Smart Panel mobile application facilitates print head cleaning, enabling easy maintenance and preventing ink wastage.

SPECIFICATIONS

Product Name	L8050	L18050	
Printer Type	Print		
Printing			
Printing Technology	Micropiezo Printhead		
Nozzle Configuration	180 x 1 nozzles Black 180 x 1 per colour (Cyan, Magenta, Yellow, Light Cyan, Light Magenta)		
Print Direction	Bi-directional printing		
Maximum Resolution	5760 x 1440 dpi (with Variable-Sized Droplet Technology)		
Minimum Ink Droplet Volume	1.5 pl		
Print Speed ¹			
Draft Text - Memo, A4 (Black#1 / Colour#2)	Up to 22 ppm / 22 ppm		
ISO 24734, A4 (Black / Colour)	Simplex: Up to 8.0 ipm / 8.0 ipm		
ISO 24734, A3 (Black / Colour)	<u>-</u>	Simplex: Up to 3.0 ipm / 3.0 ipm	
First Page Out Time (Black / Colour)	Approx. 14 sec / 14 sec	Approx. 14 sec / 14 sec	
Photo Default - 10 x 15 cm / 4 x 6""2 #3			
(Border / Borderless)	Approx. 25 sec / 25 sec	Approx. 27 sec / 27 sec	
Photo Default - A4 ²			
(Border / Borderless)	Approx. 60 sec / 64 sec	Approx. 65 sec / 65 sec	
Photo Default - A3 ⁻² (Bordor / Bordorloss)		A	
(Border / Borderless)	- ESC/P-R. ESC/P Raster	Approx. 110 sec / 115 sec	
Printer Language			
CD/DVD Printing	Yes		
PVC/ID Card Printing	Yes		
Automatic 2-sided Printing	No		
Paper Handling			
Paper Feed Method	Friction feed		
Number of Paper Trays	1		
Paper Hold Capacity		Lass a second	
Input Capacity	100 sheets of A4 Plain Paper (80g/m ²)	100 sheets of A4 Plain Paper (80g/m ²)	
	20 sheets of Premium Glossy Photo Paper	30 sheets of Premium Glossy Photo Paper	
Output Capacity	100 sheets of A4 Plain Paper	100 sheets of A3 Plain Paper	
	30 sheets of Premium Glossy Photo Paper	30 sheets of Premium Glossy Photo Paper	
Paper Size	A4, Letter, 8 x 10", 5 x 7", 4 x 6",	A3+, A3, US B, 11 x 14", Legal, A4, Letter,	
	16:9 Wide, 3.5 x 5"	8 x 10", 5 x 7", 4 x 6", 16:9 Wide, 3.5 x 5"	
Maximum Paper Size	215.9 x 2000 mm (8.5 x 78.74")	329 x 2000 mm (12.95 x 78.74")	
Supported Paper Weight			
Plain Paper	64 - 90 g/m ²		
Premium Glossy Photo Paper	102 - 300 g/m ²		
Print Margin	0 mm top, left, right, bottom via custom setting	s in printer driver ^{*3}	
Interface			
USB	USB 2.0		
Network	Wi-Fi IEEE 802.11b/g/n, Wi-Fi Direct		
Network Protocol	TCP/IPv4, TCP/IPv6		
Network Printing Protocol	LPD, PORT9100, WSD		
	SNMP, HTTP, DHCP, APIPA, DDNS, mDNS, SLP, WSD, LLTD		
Network Management Protocols	SNIME, THITE, DHOE, AFIEA, DDNS, HIDNS, C	SEF, WSD, EETD	
Mobile and Cloud Printing	Encon iDrint Encon Email Brint, Domoto Brint () rivor	
Epson Connect	Epson iPrint, Epson Email Print, Remote Print Driver		
Other Mobile Solutions	Epson Smart Panel		
Printer Software			
Software Support	Epson Photo+		
Operating System Compatibility			
Windows	Windows XP SP3 / XP Professional x64 SP2 / Windows Server 2002 / 2008 / 2016 / 2000 / 2000 / 2000 / 2000 / 2000 / 2000 / 2000 / 2000 / 2000 /		
	Windows Server 2003 / 2008 / 2012 / 2016 / 2019 / 2022		
Mac	Mac OS X 10.9.5 or later, macOS 11 or later		
Chrome OS	Chrome OS ver. 89 or later		
Electrical Specifications			
Rated Voltage	AC 220-240 V		
Rated Frequency	50 - 60 Hz		
Power Consumption			
Operating	19 W		
Standby	4.4 W		
Sleep	0.6 W		
Power Off	0.2 W		
Noise Level		Sound Power (Black / Colour) 6.3 / 6.1 B(A),	
	Sound Power (Black / Colour) 6.2 / 6.0 B(A)		
	Sound Power (Black / Colour) 6.2 / 6.0 B(A), Sound Pressure (Black / Colour) 50 / 47 dB(A)		
PC Printing / Plain Paper Default ⁻⁴	Sound Pressure (Black / Colour) 50 / 47 dB(A)	Sound Pressure (Black / Colour) 50 / 48 dB(A)	
PC Printing / Plain Paper Default' ⁴ PC Printing / Premium Glossy Photo Paper	Sound Pressure (Black / Colour) 50 / 47 dB(A) Sound Power (Black / Colour) 4.9 / 5.0 B(A),	Sound Pressure (Black / Colour) 50 / 48 dB(A) Sound Power (Black / Colour) 4.9 / 5.0 B(A),	
PC Printing / Plain Paper Default' ⁴ PC Printing / Premium Glossy Photo Paper Best Photo	Sound Pressure (Black / Colour) 50 / 47 dB(A) Sound Power (Black / Colour) 4.9 / 5.0 B(A), Sound Pressure (Black / Colour) 37 / 37 dB(A)	Sound Pressure (Black / Colour) 50 / 48 dB(A) Sound Power (Black / Colour) 4.9 / 5.0 B(A), Sound Pressure (Black / Colour) 36 / 36 dB(A)	
PC Printing / Plain Paper Default ^{*4} PC Printing / Premium Glossy Photo Paper Best Photo Epson Consumable	Sound Pressure (Black / Colour) 50 / 47 dB(A) Sound Power (Black / Colour) 4.9 / 5.0 B(A), Sound Pressure (Black / Colour) 37 / 37 dB(A) Page Yield *5 Photo P	Sound Pressure (Black / Colour) 50 / 48 dB(A) Sound Power (Black / Colour) 4.9 / 5.0 B(A),	
PC Printing / Plain Paper Default ^{*4} PC Printing / Premium Glossy Photo Paper Best Photo Epson Consumable Black Ink Bottle	Sound Pressure (Black / Colour) 50 / 47 dB(A) Sound Power (Black / Colour) 4.9 / 5.0 B(A), Sound Pressure (Black / Colour) 37 / 37 dB(A)	Sound Pressure (Black / Colour) 50 / 48 dB(A) Sound Power (Black / Colour) 4.9 / 5.0 B(A), Sound Pressure (Black / Colour) 36 / 36 dB(A)	
PC Printing / Plain Paper Default ^{*4} PC Printing / Premium Glossy Photo Paper Best Photo Epson Consumable Black Ink Bottle	Sound Pressure (Black / Colour) 50 / 47 dB(A) Sound Power (Black / Colour) 4.9 / 5.0 B(A), Sound Pressure (Black / Colour) 37 / 37 dB(A) Page Yield *5 Photo P	Sound Pressure (Black / Colour) 50 / 48 dB(A) Sound Power (Black / Colour) 4.9 / 5.0 B(A), Sound Pressure (Black / Colour) 36 / 36 dB(A) age Yield (4R)*6 Order Code	
PC Printing / Plain Paper Default ^{*4} PC Printing / Premium Glossy Photo Paper Best Photo Epson Consumable Black Ink Bottle Cyan Ink Bottle	Sound Pressure (Black / Colour) 50 / 47 dB(A) Sound Power (Black / Colour) 4.9 / 5.0 B(A), Sound Pressure (Black / Colour) 37 / 37 dB(A) Page Yield *5 Photo P	Sound Pressure (Black / Colour) 50 / 48 dB(A) Sound Power (Black / Colour) 4.9 / 5.0 B(A), Sound Pressure (Black / Colour) 36 / 36 dB(A) age Yield (4R)*6 Order Code	
PC Printing / Plain Paper Default ^{*4} PC Printing / Premium Glossy Photo Paper Best Photo Epson Consumable Black Ink Bottle Cyan Ink Bottle Magenta Ink Bottle	Sound Pressure (Black / Colour) 50 / 47 dB(A) Sound Power (Black / Colour) 4.9 / 5.0 B(A), Sound Pressure (Black / Colour) 37 / 37 dB(A) Page Yield * 3,600 pages	Sound Pressure (Black / Colour) 50 / 48 dB(A) Sound Power (Black / Colour) 4.9 / 5.0 B(A), Sound Pressure (Black / Colour) 36 / 36 dB(A) age Yield (4R)*6 Order Code	
PC Printing / Plain Paper Default ^{*4} PC Printing / Premium Glossy Photo Paper Best Photo Epson Consumable Black Ink Bottle Cyan Ink Bottle Vagenta Ink Bottle Vellow Ink Bottle	Sound Pressure (Black / Colour) 50 / 47 dB(A) Sound Power (Black / Colour) 4.9 / 5.0 B(A), Sound Pressure (Black / Colour) 37 / 37 dB(A) Page Yield * 3,600 pages	Sound Pressure (Black / Colour) 50 / 48 dB(A) Sound Power (Black / Colour) 4.9 / 5.0 B(A), Sound Pressure (Black / Colour) 36 / 36 dB(A) age Yield (4R)*6 Order Code 057	
PC Printing / Plain Paper Default ^{*4} PC Printing / Premium Glossy Photo Paper Best Photo Epson Consumable Black Ink Bottle Cyan Ink Bottle Vagenta Ink Bottle Yellow Ink Bottle Light Cyan Ink Bottle	Sound Pressure (Black / Colour) 50 / 47 dB(A) Sound Power (Black / Colour) 4.9 / 5.0 B(A), Sound Pressure (Black / Colour) 37 / 37 dB(A) Page Yield * 3,600 pages	Sound Pressure (Black / Colour) 50 / 48 dB(A) Sound Power (Black / Colour) 4.9 / 5.0 B(A), Sound Pressure (Black / Colour) 36 / 36 dB(A) age Yield (4R)*6 Order Code 057	
Noise Level PC Printing / Plain Paper Default ^{*4} PC Printing / Premium Glossy Photo Paper Best Photo Epson Consumable Black Ink Bottle Cyan Ink Bottle Light Cyan Ink Bottle Light Agenta Ink Bottle Pickup Roller	Sound Pressure (Black / Colour) 50 / 47 dB(A) Sound Power (Black / Colour) 4.9 / 5.0 B(A), Sound Pressure (Black / Colour) 37 / 37 dB(A) Page Yield * 3,600 pages	Sound Pressure (Black / Colour) 50 / 48 dB(A) Sound Power (Black / Colour) 4.9 / 5.0 B(A), Sound Pressure (Black / Colour) 36 / 36 dB(A) age Yield (4R)*6 Order Code 057	

Dimensions & Weight

I 8050 Weight: 6.0 kg



403 mm

L18050 Weight: 8.0 kg



1 Print speed (Pages Per Minute) is calculated when Print speed (rages Per Minitule) is calculated when printed on A4 plain paper in the fastest mode. 10 x 15 cm photo print speed when printed on Epson Premium Glossy Photo Paper. Print speed may vary depending on system configuration, print mode, document complexity, software, type of paper used and connectivity. Print speed does not include processing time on host computer.



*2 When printed on Epson Premium Glossy Photo Paper.

- *3 Otherwise 3 mm top, left, right, bottom,
- *4 Default mode in accordance with ISO7779 for MFPs.
- 5 Quoted yields are extrapolated based on Epson original Quoted yields are extrapolated based on Epson original methodology from the print simulation of Test Patterns provided in ISO/IEC 24712. Quoted yields are NOT based on ISO/IEC 24711. Quoted yields may vary depending on the images that you are printing, the paper type that you are using, the frequency of your prints and environmental conditions such as temperature. During the initial printer setup, a certain amount of ink is used to fill the print head's nozzles, therefore the yield of the initial bundled set can be lower.
- *6 Quoted yields are extrapolated based on Epson original methodology from the print simulation of Test Patterns provided in ISO/IEC 29103. Quoted yields are NOT based on ISO/IEC 29102. Quoted yields may vary depending on the images that you are printing, the paper type that you are using, the frequency of your prints and environmental conditions such as temperature.

© 2023 Epson Singapore Pte Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON is a registered trademark of Seiko Epson Corporation. All other products names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc

Android is a trademark of Google Inc.

Dealer's Stamp

Information correct at time of printing Printed December 2023

For latest specifications, visit www.epson.com.sg/ecotank or call 800 120 5564.

f EpsonSingapore 🔘 EpsonSingapore 🕟 EpsonSoutheastAsia in Epson Singapore 👌 epsonsingapore

Epson Singapore Pte Ltd Epson Customer Care Center 438B Alexandra Road, #04-01/04, Block B, Alexandra Technopark, Singapore 119968. Tel: (65) 6586-5500 Fax: (65) 6271-9755 r 100G Pasir Panjang Road, #01-09, Interlocal Centre, Singapore 118523. Epson Helpdesk: 800 120 5564. Opening hours: Monday - Friday, 9am to 5pm. Closed on Saturday, Sunday and Public Holiday. Please refer to www.epson.com.sg/contact for updated opening hours.

tehnotzka

Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda Epson, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanesenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

https://tehnoteka.rs/p/epson-stampac-l8050-ecotank-its-akcija-cena/