

Informacije o proizvodu (EN)

FRACTAL DESIGN napajanje Ion+ 2 Platinum 860W FD-P-IA2P-860-EU



Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

<https://tehnoteka.rs/p/fractal-design-napajanje-ion-2-platinum-860w-fd-p-ia2p-860-eu-akcija-cena/>

Product Sheet

Ion+ 2

Platinum

English Version



Index

3	Overview
4	Key features
5-6	General specifications
7	Package contents
	Additional information

Ion+ 2 Platinum

The power of silence.

The Ion+ 2 Platinum is a high-performance fully modular PSU with whisper-quiet operation, enhanced cable flexibility and superior output quality. It ships with two 8-pin ATX12V/EPS cables, ensuring compatibility with new motherboards.



A user selectable semi-passive Zero RPM mode maintains pure silence under light loads, and the custom-tailored 140 mm fan with FDB bearings stays practically whisper-quiet even under heavy load. Revolutionary UltraFlex™ cable with its ultra-high strand count wire and special insulation bends and twists effortlessly to make installation and cable-routing a breeze.

Ion+ 2 Platinum is available in 560, 660, 760 and 860 watt capacities, all with 80PLUS® Platinum Efficiency, 10-year warranty, and a full electrical protection suite for peace of mind.



Key features

- 80PLUS® Platinum efficiency for optimized electricity use and reduced heat generation
- Great electrical output quality with tight voltage regulation and low ripple and noise
- Fully modular design for reduced clutter and maximum ease of installation and with Fractal Design UltraFlex™ (extra bendable soft cables) for better cable management
- Equipped with a large high-performance Fractal Design Dynamic GP-14 140 mm fan, custom-tailored for power supply use with an exceptionally low minimum speed and a true long-life FDB bearing
- User selectable semi-passive operation allows for either passive operation in low load situations or continuous low speed fan operation for reduced component stress
- Compact 150 mm depth allows for installation in compact cases or provides additional cable management room in larger cases
- Premium Japanese 105°C capacitors provide maximum reliability and durability
- Extensive 10-year warranty and a full electrical protection suite provides peace of mind
- Supports the latest ATX 2.52 standard with improved start-up time and transient load response
- Premium storage bags for cables and PSU
- All models include two 8-pin ATX12V/EPS cables, ensuring compatibility with new motherboards



General specifications

80PLUS® Certification	<ul style="list-style-type: none">• Platinum
Modular cables	<ul style="list-style-type: none">• Fully modular
Fan type	<ul style="list-style-type: none">• 140 mm FDB bearing Fractal Design Dynamic series fan
Maximum operating temperature (full load)	<ul style="list-style-type: none">• 50°C
Semi-passive operation	<ul style="list-style-type: none">• Yes, user selectable (Zero RPM)
Capacitors	<ul style="list-style-type: none">• Japanese
Life expectancy	<ul style="list-style-type: none">• 100,000 hours
PSU specification compliance	<ul style="list-style-type: none">• ATX12V 2.52; EPS12V 2.92
Cable type	<ul style="list-style-type: none">• Modular 24-pin cable: Black UltraFlex™ wires in braided sleeve• Other modular cables: Flat black UltraFlex™ wires
Protection features	<ul style="list-style-type: none">• Over voltage protection• Under voltage protection• Overpower protection• Short circuit protection• Over current protection• Over temperature protection

General specifications

Input voltage	• 100-240V C
Input frequency	• 50-60 Hz
Standby efficiency	• ErP 2013 (<0.45W @230. VAC, 45 mA load on +5Vsb)
Sleep state compliance	• C6/C7
Approvals & Certifications	• CE, FCC, TUV, cTUVus, EAC, RCM, CCC, BSMI, CB, KC+KCC
Unit dimensions - WxHxD (mm)	• 150 x 150 x 86
Net weight (unit & DC cables)	• 560W – 2,24 kg • 660W – 2,34 kg • 760W – 2,53 kg • 860W – 2,53 kg
Package dimensions – LxWxH (mm)	• 325 x 210 x 110
Package weight (w/o AC cable)	• 560W – 2,76 kg • 660W – 2,86 kg • 760W – 3,06 kg • 860W – 3,06 kg
Warranty	• 10 Years

Package contents

- Power Supply
- Power Supply storage bag
- Modular cable kit in storage bag
- Manual
- AC Power cord
- Velcro cable ties and mounting screw pack

Additional information

Product	SKU	EAN	UPC	JAN
Ion+ 2 Platinum 560W	FD-P-IA2P-560	7340172702856	843276102852	4537694282703
Ion+ 2 Platinum 660W	FD-P-IA2P-660	7340172702863	843276102869	4537694282710
Ion+ 2 Platinum 760W	FD-P-IA2P-760	7340172702870	843276102876	4537694282727
Ion+ 2 Platinum 860W	FD-P-IA2P-860	7340172702887	843276102883	4537694282734

Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda Fractal Design, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanесenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

<https://tehnoteka.rs/p/fractal-design-napajanje-ion-2-platinum-860w-fd-p-ia2p-860-eu-akcija-cena/>