

## Informacije o proizvodu (EN)

CLAGE protočni bojler DCX Next



Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

<https://tehnoteka.rs/p/clage-protocni-bojler-dcx-next-akcija-cena/>

# E-comfort instant water heater DCX Next



## Application areas

Single and multiple point supply:

- > Bathroom (shower, bath tub, washbasin)
- > Shower room
- > Kitchen sink
- > Washbasin



# E-comfort instant water heater

## DCX Next

### Product information




	Energy efficiency class <b>A</b> (Scale: A+ to F)					
	<b>DCX13 Next</b> (11 o. 13.5 kW)		<b>DCX Next</b> (18. 21. 24. 27 kW)			
Part number:	3200-36313				3200-36300	
Type:	closed-outlet					
Maximum operating pressure [MPa (bar)]:	1(10) <sup>1)</sup>					
Water connections (thread connections):	G ½"					
User set temperature [°C]:	35 – 38 – 42 – 48 – 55					
Hot water output at $\Delta t = 28\text{K}$ <sup>2) 3) 4)</sup> [l/min]:	5.6	6.9	9.2	10.7	12.3	13.8
Switch-on flow rate / max. flow rate [l/min]:	1.5 / 5.0 <sup>5)</sup>				1.5 / 8.0 <sup>5)</sup>	
Nominal power rating [kW]:	11	13.5	18	21	24	27
Nominal voltage [3~ / PE 400 V <sup>6)</sup> AC]:	Permanent connection					
Nominal current [A]:	16	20	26	30	35	39
Required cable diameter [mm <sup>2</sup> ]:	1.5	2.5	4.0	4.0	6.0	6.0
Bare wire heating system IES <sup>®</sup> :	✓					
VDE approved / Protection class:	✓ / IP 25					
Specific water resistance at 15 °C [ $\Omega\text{cm}$ ] $\geq$ :	1100					
Nominal volume [litres]:	0.4					
Weight filled with water [kg]:	ca. 4.2					
Dimensions (height × width × depth) [cm]:	46.8 × 23.9 × 9.6					

1) Also approved for pressureless operation 2) Temperature increase e.g. from 12°C to 40°C 3) Depending on the set nominal power rating 4) Mixed water  
5) Flow limited for optimum temperature increase 6) Also approved for nominal voltage 380V

#### Description

- > Electronically controlled instant water heater with simple operation
- > One-button operation for fast and easy five-level temperature selection: 35°C, 38°C, 42°C, 48°C and 55°C
- > Temperature stable up to the full rated power output. TWIN TEMPERATURE Control TTC<sup>®</sup> provides precise temperature control even if the water pressure fluctuates.
- > Particularly low switch-on water volume from 1.5 l/min thanks to innovative water flow technology
- > Particularly air-resistant heating system thanks to innovative heating duct arrangement
- > The efficient bare wire heating system IES<sup>®</sup> reduces lime scale deposits and provides an extended service life
- > Electronic safety system with air bubble detection, temperature and pressure cut-off as well as water stop function
- > With the Multiple Power System MPS<sup>®</sup>, the maximum power rating is set at the time of installation
- > Easy installation due to accessible mounting area and variable connection options

#### Convenient touch button control



Touch the button to select the next temperature setting (35°C, 38°C, 42°C, 48°C or 55°C).

# E-comfort instant water heater


## DCX Next

### Installation



Sample installation with **two taps**.

Assembly and operating instructions must be observed upon installation.



Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda Clage, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanесenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

<https://tehnoteka.rs/p/clage-protocni-bojler-dcx-next-akcija-cena/>