

Informacije o proizvodu (EN)

GEMBIRD UPS-PC-1202AP UPS uređaj



Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

<https://tehnoteka.rs/p/gembird-ups-pc-1202ap-ups-uredjaj-akcija-cena/>

1200VA UPS with AVR, advanced UPS-PC-1202AP

ULTIMATE DEFENCE

- Provides backup power prevents data loss
- Protects your sensitive and valuable equipment
- Compact and reliable ideal for home and small office use



Features

- Uninterruptable 1200 VA power supply for PC's
- Automatic output voltage regulation (AVR)
- USB interface
- LED status indication
- Short circuit protection
- Surge, spike and lightning protection
- Audible and visual alarms
- Overcharge and overdischarge protection
- Fax/Modem/Telephone protection socket
- Including Practical UPS Management software

Packaging

Q'ty in crtn, pcs	2
Crtn volume, CUM	0.0465
Crtn weight, kgs	22.54
Individual package size LxWxH:	390x185x295 mm
Carton size LxWxH:	400x375x310 mm
Country of origin	CN
Barcode	8716309047814
Customs code	8504408590

Package contents

UPS
Power cord
USB cable
Software CD
Spare fuse

Certificates



Specifications

UPS type: line interactive
Input: AC 162 295 V, 50 Hz / 60 Hz \pm 10 %
Output: AC 188 254 V, 50 Hz / 60 Hz \pm 0.5 % (on battery)
Waveform: sine wave (AC mains), simulated sine wave (battery)

Temperature compensation: -20mV/1 °C (per cell)
Switching time: no more than 5 ms
Backup time: 2...20 mins (depends on the load)
Battery: sealed lead-acid 12V/7Ah x 2pcs
Charge time: up to 12 hours
Sockets: 1x input (C14), 4x output (C13 / Shuko optional); 2x telephone RJ11 connectors; 1x USB-BF connector
Operating conditions: 0°C-40°C, at humidity 20-90 %RH non condensing

Power: 1200 VA (720 W)
Dimensions: 382 x 222 x 124 mm
Product weight: 10.4 kg
"Cold-start" function

System requirements

Software is compatible with Windows 7, Windows 2008 server, Windows 8/10

In order to work correctly, the connected load should be at least 5% of the

Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda Gembird, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanесenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

<https://tehnoteka.rs/p/gembird-ups-pc-1202ap-ups-uredjaj-akcija-cena/>