

## Informacije o proizvodu (EN)

STIEBEL ELTRON protočni bojler PER 18/21/24

**STIEBEL ELTRON**



Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

<https://tehnoteka.rs/p/stiebel-eltron-protocni-bojler-per-182124-akcija-cena/>

## PER 18/21/24

COMFORT INSTANTANEOUS WATER HEATERS

PRODUCT-NO.: 233990

### Use water your way

**Know exactly what's going on** Every one of our fully electronic instantaneous water heater models provides hot water at the exact temperature you have set at all times. No ifs or buts. To make this work, the appliances compensate for all external influences. As a result, only the water you want comes out of your tap. How about that for convenience?



### The main features

Maximum convenience thanks to full electronic closed-loop control

---

Accurate temperature delivery at all times due to automatic flow rate control

---

Remote control included (up to 25 m range)

---

High energy efficiency – up to 30% savings possible compared with hydraulic instantaneous water heaters

---

Particularly economical operation with ECO mode

---

Extensive range of convenience and safety functions

---

Suitable for preheated water up to 45 °C



|          |              |
|----------|--------------|
| Type     | PER 18/21/24 |
| Part no. | 233990       |

## Technical data

|                   |                   |
|-------------------|-------------------|
| Rated voltage     | 400 V             |
| Rated voltage 1   | 380 V             |
| Rated voltage 2   | 400 V             |
| Rated voltage 3   | 415 V             |
| Rated output      | 18/21/24 kW       |
| Rated output 1    | 16,2/19/21,7 kW   |
| Rated output 2    | 18/21/24 kW       |
| Rated output 3    | 19,4/22,6/25,8 kW |
| Rated current     | 29/31/35 A        |
| Rated current 1   | 27,6/29,5/33,3 A  |
| Rated current 2   | 29/31/35 A        |
| Rated current 3   | 30,1/32,2/36,3 A  |
| Fuse protection   | 32/32/35 A        |
| Fuse protection 1 | 32/32/35 A        |
| Fuse protection 2 | 32/32/35 A        |
| Fuse protection 3 | 32/32/40 A        |
| Frequency         | 50/60 Hz          |
| Frequency 1       | 50/60 Hz          |
| Frequency 2       | 50/60 Hz          |
| Frequency 3       | 50/- Hz           |
| Phases            | 3/PE              |

|   |                              |
|---|------------------------------|
| Conductivity $\sigma_{15} \leq$ (at $\vartheta_{\text{cold}} \leq 25$ °C and 380 V) | 1111 $\mu\text{S}/\text{cm}$ |
| Conductivity $\sigma_{15} \leq$ (at $\vartheta_{\text{cold}} \leq 25$ °C and 400 V) | 1111 $\mu\text{S}/\text{cm}$ |
| Conductivity $\sigma_{15} \leq$ (at $\vartheta_{\text{cold}} \leq 25$ °C and 415 V) | 1000 $\mu\text{S}/\text{cm}$ |
| Resistivity $\rho_{15} \geq$ (at $\vartheta_{\text{cold}} \leq 25$ °C and 380 V)    | 900 $\Omega$ cm              |
| Resistivity $\rho_{15} \geq$ (at $\vartheta_{\text{cold}} \leq 25$ °C and 400 V)    | 900 $\Omega$ cm              |
| Resistivity $\rho_{15} \geq$ (at $\vartheta_{\text{cold}} \leq 25$ °C and 415 V)    | 1000 $\Omega$ cm             |
| Temperature setting   | 30-60 °C                     |
| Colour  | white                        |
| ON  | >2,5 l/min                   |
| Height  | 485 mm                       |
| Width   | 226 mm                       |
| Depth   | 93 mm                        |
| Weight  | 3.80 kg                      |
| Energy efficiency class   | A                            |

**Contact information**

You have questions? We appreciate to help you:

Call **+49 5531 - 7020**

Write an email to **[info@stiebel-eltron.com](mailto:info@stiebel-eltron.com)**

**Installation information**

Please ask your local power supply utility or a registered electrician to install appliances that are not fully wired, i.e. ready to plug in. The electrician should also be able to assist you with obtaining the agreement of the respective power supply utility required for the appliance installation.

Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda Stiebel Eltron, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanесenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

<https://tehnoteka.rs/p/stiebel-eltron-protocni-bojler-per-182124-akcija-cena/>