


## Informacije o proizvodu (EN)

DAHUA PFS3008-8ET-L-V2 switch



Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

<https://tehnoteka.rs/p/dahua-pfs3008-8et-l-v2-switch-akcija-cena/>

# DH-PFS3008-8ET-L

## 8-Port Desktop Fast Ethernet Switch



- Compact design: Miniature size and light weight make it easy to deploy
- Plug and play: No configuration required
- Green technology: Adopts high quality environmentally friendly plastics
- 7x24H: Stable performance for long-term operation

### System Overview

8 × 10/100 Mbps adaptive ports, highly integrated design, compact, portable, easy to operate, suitable for small and medium office and home networks.

### Technical Specification

#### Performance

|         |         |
|---------|---------|
| Layer   | Layer 2 |
| Managed | No      |

#### Hardware

|                       |                                  |
|-----------------------|----------------------------------|
| Standard Power Supply | Yes                              |
| PoE                   | No                               |
| Ethernet Port         | 8                                |
| Ethernet Port Rate    | 100 Mbps                         |
| Power Supply          | 5V/500mA DC                      |
| Operating Temperature | -10°C to 55°C (14°F to 131°F)    |
| Operating Humidity    | 10%–90%                          |
| Storage Temperature   | -40°C to 70°C (-40°F to 158°F)   |
| Storage Humidity      | 10%–90%                          |
| Power Consumption     | Idling: 0.69W<br>Full load: 1.5W |

#### Performance

|                        |   |
|------------------------|---|
| Switching Capacity     | 1.6 Gbps  |
| Packet Forwarding Rate | 1.19 Mpps   |
| Packet Buffer Memory   | 448 Kbits   |
| MAC Table Size         | 1K  |
| Standards Compliance   | IEEE 802.3, IEEE 802.3u, IEEE 802.3ab, IEEE802.3x |


### Application

The product is applicable to small and medium office and home networks.

### General

|                      |   |
|----------------------|---|
| ESD                  | Air discharge: 8kV<br>Contact discharge: 4kV    |
| Thunderproof         | Common mode: 2kV                                |
| Net Weight           | 0.09 kg (0.20 lb)                               |
| Gross Weight         | 0.2 kg (0.44 lb)                                |
| Dimensions           | 125 mm × 65 mm × 22 mm (4.92" × 2.56" × 0.87" ) |
| Packaging Dimensions | 128 mm × 77 mm × 78 mm (5.04" × 3.03" × 3.07" ) |

### Dimensions (mm[inch])



Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda Dahua, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanесenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

<https://tehnoteka.rs/p/dahua-pfs3008-8et-l-v2-switch-akcija-cena/>