


Informacije o proizvodu (EN)

DELL zakrivljeni monitor U4025QW



Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

<https://tehnoteka.rs/p/dell-zakrivljeni-monitor-u4025qw-akcija-cena/>



Transform the way you work

Dell UltraSharp 40 Curved Thunderbolt™ Hub Monitor | **U4025QW**

The world's # 1 monitor company*

* Dell monitors are #1 Worldwide for 9 years! Source: IDC Worldwide Quarterly PC Monitor Tracker, Q3 2023. From 2014 to 2023.

World's first 40" 5K monitor certified for 5-star eye comfort¹



Immerse yourself in crystal clear visuals with enhanced eye comfort.

Immersive view, exceptional screen performance

This impressive 40" 5K curved monitor features a 120Hz refresh rate for an expansive field of view with smooth and responsive visuals.

See true-to-life color with 99% DCI-P3 / Display P3 color coverage and get a wide viewing angle with IPS Black panel technology that delivers deeper blacks with 2000:1 contrast ratio.

Productivity powerhouse

Experience fast connectivity and image transmission with this Thunderbolt 4 hub monitor that delivers up to 140W power delivery (PD) through a single cable.

Multitask effortlessly with Internal multi-stream transport (iMST). Partition your display as if there were two 2560x2160 physical monitors instead of one. No external software or DisplayPort splitter needed.

New Network KVM feature on Dell Display Manager allows you to work across two PCs for improved productivity.

Enhanced eye comfort

This is the 1st 40" 5K monitor to achieve TÜV Rheinland® five-star eye comfort certification¹ - the latest industry standard for eye comfort to help reduce signs of eye fatigue.

Benefit from an improved ComfortView Plus, a built-in feature that reduces blue light emission to less than 35%, an ambient light sensor that automatically adjusts brightness and color tone to suit lighting conditions, and the 120Hz refresh rate that delivers smoother and sharper motion visuals.

¹ Based on Dell analysis of 5120x2160 resolution monitors, August 2023



Enhanced eye comfort

Stay productive while ensuring eye comfort. The 120Hz refresh rate delivers smooth motions visuals, built-in ambient light sensor intelligently adjusts screen brightness to match your environment, and improved ComfortView Plus reduces harmful low blue light emissions without sacrificing color.



Immersive viewing experience

Every detail comes to life on this 40" expansive curved screen with 5120 x 2160 resolution. Enjoy a wide viewing angle and a remarkable contrast ratio of 2000:1 for deeper blacks and brighter whites with IPS Black panel technology.



See your work in stunning colors

Experience true-to-life visuals with 1.07 billion colors, a wide color gamut including 100% sRGB, 100% BT.709, 99% DCI-P3 / Display P3, and VESA Certified DisplayHDR™ 600.



Multitasking made easy

Connect two PC sources and multitask efficiently with Picture-by-Picture / Picture-in-Picture and Network KVM and Auto KVM. You can also multitask effortlessly on a single PC source with Internal Multi-stream transport (iMST) by splitting the display into two screens.



Connectivity that powers productivity

Reduce cable clutter with Thunderbolt 4 connectivity that transmits data and video while delivering up to 140W to power a wide range of laptops. Get stable 2.5 GbE Ethernet connection to your network with RJ45 that comes with PXE boot, Mac Address pass-thru¹ and Wake on LAN features.

World's number 1 monitor company*

We deliver world-class monitors that have gone through rigorous development processes and stringent tests to ensure dependable performance. Get peace of mind with unmatched warranty and support options. Being environmentally forward in thinking, our monitors adhere to environment standards and are made with sustainable materials.

* Dell monitors are #1 Worldwide for 9 years! Source: IDC Worldwide Quarterly PC Monitor Tracker, Q3 2023. From 2014 to 2023.

¹ MAC Address pass-through functionality is tested to work with most Dell PC systems. Functionality on non-Dell systems may vary.



Environmentally-forward thinking

Sustainable materials

Designed with 50% recycled steel, 85% post-consumer recycled plastics including closed-loop plastics, 100% recycled aluminum¹ and at least 20% recycled glass.²

Packaging innovation

Ships in a box made with 100% renewable content that is also recyclable.³

Energy conservation

Using PowerNap mode in Dell Display Manager lowers energy use by up to 14.8%.⁴

Elevated standards

Meets highest environmental standards and registered EPEAT Gold with Climate+ designation — this monitor has met industry best practices for decarbonization.⁵

1 Based on internal analysis, November 2023. Plastic percentage is based on total plastic weight. Recycled steel: 50% recycled steel in monitor bracket. Recycled aluminum: 100% recycled aluminum in monitor stand
 2 Applicable to all new monitors launching in CY 2024. Recycled glass is present in monitor panel. Based on internal analysis, January 2024.
 3 Applies to all Dell monitors launched since 2023. Made from FSC mix sources which is a mix of material from FSC certified forests, recycled content and/or FSC controlled wood. Based on internal analysis, August 2023.
 4 The calculation assumes the monitor is used for 10 hours a day, including 1.5 hours of idle time with display in sleep mode when the device screensaver is on. Based on internal analysis, May 2023.
 5 Based on internal analysis, November 2023. Based on EPEAT Climate+ Designations achieved in all applicable countries. EPEAT registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status and tier levels by country.




Designed for you

Crafted with a premium platinum silver finish, this stylish Dell UltraSharp 40 Curved Thunderbolt Hub monitor fits both home and office environments.



De-clutter your workspace

Free up your desk space with the small monitor base and hide cables from view by tucking them into the riser.



Easy-to-use

Navigate the onscreen menu and adjust settings with a convenient joystick control.



Quick convenience

Quick-access USB-C and super speed USB 10Gbps ports enable fast data transfers and charging of up to 15W of power.

Work comfortably

Experience made-for-you comfort by tilting, swiveling, and adjusting the height of your monitor (150mm max).





Software solution to elevate your productivity

Improve work efficiency by utilizing monitor software that lets you optimize your display, customize monitor settings, streamline deployment, and more.

Dell Display Manager

Modern Intuitive User Interface

Modern user interface for ease of use and personalization of features with the new Menu launcher.

Productive at every level

Easy Arrange allows you to tile multiple applications across one or more screens with 48 pre-set window partitions and the ability to personalize up to five windows. Easy Arrange Memory save the placement of your programs and applications in the layouts and restore them when you select the preferred layout.

Multitask seamlessly across 2 PCs

Control and work across multiple network-connected PCs and monitors with a single keyboard and mouse, and easily transfer files between them.¹

Optimize your front of screen experience

Experience uniform color by matching the color preset of the monitor¹ and the supported ICC profile.

Easy setup and sharing of accessories

Setup a single keyboard and mouse to be shared easily between multiple PCs with USB KVM wizard.¹ Quick access menu or hotkey allow convenient fast switching between PCs.

Easy deployment

DDM is compatible with management tools such as SCCM, InTune and Command Line Interface scripts for easy IT integration and deployment with asset management.

[Download Dell Display Manager](#)

Dell Color Management

See colors as intended


Easily calibrate your monitor's colors with the new Dell Color Management software², developed in partnership with Calman certification. Create preset color profiles that you can save on your monitor for later use.



¹ Feature availability depends on the network policy set out by the company/IT.

² Compatible with external colorimeter (listed below), sold separately. Portrait Displays: C6 HDR2000, X-Rite: i1Display Pro, i1Display Pro Plus, Klein Instruments: K10, Calibrate: ColorChecker Display Pro, ColorChecker Display Plus.

Ports & Slots



- | | | | |
|----------|--|-----------|--|
| 1 | Security lock slot ¹ | 9 | Audio line-out |
| 2 | Power connector | 10 | USB Type-A downstream port (SuperSpeed USB 10Gbps, USB 3.2 Gen2) |
| 3 | HDMI 2.1 | 11 | RJ45 port |
| 4 | DisplayPort 1.4 | 12 | Stand lock |
| 5 | Thunderbolt™ 4 downstream port (15W) for daisy chaining | 13 | 2 x USB Type-C downstream port (SuperSpeed USB 10Gbps, USB 3.2 Gen2) with power charging (15W) |
| 6 | Thunderbolt™ 4 upstream port (Video + Data). Alternate mode with DisplayPort 1.4, Extended Power Delivery up to 140W | 14 | USB Type-A downstream port (SuperSpeed USB 10Gbps, USB 3.2 Gen2) with BC1.2 power charging |
| 7 | USB Type-C upstream port (data only) (SuperSpeed USB 10Gbps, USB 3.2 Gen2) | 15 | Speakers |
| 8 | 3 x USB Type-A downstream port (SuperSpeed USB 10Gbps, USB 3.2 Gen2) | | |

¹ Based on Kensington Security Slot™

FEATURE	TECHNICAL SPECIFICATION
MODEL	Dell UltraSharp 40 Curved Thunderbolt™ Hub Monitor - U4025QW
DIAGONAL VIEWING SIZE	1008.59 mm (39.7 inches)
PRESET DISPLAY AREA (H X V)	929.28 mm x 392.04 mm (36.59 inches x 15.43 inches)
PANEL TYPE	IPS Black Technology
DISPLAY SCREEN COATING	Anti-Glare with 3H hardness
MAXIMUM PRESET RESOLUTION	5120 x 2160 at 120 Hz
VIEWING ANGLE	178° vertical / 178° horizontal
PIXEL PITCH	0.1815 mm x 0.1815 mm
PIXEL PER INCH (PPI)	140
CONTRAST RATIO	2000 to 1 (typical)
CURVATURE	2500R
ASPECT RATIO	21:9
BACKLIGHT TECHNOLOGY	LED Edgelight System
BRIGHTNESS	450 cd/m ² (typical) 600 cd/m ² (HDR Peak)
RESPONSE TIME	8 ms (Normal mode) 5 ms (Fast mode)
HDR READY	Yes, VESA DisplayHDR600
AMBIENT LIGHT SENSOR	Yes, auto brightness and color temperature adjustment
TÜV EYE COMFORT CERTIFICATION	5 Stars
CONNECTIVITY	<ul style="list-style-type: none"> 1 x HDMI (supports up to 5K2K 5120 x 2160 120Hz FRL, HDR Static Metadata, VRR as per specified in HDMI 2.1.) 1 x DP 1.4 (HDCP 2.3) (Support up to 5120 x 2160 120Hz, HDR, DSC) 1 x Thunderbolt™ 4 downstream port (15W) for daisy chaining (Video + Data) 1 x Thunderbolt™ 4 (140W) (Alternate mode with DisplayPort 1.4, SuperSpeed USB 3.2 Gen2 (10Gbps) upstream port, USB Power Delivery up to 140W) 1 x USB Type-C® upstream port (data only) (SuperSpeed USB 10Gbps, USB 3.2 Gen2) 4 x USB Type-A downstream port (SuperSpeed USB 10Gbps, USB 3.2 Gen2) 1 x Audio line-out 1 x RJ45 (2.5GbE) <p>Quick Access:</p> <ul style="list-style-type: none"> 1 x USB Type-A downstream port (SuperSpeed USB 10Gbps, USB 3.2 Gen2) with BC1.2 power charging 2 x USB Type-C® downstream port (SuperSpeed USB 10Gbps, USB 3.2 Gen2) with power charging (15W)
ADJUSTABILITY	Height adjustable (150 mm) Tilt (-5° to 21°) Swivel (-30° to 30°)
PBP / PIP	Yes
KEYBOARD, VIDEO AND MOUSE (KVM)	Yes
DAISY CHAIN AVAILABILITY	Yes
AUDIO OUTPUT	1 x Audio line-out ¹
BUILT-IN SPEAKER	2 x 9 W
DELL DISPLAY MANAGER COMPATIBILITY	Yes, Easy Arrange, Other key features

FEATURE	TECHNICAL SPECIFICATION
SPECIFICATIONS - SERVICE / SUPPORT DETAILS	3-Year Advanced Exchange Service and Premium Panel Exchange
COLOR GAMUT	<ul style="list-style-type: none"> sRGB 100% BT.709 100% DCI-P3 99% Display P3 99% 1.07 billion colors (8bit + A-FRC) DCI-P3, Display P3, sRGB and BT.709: Delta E < 2 (Average)
HEIGHT WITH STAND (COMPRESSED ~ EXTENDED)	472.32 mm ~ 622.32 mm (18.60" ~ 24.50")
WIDTH WITH STAND	946.62 mm (37.27")
DEPTH WITH STAND	252.80 mm (9.95")
HEIGHT WITHOUT STAND	419.14 mm (16.50")
WIDTH WITHOUT STAND	946.62 mm (37.27")
DEPTH WITHOUT STAND	108.04 mm (4.25")
WEIGHT (PANEL ONLY - FOR VESA MOUNT)	8.35 kg (18.41 lb)
WEIGHT (WITH STAND ASSEMBLY AND CABLES)	12.22 kg (26.94 lb)
WEIGHT (WITH PACKAGING)	19.02 kg (41.93 lb)
SECURITY	Security lock slot (cable lock sold separately) Anti-theft stand lock slot (to lock stand to monitor using screw)
COMPLIANT STANDARDS	<ul style="list-style-type: none"> ENERGY STAR® certified monitor EPEAT® registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country. TCO Certified & TCO Certified Edge RoHS Compliant BFR/PVC Free monitor (excluding external cables). Meets NFPA 99 leakage current requirements. Arsenic-Free glass and Mercury-Free for the panel only.
FLAT PANEL MOUNT INTERFACE	VESA mounting holes (100 mm x 100 mm - behind attached VESA Cover)
TEMPERATURE RANGE	Operating: 0°C to 40°C (32°F to 104°F) Non-operating: -20°C to 60°C (-4°F to 140°F) - Storage and Shipping
HUMIDITY RANGE	Operating: 10% to 80% (non-condensing) Non-Operating: 5% to 90% (non-condensing) - Storage and Shipping
ALTITUDE	Operating: 5000 m (16404 ft) max Non-Operating: 12192 (40000 ft) max
VOLTAGE REQUIRED	100 VAC to 240 VAC / 50 Hz or 60 Hz ± 3 Hz / 4.2 A (typical)
POWER CONSUMPTION NORMAL OPERATION	0.3 W (Off Mode) ² 0.4 W (Standby Mode) ² 1.8 W (Networked standby Mode) ² 39.5 W (On Mode) ² 380 W (Max) ³ 45 W (Pon) ⁴ 153.6 kWh (TEC) ⁴
WHAT'S INCLUDED	Monitor, Stand Riser, Stand Base 1 x Power cable 1 x DisplayPort 1.4 cable - 1.8 m 1 x USB Type-A to USB Type-C Gen2 cable - 1 m 1 x HDMI cable - 1.8m 1 x Thunderbolt™ 4 active cable - 1.5 m Quick setup guide Safety, Environmental and Regulatory Information Factory calibration report

1 Headphone usage is not supported for the audio line out connector.

2 As defined in EU 2019/2021 and EU 2019/2013.

3 Max brightness and contrast setting with maximum power loading on all USB ports.

4 Pon: Power consumption of On mode as defined in Energy Star 8.0 version. TEC: Total energy consumption in kWh as defined in Energy Star 8.0 version.

Steadfast reliability

As the No. 1 monitor company worldwide*, we take pride in our unyielding commitment to quality and the utmost in customer satisfaction.

Premium Panel Exchange

Dell Premium Panel Exchange¹ allows a free monitor replacement during the Limited Hardware Warranty² period even if only one bright pixel is found.

Advanced Exchange Service

This monitor comes with a 3-year Advanced Exchange Service³ so that if a replacement becomes necessary, it will be shipped to you the next business day during your 3-year Limited Hardware Warranty.²

ProSupport

Upgrade to 24x7 specialized technical phone support with the Dell ProSupport option.⁴

Optimal integration

Dell Monitor is designed to work seamlessly with our PC and accessories. Visit the support page to find out more.



* Dell monitors are #1 Worldwide for 9 years! Source: IDC Worldwide Quarterly PC Monitor Tracker, Q3 2023. From 2014 to 2023.

1 Applicable to Dell UltraSharp, P Series, and C Series desktop monitors.

2 For copy of Ltd Hardware Warranty, write to Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see <https://www.dell.com/warranty>.

3 Advanced Exchange: Dell will send you a replacement monitor the next business day in most cases, if deemed necessary after phone/online diagnosis. Shipping times may vary by location and for monitors 55" and above. Fee charged for failure to return defective unit. See [dell.com/servicecontracts/global](https://www.dell.com/servicecontracts/global).

4 Availability varies, please visit www.dell.com/support for details. In some countries, hours for in-region support may vary. Support after local business hours may be provided in a language other than the local language.

Technical specifications subject to change without prior notice. Product availability varies by country. Please contact your Dell representative for more information.

© 2024 Dell Inc. or its subsidiaries. All Rights Reserved. Dell Technologies, Dell, EMC, Dell EMC and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners. USB Type-C® and USB-C® are registered trademarks of USB Implementers Forum. Thunderbolt and the Thunderbolt logo are trademarks of Intel Corporation in the U.S. and/or other countries.

Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda Dell, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanесenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

<https://tehnoteka.rs/p/dell-zakrivljeni-monitor-u4025qw-akcija-cena/>