tehnotzka

https://tehnoteka.rs

Informacije o proizvodu (EN)

HP Mini PC Pro 400 G9 (9M950AT)



Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

https://tehnoteka.rs/p/hp-mini-pc-pro-400-g9-9m950at-akcija-cena/

Commercial-grade Mini PC that fits anywhere you work

The HP Pro Mini 400 provides users with the commercial-grade performance, security, and the flexible deployment capabilities needed for small, varied workspaces. This reliable, ultrasmall PC is powered to handle mainstream enterprise and SMBs with an Intel[®] processor² and protected with always-on security you can trust.

Robust desktop performance

Accomplish everything from minor tasks to complex projects with the latest Intel® processor², high-speed memory, and essential ports. This value-priced Mini Desktop provides smooth, straightforward performance and diversified upgradeability.

Flex ports for easy expansion

Configure your Mini your way with flex ports for legacy support or clean desk connectivity or expand with optional dual storage and expansion modules.³

Protected by HP Wolf Security

HP Wolf Security for Business creates a hardware-enforced, always-on, resilient defense. From the BIOS to the browser, above, in, and below the OS, these constantly evolving solutions help protect your PC from modern threats.⁴



*Product image may differ from actual product

Sustainability in action

Help protect our shared future

Sustainability is a priority in HP product design. The HP Pro Mini 400 Desktop PC uses a high-efficiency power supply and molded-pulp packaging to reduce environmental impact.⁵



Featuring

HP recommends Windows 11 Pro for business

Work anywhere without compromising on performance with Windows 11 and HP collaboration, security, and connectivity technology.¹

Latest Intel® multi-core processor

Configure your HP Pro Mini 400's CPU for the perfect combination of power, snappy performance, and value. The latest Intel[®] processor handles multiple work tasks smoothly and reliably with multiple processing cores to divide up the work.²

Advanced wireless connectivity

Get a premium connectivity experience, even in crowded wireless networks, with a fast, reliable wireless connection. This Pro Mini 400's gigabit data rate Wi-Fi 6E wireless LAN module supports HP Extended Range Wireless LAN.^{7,8}

Tested for reliability and durability

Passed MIL-STD 810 and HP Total Test Process for hardware and systems to help ensure your HP Pro Mini 400 meets or exceeds HP durability standards-helping reduce total cost of ownership.^{9,10}

HP Mini desktop and display-better together

Choose Full HD resolution or higher with full compatibility and support for HP displays, featuring offerings from supreme value to premium, and everything in between.[11.12]

Low noise experience

Enjoy a quiet and comfortable user experience with reduced distractions from operational noise on this TÜV certified for ultra-low noise desktop PC.

Work hard without sounding like it

Focus on work while enjoying whisper-quiet operation. The HP Pro Mini 400 Desktop utilizes HP Run Quiet Design that finely tunes the fans to keep systems running quiet and cool.

Choose the ports you need

Choose two flex ports from the following: USB Type-C[®] 3.2 gen 2, HDMI, DisplayPort[™], VGA, one or two serial, dual USB 2.0, or a second external antenna.¹³

Handle data with agility

Quickly access and transfer data to keep up with today's changing business requirements with advanced PCIe Gen 4 SSDs, USB Type-C[®], and up to DDR5 memory.

Convenient, powerful USB

Access varied versions of USB Type-C[®] ports on the front and rear of this HP Pro Mini, featuring SuperSpeed USB 5Gbps, 10Gbps, and 20Gbps.



Technical specifications

Available Operating Systems	Windows 11 Pro ¹ Windows 11 Pro Education ¹ Windows 11 Home - HP recommends Windows 11 Pro for business ¹ Windows 11 Home Single Language - HP recommends Windows 11 Pro for business ¹ FreeDOS
Processor family ³¹	Intel [®] Pentium [®] processor Intel [®] Celeron [®] processor 13th Generation Intel [®] Core [®] 17 processor 13th Generation Intel [®] Core [®] 13 processor 12th Generation Intel [®] Core [®] 17 processor 12th Generation Intel [®] Core [®] 16 processor 12th Generation Intel [®] Core [®] 16 processor 12th Generation Intel [®] Core [®] 17 processor 12th Generation Intel [®] Core [®] 18 processor 11tel [®] Core [®] 18 14th generation processor Intel [®] Core [®] 16 14th generation processor Intel [®] Core [®] 17 14th generation processor
Available Processors ^{34,5}	Intel [®] Core [™] i5-12500T with Intel [®] UHD Graphics (2.0 GHz P-core base frequency, up to 4.4 GHz P-core Max Turbo frequency, 18 MB L3 cache, 6 P-cores, 12 threads), supports Intel [®] Ore [™] i5-12400T with Intel [®] UHD Graphics (1.8 GHz P-core base frequency, up to 4.2 GHz P-core Max Turbo frequency, 12 MB L3 cache, 4 P-cores, 8 threads) Intel [®] Core [™] i5-1200T with Intel [®] UHD Graphics (2.2 GHz P-core base frequency, up to 4.1 GHz P-core Max Turbo frequency, 12 MB L3 cache, 4 P-cores, 8 threads) Intel [®] Core [™] i5-12600T with Intel [®] UHD Graphics (2.2 GHz P-core base frequency, up to 4.1 GHz P-core Max Turbo frequency, 12 MB L3 cache, 4 P-cores, 8 threads) Intel [®] Core [™] i5-12600T with Intel [®] UHD Graphics (2.1 GHz P-core base frequency, up to 4.6 GHz P-core Max Turbo frequency, 18 MB L3 cache, 6 P-cores, 12 threads), supports Intel [®] Vrro [®] Technology Intel [®] Core [™] i1-12700T with Intel [®] UHD Graphics (1.0 GHz E-core base frequency, 14 GHz P-core base frequency, up to 3.4 GHz E-core Max Turbo frequency, up to 4.6 GHz P-core Max Turbo frequency, up to 4.7 GHz with Intel [®] Turbo Boost Technology, 25 MB L3 cache, 8 P-cores and 8 E-cores, 24 threads), supports Intel [®] VPro [®] Technology Intel [®] Core [®] i16-13500T with Intel [®] UHD Graphics 770 (1.0 GHz E-core base frequency, 1.4 GHz P-core base frequency, up to 3.2 GHz E-core Max Turbo frequency, up to 4.8 GHz P- core Max Turbo frequency, up to 4.9 GHz with Intel [®] Turbo Boost Technology 30 MB L3 cache, 8 P-cores and 8 E-cores, 24 threads), supports Intel [®] VPro [®] Technology Intel [®] Core [®] i16-13500T with Intel [®] UHD Graphics 770 (1.2 GHz E-core base frequency, 16 GHz P-core Max Turbo frequency, 12 MB L3 cache, 4 P-cores, 8 threads) Intel [®] Core [®] i16-13100T with Intel [®] UHD Graphics 730 (1.2 GHz E-core base frequency, 1.3 GHz P-core Max Turbo frequency, 12 MB L3 cache, 4 P-cores, 8 threads) Intel [®] Core [®] i16-14700T with Intel [®] UHD Graphics 730 (1.2 GHz E-core base frequency, up to 3.7 GHz E-core Max Turbo frequency, up to 5.0 GHz
	Intel® Core® 13-14100T with Intel UHD Graphics (2.7 GHz P-core base frequency, up to 4.4 GHz P-core Max Turbo frequency, 12 MB L3 cache, 4 P-cores, 8 threads)
Chipset ³	
Chipset ³ Form factor	Intel® Core™ i3-14100T with Intel UHD Graphics (2.7 GHz P-core base frequency, up to 4.4 GHz P-core Max Turbo frequency, 12 MB L3 cache, 4 P-cores, 8 threads)
	Intel® Core™ i3-14100T with Intel UHD Graphics (2.7 GHz P-core base frequency, up to 4.4 GHz P-core Max Turbo frequency, 12 MB L3 cache, 4 P-cores, 8 threads)
Form factor	Intel® Core™ (3-14100T with Intel UHD Graphics (2.7 GHz P-core base frequency, up to 4.4 GHz P-core Max Turbo frequency, 12 MB L3 cache, 4 P-cores, 8 threads) Intel® Q670 (vPro®) Mini 64 GB DDR4-3200 SDRAM; 64 GB DDR5-4800 SDRAM; ^{67,8}
Form factor Maximum memory	Intel® Core™ I3-14100T with Intel UHD Graphics (2.7 GHz P-core base frequency, up to 4.4 GHz P-core Max Turbo frequency, 12 MB L3 cache, 4 P-cores, 8 threads) Intel® Q670 (vPro®) Mini 64 GB DDR4-3200 SDRAM; 64 GB DDR5-4800 SDRAM; ^{67,8} Transfer rates up to 3200 MT/s.; Transfer rates up to 4800 MT/s.
Form factor Maximum memory Memory slots	Intel® Core™ I3-14100T with Intel UHD Graphics (2.7 GHz P-core base frequency, up to 4.4 GHz P-core Max Turbo frequency, 12 MB L3 cache, 4 P-cores, 8 threads) Intel® Q670 (vPro®) Mini 64 GB DDR4-3200 SDRAM; 64 GB DDR5-4800 SDRAM; ^{67,8} Transfer rates up to 3200 MT/s;, Transfer rates up to 4800 MT/s. 2 DIMM
Form factor Maximum memory Memory slots Internal storage	Intel® Core™ (3-14100T with Intel UHD Graphics (2.7 GHz P-core base frequency, up to 4.4 GHz P-core Max Turbo frequency, 12 MB L3 cache, 4 P-cores, 8 threads) Intel® Q670 (vPro®) Mini 64 GB DDR4-3200 SDRAM; 64 GB DDR5-4800 SDRAM; ^{6,7,8} Transfer rates up to 3200 MT/s;, Transfer rates up to 4800 MT/s. 2 DIMM 1 TB up to 1 TB SATA HDD Integrated: Intel® UHD Graphics 730; Intel® UHD Graphics 770; Intel® UHD Graphics 710
Form factor Maximum memory Memory slots Internal storage Available Graphics	Intel® Core™ (3-14100T with Intel UHD Graphics (2.7 GHz P-core base frequency, up to 4.4 GHz P-core Max Turbo frequency, 12 MB L3 cache, 4 P-cores, 8 threads) Intel® Q670 (vPro®) Mini 64 GB DDR4-3200 SDRAM; 64 GB DDR5-4800 SDRAM; ^{8,7,8} Transfer rates up to 3200 MT/s.; Transfer rates up to 4800 MT/s. 2 DIMM 1 TB up to 1 TB SATA HDD Integrated: Intel® UHD Graphics 730; Intel® UHD Graphics 770; Intel® UHD Graphics 710 (Integrated graphics will depend on processor.)
Form factor Maximum memory Memory slots Internal storage Available Graphics Audio	Intel® Core® (314100T with Intel UHD Graphics (2.7 GHz P-core base frequency, up to 4.4 GHz P-core Max Turbo frequency, 12 MB L3 cache, 4 P-cores, 8 threads) Intel® Q670 (vPro®) Mini 64 GB DDR4-3200 SDRAM; 64 GB DDR5-4800 SDRAM; ^{67,8} Transfer rates up to 3200 MT/s; Transfer rates up to 4800 MT/s. 2 DIMM 1 TB up to 1 TB SATA HDD Integrated: Intel® UHD Graphics 730; Intel® UHD Graphics 770; Intel® UHD Graphics 710 (Integrated graphics will depend on processor.) Realtek ALC3252 codec, universal audio jack with CTIA and OMTP headset support
Form factor Maximum memory Memory slots Internal storage Available Graphics Audio Expansion slots	Intel* Core** I3-14100T with Intel UHD Graphics (2.7 GHz P-core base frequency, up to 4.4 GHz P-core Max Turbo frequency, 12 MB L3 cache, 4 P-cores, 8 threads) Intel* Q670 (vPro*) Mini 64 GB DDR4-3200 SDRAM; 64 GB DDR5-4800 SDRAM; ^{6,2,8} Transfer rates up to 3200 MT/s; Transfer rates up to 4800 MT/s. 2 DIMM 11TB up to 1 TB SATA HDD Intel* Q4 Certex (Intel* UHD Graphics 730; Intel* UHD Graphics 770; Intel* UHD Graphics 710 (Integrated: Intel* UHD Graphics 730; Intel* UHD Graphics 770; Intel* UHD Graphics 710 Realtek ALC3252 codec, universal audio jack with CTIA and OMTP headset support 11M.2 2230; 1 M2 2280 (1 M2 slot for WLAN and 1 M2 2280 slot for storage.) Front: 1 headphone/microphone combo; 1 SuperSpeed USB Type-A 10Gbps signaling rate; 1 SuperSpeed USB Type-A 10Gbps signaling rate; 2 SuperSpeed USB Type-A 5Gbps signaling rate; 2 DisplayPort** 1.4; 1HDMI 21; Optional Port2 - choose one of the following options: 2 USB 20, Type-A 480Mbps signaling rate, 1 serial, 1 second external antenna port; 1.4; 11HDMI 21; Optional Port2 - choose one of the following options: 2 USB 20, Type-A 480Mbps signaling rate, 1 serial, 1 second external antenna port ** 1.4; 11HDMI 21; Optional Port2 - choose one of the following options: 2 USB 20, Type-A 480Mbps signaling rate, 1 serial, 1 second external antenna port ** 1.4; 11HDMI 21; Optional Port2 - choose one of the following options: 2 USB 20, Type-A 480Mbps signaling rate, 1 serial, 1 second external antenna port ** 1.4; 11HDMI 21; Optional Port2 - choose one of the following options: 2 USB 20, Type-A 480Mbps signaling rate, 1 serial, 1 second external antenna port ** 1.4; 11HDMI 21;
Form factor Maximum memory Memory slots Internal storage Available Graphics Audio Expansion slots Ports and connectors	Intel® Core® (3:14100T with Intel UHD Graphics (27 GHz P-core base frequency, up to 4.4 GHz P-core Max Turbo frequency, 12 MB L3 cache, 4 P-cores, 8 threads) Intel® Q670 (vPro®) Mini 64 GB DDR4-3200 SDRAM; 64 GB DDR5-4800 SDRAM; ^{67,8} Transfer rates up to 3200 MT/s, Transfer rates up to 4800 MT/s. 2 DIMM 11TB up to 1TB SATA HDD Integrated: Intel® UHD Graphics 730; Intel® UHD Graphics 770; Intel® UHD Graphics 710 (Integrated graphics will depend on processor.) Realtek ALC3252 codec, universal audio jack with CTIA and OMTP headset support 1M.2 2230; 1 M2 2280 (1 M2 slot for WLAN and 1 M2 2280 slot for storage.) Front: 1 headphone/microphone combo; 1 SuperSpeed USB Type-A 10Gbps signaling rate; 2 SuperSpeed USB Type-A 10Gbps signaling rate; 2 DisplayPort™ 14; 11HDMI 21; Optional Ports: Flex IQ ports: Pace on e of the following options: 2 USB 20 Type-A 480Mbps signaling rate, 1 serial, 1 second external antenna port; Flex IQ port 1 - choose one of the following options: 1 VGA, 1 serial, 1 DisplayPort™ 14, 1 HDMI 21; SuperSpeed USB Type-C* 10Gbps signaling rate, 10Gbps signaling rate, 1 Serial, 1 second external antenna port; Flex IQ port 1 - choose one of the following options: 1 VGA, 1 serial, 1 DisplayPort™ 14, 1 HDMI 21; SuperSpeed USB Type-C* 10Gbps signaling rate, 1 Serial, 1 second external antenna port; Flex IQ port 1 - choose one of the following options: 1 VGA, 1 serial, 1 DisplayPort™ 14, 1 HDMI 21, 1 SuperSpeed USB Type-C* 10Gbps signaling rate, 10Gbps signaling rate, 1 Serial, 1 second external antenna port; Flex IQ port 1 - choose one of the following options: 1 VGA, 1 serial, 1 DisplayPort™ 14, 1 HDMI 21, 1 SuperSpeed USB Type-C* 10Gbps signaling rate, 1 Serial, 1 secon
Form factor Maximum memory Memory slots Internal storage Available Graphics Audio Expansion slots Ports and connectors Input devices	Intel® Core® 13:4100T with Intel UHD Graphics (27 GHz P-core base frequency, up to 44 GHz P-core Max Turbo frequency, 12 MB L3 cache, 4 P-cores, 8 threads) Intel® C670 (vPro*) Mini 64 GB DDR4-3200 SDRAM; 64 GB DDR5-4800 SDRAM; ^{63,9} Transfer rates up to 3200 MT/s; Transfer rates up to 4800 MT/s. 2 DIMM 11B up to 11B SATA HDD Integrated: Intel® UHD Graphics 730; Intel® UHD Graphics 770; Intel® UHD Graphics 710 (Integrated: Intel® UHD Graphics 730; Intel® UHD Graphics 770; Intel® UHD Graphics 710 (Integrated: Intel® UHD Graphics 730; Intel® UHD Graphics 770; Intel® UHD Graphics 710 (Integrated: Intel® 10 Hz 2280 (1 M2 slot for WLAN and 1 M2 2280 slot for storage.) Front: 1 headphone/microphone combo; 1 SuperSpeed USB Type A 10Gbps signaling rate; 2 SuperSpeed USB Type A 5Gbps signaling rate; 2 DisplayPort** 14; 11DMI 21; Optional Port 2 - choose one of the following options: 2 USB 2 O Type A 460Mbps signaling rate; 1 serial; 1 second external antena port; Tex IO port 1 - choose one of the following options: 1 VGA, 1 serial, 1 DisplayPort** 14, 11DMI 21; SuperSpeed USB Type A 10Gbps signaling rate; 2 SuperSpeed USB Type A 5Gbps signaling rate; 2 DisplayPort** 14; 11DMI 21; Optional Port 2 - choose one of the following options: 2 USB 2 O Type A 460Mbps signaling rate, 1 serial; 1 second external antenna port; Tex IO port 1 - choose one of the following options: 1 VGA, 1 serial, 1 DisplayPort** 14, 11DMI 21, 1 SuperSpeed USB Type C************************************
Form factor Maximum memory Memory slots Internal storage Available Graphics Audio Expansion slots Ports and connectors Input devices Communications	Intel® Core® (314100 ^T with Intel UHD Graphics (27 GHz P-core base frequency, up to 44 GHz P-core Max Turbo frequency, 12 MB L3 cache, 4 P-cores, 8 threads) Intel® Co70 (vPro®) Mini 64 GB DDR4-3200 SDRAM: 64 GB DDR5-4800 SDRAM: ^{67,8} Transfer rates up to 3200 MT/s; Transfer rates up to 4800 MT/s. 2 DIMM 11B up to 1TB SATA HDD Integrated: Intel® UHD Graphics 730; Intel® UHD Graphics 770; Intel® UHD Graphics 710 (Integrated graphics will depend on processor;) Realtek ALC3252 codec, universal audio jack with CTIA and OMTP headset support IM 22230; IM 2 2800 (IM 2 slot for WLAN and 1M 2 2280 slot for storage.) Front: 1headphone/microphone combo; 1S uper Speed USB Type A 10Gbps signaling rate; 2 DisplayPort® 14, 1 HDMI 21; Optional Ports: Fek IQ Dort 2: - choose one of the following options: 2 USB Type A 3GMbps signaling rate; 1 Super Speed USB Type A 3GMbps signaling rate; 2 Super Speed USB Type A 3GMbps signaling rate; 1 HDMI 21; Optional Ports: Fek IQ Dort 2: - choose one of the following options: 2 USB Type A 10Gbps signaling rate; 1 Super Speed USB Type A 3GMbps signaling rate; 1 Super Speed USB Type A 10Gbps signaling rate; 2 DisplayPort® 14, 1 HDMI 21; Optional Ports: Fek IQ Dort 2: - choose one of the following options: 2 USB Type A 3GMbps signaling rate; 1 Super Speed USB Type A 10Gbps signaling rate; 2 Super Speed USB Type A 3GMbps signaling rate; 1 HDMI 21; Optional Ports: Fek IQ Dort 2: - choose one of the following options: 2 USB 2 Type A 4GMbps signaling rate; 1 Super Speed USB Type A 10Gbps signaling rate; 2 Super Speed USB Type A 5Gbps signaling rate; 2 DisplayPort® 14, 1 HDMI 21; Optional Ports: Fek IQ Dort 2: - choose one of the following options: 2 USB 2 Type A 4GMbps signaling rate; 1 Super Speed USB Type A 5Gbps signaling rate; 1 Super Speed USB Type A 10Gbps signaling rate; 1 Super Speed USB Type A 3GMbps signaling rate; 1 Super Speed USB Type A 3GMbps signaling rate; 1 Super Speed USB Type A 10Gbps signaling rate; 1 Super Speed USB Type A 3GMbps signaling rate; 2 DisplayPort**************
Form factor Maximum memory Memory slots Internal storage Available Graphics Audio Expansion slots Ports and connectors Input devices Communications Drive Bays	Intel® Core® (314100T with Intel UHD Graphics (27 GHz P-core base frequency, up to 4.4 GHz P-core Max Turbo frequency, 12 MB L3 cache, 4 P-cores, 8 threads) Intel® Core® (314100T with Intel UHD Graphics (27 GHz P-core base frequency, up to 4.4 GHz P-core Max Turbo frequency, 12 MB L3 cache, 4 P-cores, 8 threads) Intel® Core® (314100T with Intel UHD Graphics (27 GHz P-core base frequency, up to 4.4 GHz P-core Max Turbo frequency, 12 MB L3 cache, 4 P-cores, 8 threads) Intel® Core® (314100T with Intel® UHD Graphics (32 GHz P-core base frequency, up to 4.4 GHz P-core Max Turbo frequency, 12 MB L3 cache, 4 P-cores, 8 threads) Intel® Core® (314100T with Intel® UHD Graphics (32 GHz P-core base frequency, up to 4.4 GHz P-core Max Turbo frequency, 12 MB L3 cache, 4 P-cores, 8 threads) Intel® Core® (314100T with Intel® UHD Graphics (32 GHz P-core base frequency, up to 4.4 GHz P-core Max Turbo frequency, 12 MB L3 cache, 4 P-cores, 8 threads) Intel® Core® (314100T with Intel® UHD Graphics (310) Intel® U
Form factor Maximum memory Memory slots Internal storage Available Graphics Audio Expansion slots Ports and connectors Input devices Communications Drive Bays Environmental	Intel® Core® 13/4400 ^T with Intel UHD Graphics (27 GHz P core base frequency, up to 4.4 GHz P-core Max Turbo frequency, 12 MB L3 cache, 4 P-cores, 8 threads) Intel® C670 (vPro®) Mini 64 GB DDR4-3200 SDRAM; 64 GB DDR5-4800 SDRAM; ^{67,8} Transfer rates up to 3200 MT/s. Transfer rates up to 4800 MT/s. 2 DIMM 11B up to 1 TB SATA HDD Integrated. Intel® UHD Graphics 730; Intel® UHD Graphics 770; Intel® UHD Graphics 710 (Integrated graphics will depend on processor.) Realtek ALC3252 codec, universal audio jack with CTIA and OMTP headset support 1M.22230; IM.2.2280 (IM.2.siot for WLAN and 1M.2.2280 silot for storage.) Front Theodphone/microphone combot SuperSpeed USB Type-A 10Gbps signaling rate; 1 SuperSpeed USB Type A 10Gbps signaling rate; 2 Display/Por® 14,1 HDM 21; Optional Ports Fiel Op or 2 - cohose on of the following options: 1 VGA. 1 serial, 1 Sept Speed USB Type-A 10Gbps signaling rate; 2 Display/Por® 14,1 HDM 21; Optional Ports Fiel Op or 2 - cohose on of the following options: 1 VGA 1 serial, 1 Display/Por® 14,1 HDM 21; 1 SuperSpeed USB Type C* 10Gbps signaling rate; 2 Display/Por® 14,1 HDM 21; 0 Dorta - 1400 MT/e Signaling rate; 2 SuperSpeed USB Type A 10Gbps signaling rate; 1 Dorta - 2 Display/Por® 14,1 HDM 21; 0 Dorta - 2 SuperSpeed USB Type A 10Gbps signaling rate; 2 Display/Por® 14,1 HDM 21; 0 Dorta - 2 Display/Por® 14,1 HDM 21; 0 Dorta - 2 SuperSpeed USB Type A 2000 by signaling rate; 2 Display/Por® 14,1 HDM 21; 0 Dorta - 2 SuperSpeed USB Type C* 10Gbps signaling rate; 2 Display/Por® 14,1 HDM 21; 0 Dorta - 2 SuperSpeed USB Type A 2000 by signaling rate; 2 Display/Por® 14,1 HDM 21; 0 Dorta - 2 SuperSpeed USB Type A 2000 by signaling rate; 2 Display/Por® 14,1 HDM 21; 0 Dorta - 2 SuperSpeed USB Type A 2000 by signaling rate; 2 Display/Por® 14,1 HDM 21; 1 SuperSpeed USB Type A 2000 by signaling rate; 2 Display/Por® 14,1 HDM 21; 0 Der% A 2000 by Signaling rate; 1 Display/Por® 14,1 HDM 21; 1 SuperSpeed USB Type A 2000 by signaling rate; 2 Display/Por® 14,1 HDM 21; 0 Der% A 2000 by Signaling rate; 2 Displa
Form factor Maximum memory Memory slots Internal storage Available Graphics Audio Expansion slots Ports and connectors Input devices Communications Drive Bays Environmental Software	Intel® Core® 1914t00T with Intel UHD Graphics (2.7 GHz P-core base frequency, up to 44 GHz P-core Max Turbo frequency, 12 MB L3 cache, 4 P-cores, 8 threads) Intel® G670 (vPro*) Mmi G4 GB DDR4-3200 SDRAM, 64 GB DDR5-4800 SDRAM, ^{63,8} Transfer rates up to 4800 MT(s; Transfer rates up to 4800 MT(s; Stransfer rates up to 100 MT(s; Stransfer rates up to 118 SATA HDD Integrated: Intel® UHD Graphics 730; Intel® UHD Graphics 770; Intel® UHD Graphics 710 (Integrated graphics will depend on processor;) Realter ALC3252 codec, universal audio Jack with CTIA and OMTP headset support IM22230; IM22280; (IM2 slot for WLAN and 1M2 2280 slot for storage.) Front: Ined@hone/microphone combo; 18, J45; 15, UperSpeed USB Type A 10Gbps signaling rate; 15, UperSpeed USB Type A 10Gbps signaling rate; 15, UperSpeed USB Type A 10Gbps signaling rate; 15, UperSpeed USB Type A 50Bps gignaling rate; 15, UperSpeed USB Type A 10Gbps signaling rate; 15, UperSpeed USB Type A 50Bps signaling rate; 15, UperSpeed USB Type A 10Gbps signaling rate; 15, UperSpeed USB Type A 50Bps signaling rate; 15, UperSpeed USB Type A 10Gbps signaling rate; 15, UperSpeed USB Type A 10



Technical specifications

Management features	HP Client Catalog (download); HP Driver Packs (download); HP Image Assistant (download); HP Client Management Script Library (download); HP Connect for Microsoft Endpoint Manager; HP Manageability Integration Kit (download); HP Patch Assistant (download) ^{15,16,17}
Power	90 W external power adapter, up to 89% efficiency
Dimensions	17.7 x 17.5 x 3.4 cm; 49.8 x 23.5 x 13.2 cm (Package)
Weight	1.42 kg; (Exact weight depends on configuration.)
Ecolabels	EPEAT registered with Climate+ ¹⁴
Energy star certified	ENERGY STAR® certified



Footnotes

Messaging Footnotes

² Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.

³ Sold separately or as an optional feature.

⁴ HP Wolf Security for Business requires Windows 10 or 11 Pro or higher, includes various HP security features and is available on HP Pro, Elite, Workstation, and RPOS products. See product details for included security features.

⁵ 100% outer box packaging made from sustainably sourced certified and recycled fibers. Fiber cushions made from 100% recycled wood fiber and organic material. Any plastic cushions are made from >90% recycled plastic. Molded Pulp cushions made from 100% recycled wood fiber and organic materials.

⁶ Molded Pulp cushions made from 100% recycled wood fiber and organic materials.

¹Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows is automatically updated and enabled. High speed internet and Microsoft account required. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com

⁷W-Fi 6E requires a Wi-Fi 6E router, sold separately, to function in the 6GHz band. Availability of public wireless access points limited. Wi-Fi 6E is backwards compatible with prior 802.11 specs and available in countries where Wi-Fi 6E is supported.

⁸ Wi-Fi[®] supporting gigabit data rate is achievable with Wi-Fi 6E (802.11ax) when transferring files between two devices connected to the same router. Requires a wireless router, sold separately, that supports 160MHz channels.

⁹ MIL-STD testing is not intended to demonstrate fitness for U.S. Department of Defense contract requirements or for military use. Test results are not a guarantee of future performance under these test conditions.

Accidental damage requires an optional HP Accidental Damage Protection Care Pack. ¹⁰ HP Total Test Process testing is not a guarantee of future performance under these test conditions. Accidental damage requires an optional HP Accidental Damage Protection Care Pack. ¹¹ Full high-definition (FHD) images require FHD content.

¹² HP displays sold separately.

¹³ Options available for each flex port may be limited. Ports must be configured at the time of purchase

Specification Footnotes

¹Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows is automatically updated and enabled. High speed internet and Microsoft account required. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com.

² This system is preinstalled with Windows 10 Pro software and also comes with a license for Windows 11 Pro software and provision for recovery software. You may only use one version of the Windows software at a time. Switching between versions will require you to uninstall one version and install the other version. You must back up all data (files, photos, etc.) before uninstalling and installing operating systems to avoid loss of

your data. ³ For full Intel® vPro® functionality, Windows 10 Pro 64 bit, a vPro supported processor, vPro enabled chipset, vPro enabled wired LAN and/or WLAN card and TPM 2.0 are required. Some functionality requires additional 3rd party software in order to run. See http://intel.com/vpro

⁴ Multi-core is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.

⁵ Intel[®] Turbo Boost technology requires a PC with a processor with Intel Turbo Boost capability. Intel Turbo Boost performance varies depending on hardware, software and overall system configuration. See www.intel.com/technology/turboboost for more information.

⁶ For DDR4 memory modules support data transfer rates up to 3200/MTs and DDR5 memory modules support data transfer rates up to 4800/MTs. Actual data rate is determined by the system configuration. ⁷All memory slots are customer accessible / upgradeable.

⁸ Actual data rate is determined by both the system's configured processor and memory module installed.

⁹ For storage drives, GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 30 GB (for Windows) of disk is reserved for system recovery software.

¹⁰ This system is preinstalled with Windows 10 Pro software and also comes with a license for Windows 11 Pro software and provision for recovery software. You may only use one version of the Windows software at a time. Switching between versions will require you to uninstall one version and install the other version. You must back up all data (files, photos, etc.) before uninstalling and installing operating systems to avoid loss of vour data.

¹¹ The 2.5" SATA drive bay can be both HDD and SSD.

¹² Ports are optional. Max of one Flex Port 1 can be configured, with Serial port sold separately or as an optional feature. Max of one Flex Port 2 can be configured, and must be configured at time of purchase.

¹³ Availability may vary by country(Antimicrobial China only)

¹⁴ Based on US EPEAT* registration according to IEEE 1680.1-2018 EPEAT*. Status varies by country. Visit www.epeat.net for more information.

¹⁵ HP Connect for Microsoft Endpoint Manager. Subscription to Microsoft Endpoint Manager. Subscription to Microsoft Endpoint Manager

required and sold separately. Network connection required. ¹⁶ HP Patch Assistant available on select HP PCs with the HP Manageability Kit that are managed through Microsoft System Center Configuration Manager. HP Manageability Integration Kit can be downloaded from http://www8.hp.com/us/en/ads/clientmanagement/overview.html.

¹⁷ HP Manageability Integration Kit can be downloaded from http://www.hp.com/go/clientmanagement .

¹⁸ myHP requires Windows OS.

19 Starting from November 1st 2023, all shipments will require Windows to be installed on SSD to provide users a better experience. HDD can only be configured as additional data drives and not the boot drive. ²⁰ HP Support Assistant: Requires Windows and Internet access.

²¹ HP Smart Support requires HP TechPulse to be installed. For more information about how to enable or to download HP Smart Support, please visit http://www.hp.com/smart-support.

²² HP Sure Click requires Windows 10 Pro or higher or Enterprise. See https://bit.ly/2PrLT6A_SureClick for complete details

23 HP Sure Sense is available on select HP PCs with Windows 10 Pro, Windows 10 Enterprise, Windows 11 Pro, or Windows 11 Enterprise OS.

²⁴ HP Sure Start Gen7 is available on select HP PCs and requires Windows 10 and higher.

2⁵ HP Sure Admin requires Windows 10 or higher, HP BIOS, HP Manageability Integration Kit from http://www.hp.com/go/clientmanagement and HP Sure Admin Local Access Authenticator smartphone app from the Android or Apple store.

²⁶ HP BIOSphere Gen6 features may vary depending on the platform and configuration.

27 For the methods outlined in the National Institute of Standards and Technology Special Publication 800-88 "Clear" sanitation method. HP Secure Erase does not support platforms with Intel® Optane® 28 Absolute firmware module is shipped turned off and can only be activated with the purchase a license subscription and full activation of the software agent. License subscriptions can be purchased for terms ranging multiple years. Service is limited, check with Absolute for availability outside the U.S. Certain conditions apply. For full details visit: https://www.absolute.com/about/legal/agreements/absolute/.

³⁰ Wi-Fi 6E requires a Wi-Fi 6E router, sold separately, to function in the 6GHz band. Availability of public wireless access points limited. Wi-Fi 6E is backwards compatible with prior 802.11 specs. And available in countries where Wi-Fi 6E is supported.

³¹Only 35 W processors are offered.

³² Platform power consumption varies per configuration, for the best user experience, please connect PC power cord while using USB-C[®] cable via Super Speed USB Type-C[®] port in the rear side of the platform ⁵⁶ HP Wolf Pro Security Edition (including HP Sure Click Pro and HP Sure Sense Pro) is available preloaded on select SKUs and, depending on the HP product purchased, includes a paid 1-year or 3-year license. The HP Wolf Pro Security Edition software is licensed under the license terms of the HP Wolf Security Software - End-User license Aareement (EULA) that can be found at: https://support.hp.com/us-en/document/ish 3875769-3873014-16 as that EULA is modified by the following: "7. Term. Unless otherwise terminated earlier pursuant to the terms contained in this EULA, the license for the HP Wolf Pro Security Edition (HP Sure Sense Pro and HP Sure Click Pro) is effective upon activation and will continue for either a twelve (12) month or thirty-six (36) month license term ("Initial Term"). At the end of the Initial Term you may either (a) purchase a renewal license for the HP Wolf Pro Security Edition from HP.com, HP Sales or an HP Channel Partner, or (b) continue using the standard versions of HP Sure Click and HP Sure Sense at no additional cost with no future software updates or HP Support.

© Copyright 2024 HP Development Company, LP. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. August 2024



tehnotzka

Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda hp, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanesenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

https://tehnoteka.rs/p/hp-mini-pc-pro-400-g9-9m950at-akcija-cena/