

Uputstvo za upotrebu (EN)

BLAUPUNKT RVC 2.0 rikverc kamera



Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

<https://tehnoteka.rs/p/blaupunkt-rvc-20-rikverc-kamera-akcija-cena/>

●BLAUPUNKT

Competence Center Car Multimedia
Evo-Sales GmbH
Hastenbecker Weg 33
31785 Hameln/Deutschland
www.blaupunkt.com




⚠ After the manual, if any change, we will not Notice!

●BLAUPUNKT

**Rearview Camera
RVC 2.0**

2 009 019 000 000



Product Features:

- High Performance CMOS Sensor
- IR LED Low Light Enhancement
- Waterproof (IP69K)
- Wide View Angle

Camera to bracket hardware



Specifications	Q'ty
 Hex Socket Head M4 X 8L Stainless screws	4
 Flat washer 4.5 X 9.5 X 1mm Stainless	4
 Spring washer 6.6X4.0X1.0mm Stainless	4

Specifications	Q'ty
 Allen	1

Installation

Screw For Use


Hex Socket Head M4 X 8L Stainless screws
Stainless Allen wrench



Contents:

- Camera
- Bracket
- Hardware Kit


Installation and Pin Out:



Specifications


Mounting Type	External type
Image sensor	1/4" CMOS camera
Resolution	480 TV lines
Min illumination	1.0 Lux at F2.0 0 Lux with IR on
Water resistance	IP69K
View angle	95(H), 80(V), 120(D)
Dimension	77(W), 44.6(H), 55(D)mm
Working temperature	-20 C ~ +70 C
Weight	Approx. 0.50kg / 0.84lbs

Bracket Mtg.
Hole Dimensions



Unit: MM

Recommended grommet Hole



Unit: MM

● **BLAUPUNKT**

Competence Center Car Multimedia
Evo-Sales GmbH
Hastenbecker Weg 33
31785 Hameln/Deutschland
www.blaupunkt.com




⚠ After the manual, if any change, we will not Notice!

● **BLAUPUNKT**

Rückfahrkamera RVC 2.0

2 009 019 000 001



Produkt Features:

- High Performance CMOS Sensor
- IR LED Beamer
- Wasserfest, Schutzklasse IP69K
- Weitwinkel

GERMAN

Kamera zur Hardware-Halterung



Beschreibung	Anzahl
 M4 * 8L Edelstahlschrauben mit Innensechskant	4
 Flache Unterlegscheibe 4,5 * 9,5 * 1 mm rostfrei	4
 Federscheibe 6,6 * 4,0 * 1,0 mm rostfrei	4

Beschreibung	Anzahl
 Inbusschlüssel	1

Einbau

Einsatzschrauben


M4 * 8L Edelstahlschrauben mit
Innensechskant
Edelstahl-Inbusschlüssel



Inhalt:

Kamera
Halterung
Hardware-Kit


Installation und Pin Out:



Beschreibung


Befestigungsart	Extern
Bild Sensor	1/4" CMOS Kamera
Resolution	480 TV lines
Min. Beleuchtung	1.0 Lux at F2.0 0 Lux with IR on
Wasserfest	IP69K
Blickwinkel	95(H), 80(V), 120(D)
Abmessungen	77(W), 44.6(H), 55(D)mm
Arbeitstemperatur	-20 C ~ +70 C
Gewicht	Approx. 0.50kg / 0.84lbs

Halterung
Lochabmessungen



Unit: MM

Empfohlenes Tüllenloch



Unit: MM

Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda Blaupunkt, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanесenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

<https://tehnoteka.rs/p/blaupunkt-rvc-20-rikverc-kamera-akcija-cena/>