

Uputstvo za upotrebu (EN)

CHIEFTEC Iceberg 360 DARK CLC-360-BLK vodeno hlađenje



Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

<https://tehnoteka.rs/p/chieftec-iceberg-360-dark-clc-360-blk-vodeno-hladjenje-akcija-cena/>




Iceberg / Iceberg Dark


240 / 360 AIO Watercooling

Product Manual

Iceberg 240 / Iceberg 240 Dark



Iceberg 360 / Iceberg 360 Dark



A



Fan Screw

Lüfterschrauben

śruby wentylatora

винты вентилятора

x8 / x12

B

Radiator Screw



Kühlerschraube

Śruba chłodnicy

Винт радиатора

CLC-240 x8

CLC-360 x12

C

Thumbscrew



Flügelschraube

Śruba skrzydełkowa

винт с накатанной головкой

x4

D

Bracket Screw



Halierungsschraube


Śruba wspornika

Кронштейн Винт

x4

E

Thermal Paste



Wärmeleitpaste


Pasta termoprzewodząca

Термопаста


x1

Intel and the Intel logo are trademarks of Intel Corporation or its subsidiaries. AMD and the AMD logo are trademarks of Advanced Micro Devices, Inc.

For
Intel® only
LGA 1700 / 1200 / 115X /
1366 / 20XX

H**Mounting Bracket**

Montagehalterung
Uchwyt montażowy
Монтажный кронштейн

I**Backplate**

Rückplatte
Tylna rejestracja
Задняя панель

J**x4**

**LGA 1700
Mounting standoff**

Montageabstandshalter
Odskok montażowy
Монтажная стойка

K**x4**


**LGA 1200 / 115X / 1366
Mounting standoff**

Montageabstandshalter
Odskok montażowy
Монтажная стойка

L**x4****Silicone Pad**

Silikonpad
Podkładka silikonowa
Силиконовая накладка

For
AMD® only
AM5 / AM4 / AM3 (+) /
AM2 (+) / FM1 / FM2


M**Mounting Bracket**

Montagehalterung
Uchwyt montażowy
Монтажный кронштейн


N**x4**

**AMD
Mounting standoff**




Montageabstandshalter
Odskok montażowy
Монтажная стойка




Copper Surface



Please remove the protector before assembling.





The thermal paste is corrosive




Please remove the CPU protect tap before installing




Please tighten the screws in sequence, do not turn them all the way at once.



Rotatable Panel Design






Please remove the protector before assembling.



 The thermal paste is corrosive



Please remove the original bracket of AMD first








Click-In Connect Fans design

Align buckle and the metal surface






Iceberg Dark 240 / Iceberg Dark 360



Notice :
Please do not connect on
the 4pin 12V header


5V Addressable RGB Header :
for Compatible ASUS, MSI , ASRock
or Gigabyte Motherboards

Iceberg 240 / Iceberg 360




Notice :
Please do not connect on
the 4pin 12V header

5V Addressable RGB Header :
for Compatible ASUS, MSI , ASRock
or Gigabyte Motherboards





Iceberg 240 / Iceberg Dark 240	
Model No.	TF-2012RGB / TF-2012PWM
Quantity	2pcs
Dimension	120 x 120 x 25mm
Speed	500PRM – 2200RPM±10%
Airflow	64.72CFM
Air Pressure	3.06mmH2O
Noise	34.7dBA
Bearing	Fluid Dynamic Bearing
Rated Voltage	10.2V-13.8V
Rated Current	0.21A
Power Input	2.14W-2.90W
Fan Connector	4pin



Iceberg 360 / Iceberg Dark 360	
Model No.	TF-3012RGB / TF-3012PWM
Quantity	3 pcs
Dimension	120 x 120 x 25mm
Speed	500PRM – 2200RPM±10%
Airflow	64.72CFM
Air Pressure	3.06mmH2O
Noise	34.7dBA
Bearing	Fluid Dynamic Bearing
Rated Voltage	10.2V-13.8V
Rated Current	0.21A
Power Input	2.14W-2.90W
Fan Connector	4pin

Model Name	Iceberg 240 / Iceberg Dark 240	Iceberg 360 / Iceberg Dark 360
Dimensions	272x120x27mm	392x120x27mm
Material	Aluminum	





WATER BLOCK	Dimensions	82.9x73.2x50.7mm
	Material (Block)	Copper
	Material (Housing)	Plastic
PUMP	Motor Speed	2700RPM
	Rated Voltage	12.0V
	Rated Current	0.2A
	Power Input	2.4W
	Connector	4pin
TUBE	Length	400mm
	Material	Braided rubber tube + electrophoresis black aluminum composite
CAP	Material	Glass and plastic
	Rotation Orientation	360 Degrees



CB CE EAC



MADE IN
CHINA

Arena Electronic GmbH
Koppersstr.18, 40549 Düsseldorf
Germany
www.chieftec.eu

Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda Chieftec, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanесenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

<https://tehnoteka.rs/p/chieftec-iceberg-360-dark-clc-360-blk-vodeno-hladjenje-akcija-cena/>