

## Uputstvo za upotrebu (EN)

NZXT kućište H5 Flow Gaming CC-H52FW-01

# NZXT



Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.


Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

<https://tehnoteka.rs/p/nzxt-kuciste-h5-flow-gaming-cc-h52fw-01-akcija-cena/>

# NZXT


## H5 FLOW & H5 FLOW RGB

COMPACT ATX MID-TOWER AIRFLOW CASE



### EXPLODED VIEW


VISTA EXPLOSIONADA  
VUE ÉCLATÉE  
EXPLOSIONSDARSTELLUNG  
VEDUTA IN ESPLOSO  
VISTA EXPLODIDA  
爆炸图  
Exploded view  
部件分解圖  
部材分解圖



- |                         |                                       |
|-------------------------|---------------------------------------|
| 1. Top Panel            | 1. Panel superior                     |
| 2. Top I/O module       | 2. Módulo de entrada/salida superior  |
| 3. Right side panel     | 3. Panel lateral derecho              |
| 4. SSD/HDD cage         | 4. Compartimento para SSD/HDD         |
| 5. Front panel          | 5. Panel frontal                      |
| 6. Tempered glass panel | 6. Panel izquierdo en vidrio templado |
| 7. Cable bar            | 7. Barra de limpieza                  |
- 
- |  |              |
|--|--------------|
| 1. 상단 패널                               | 1. 顶部面板      |
| 2. 상단 I/O 모듈                           | 2. 顶部 I/O 模块 |
| 3. 우측 사이드 패널                           | 3. 右侧板       |
| 4. SSD/HDD 케이지                         | 4. 固态硬盘/硬盘架  |
| 5. 전면 패널                               | 5. 前面板       |
| 6. Panel de cristal templado izquierdo | 6. 左侧钢化玻璃面板  |
| 7. Barra de limpieza                   | 7. 理线板       |
- 
- |                                     |                  |
|-------------------------------------|------------------|
| 1. Panneau supérieur                | 1. トップパネル        |
| 2. Module E/S supérieur             | 2. トップ I/O モジュール |
| 3. Panneau latéral droit            | 3. 右サイドパネル       |
| 4. Logement pour disque SSD/HDD     | 4. SSD/HDD ケージ   |
| 5. Panneau avant                    | 5. フロントパネル       |
| 6. Panneau gauche en verre trempé   | 6. 左钢化ガラスパネル     |
| 7. Barre de balayage pour nettoyage | 7. クリーン棒付属       |
- 
- |                               |              |
|-------------------------------|--------------|
| 1. Abdeckung oben             | 1. 顶部面板      |
| 2. I/O-Modul an der Oberseite | 2. 顶部 I/O 模块 |
| 3. Rechte Blende              | 3. 右侧板       |
| 4. SSD/HDD-Käfig              | 4. 固态硬盘/硬盘架  |
| 5. Frontpanel                 | 5. 前面板       |
| 6. Linke Hartglasblende       | 6. 左侧钢化玻璃面板  |
| 7. Reinigungsleiste           | 7. 理线板       |
- 
- |  |              |
|--|--------------|
| 1. Pannello superiore                            | 1. 顶部        |
| 2. Modulo I/O superiore                          | 2. 顶部 I/O 模块 |
| 3. Pannello laterale destro                      | 3. 右侧板       |
| 4. Gabbia SSD/HDD                                | 4. 固态硬盘/硬盘架  |
| 5. Pannello anteriore                            | 5. 前面板       |
| 6. Pannello laterale sinistro di vetro temperato | 6. 左侧钢化玻璃面板  |
| 7. Barra di gestione dei cavi                    | 7. 理线板       |

### CLEARANCES AND SPECIFICATIONS

MEDIDAS Y ESPECIFICACIONES  
DIMENSIONS ET SPECIFICATIONS  
ABSTÄNDE UND TECHNISCHE DATEN  
SPAZI NECESSARI E SPECIFICHE  
DIMENSIONI E ESPECIFICAÇÕES  
간격과 규격  
距離と規格  
間距與規格



Motherboard Support	EATX, ATX, Micro-ATX and Mini-ITX	Placas base admitidas	EATX, ATX, Micro-ATX y Mini-ITX
2.5" SSD Support	1+1	Unidad de estado sólido de 2.5"	1+1
3.5" HDD Support	1	Unidad de disco duro de 3.5"	1
Expansion Slots	7	Ranuras de expansión	7
CPU Cooler/Clearance	Up to 175mm	Espacio para refrigerador del procesador	Hasta 175 mm
GPU Clearance	Up to 425mm	Espacio para gráfica	Hasta 425 mm
PSU Length	Up to 200mm	Comprimento da fonte de alimentação	Hasta 200 mm
Cable Management Space	Up to 28.7mm	Espacio para organización de cables	Hasta 28,7 mm
Top Mounted 140mm / 280mm Radiator & Fan Combined Thickness	Up to 55mm	Sensor de radiador y ventilador de 140 mm/280 mm combinados en la parte superior	Hasta 55 mm

Cartes mère prises en charge	EATX, ATX, MicroATX, MiniITX	마더보드 지원	EATX, ATX, Micro ATX, Mini ITX
Disques durs 3,5"	1	2.5" SSD	1+1
Fentes d'expansion	7	3.5" HDD	1
Espace libre au niveau du refroidisseur de processeur	Jusqu'à 175 mm	8장 슬롯	7
Espace libre au niveau de la carte graphique	Jusqu'à 425 mm	CPU 쿨러 간격	최대 175mm
Longueur de l'alimentation	Jusqu'à 200 mm	GPU 간격	최대 425mm
Espace pour la gestion des câbles	Jusqu'à 28,7 mm	PSU 길이	최대 200mm
Épaisseur cumulée radiateur et ventilateur 140 mm / 280 mm à montage supérieur	Jusqu'à 55 mm	케이블 관리 공간	최대 28.7mm
		상단 장착형 140mm / 280mm 라디에이터 및 팬 결합 두께	최대 55mm

Motherboard-Unterstützung	EATX, ATX, Micro-ATX, Mini-ITX	마더보드/사포트	EATX, ATX, MicroATX, Mini ITX
2,5-Zoll-SSD	1+1	2.5" SSD/사포트	1+1
3,5-Zoll-Festplatte	1	3.5" HDD/사포트	1
Erweiterungsteckplätze	7	익스텐션슬롯	7
Freiraum für CPU-Kühler	Bis zu 175 mm	CPU 쿨러/쿨러크리어스	최대 175 mm
Freiraum für GPU	Bis zu 425 mm	GPU 쿨러/쿨러크리어스	최대 425 mm
Länge des Netzteils	Bis zu 200 mm	PSU 길이	최대 200 mm
Platz für Kabelmanagement	Bis zu 28,7 mm	케이블관리스페이스	최대 28.7 mm
Kombinierte Dicke des oben montierten 140/280-mm-Radiators und Lüfters	Bis zu 55 mm	탑 마운트 140mm / 280mm 팬/라디에이터 조합 두께	최대 55 mm

Scheda madre supportata	EATX, ATX, Micro ATX, Mini ITX	주판지 지원	EATX, ATX, Micro ATX, Mini ITX
SSD 2.5"	1+1	2.5" SSD 지원	1+1
HDD 3.5"	1	3.5" HDD 지원	1
Allargi d'espansione	7	익스텐션 슬롯	7
Ingombro refrigeratore per CPU	Fino a 175mm	CPU 냉각기/팬	최대 175mm
Ingombro per GPU	Fino a 425mm	GPU 팬	최대 425mm
Luoghezza alimentatore	Fino a 200mm	PSU 길이	최대 200mm
Spazio gestione cavi	Fino a 28,7mm	케이블 관리 공간	최대 28,7mm
Montaggio in alto 140mm / 280mm spessore radiatore & ventola combinati	Fino a 55mm	탑 마운트 140mm / 280mm散热器和风扇组合厚度	최대 55mm

Placa-principais suportadas	EATX, ATX, Micro-ATX, Mini-ITX	주판지 지원	EATX, ATX, Micro ATX, Mini ITX
SSD de 2,5"	1+1	2,5" SSD 지원	1+1
HDD de 3,5"	1	3,5" HDD 지원	1
Ranuras de expansão	7	익스텐션 슬롯	7
Espacio necesario para o refrigerador da CPU	Até 175 mm	CPU 냉각기/팬	최대 175 mm
Espacio necessário para a GPU	Até 425 mm	GPU 팬	최대 425 mm
Comprimento da fonte de alimentação	Hasta 200 mm	PSU 길이	최대 200 mm
Espaco para gestão de cabos	Até 28,7 mm	케이블 관리 공간	최대 28,7 mm
Sensor de radiador y ventilador de 140 mm/280 mm combinados en la parte superior	Até 55 mm	탑 마운트 140mm / 280mm散热器和风扇组合厚度	최대 55 mm

### ACCESSORY BOX

CAJA DE ACCESORIOS  
BOITE D'ACCESSOIRES  
ZUBEHÖRSET  
SCATOLA DEGLI ACCESSORI  
CAIXA DE ACESSÓRIOS  
악세서리의 박스  
部品箱(説明書入り)  
配件盒  
零件盒

A. Hexagon Screw 6-32 x 6mm	x4	E Screw 6-32 x 30mm	x8
B. Screw M3 x 5mm	x17	F Standoff 6-32 x 6.5+4mm	x1
C. Screw M3 x 5mm	x12	G Standoff Wrench	x1
D. Screw CB5 x 10mm	x28	H Cable ties	x10

A. Hexagon Screw 6-32 X 6mm	Power supply installation	A. Parafusos hexagonal 6-32 x 6 mm	Instalação da fonte de alimentação
B. Screw M3 X 5mm	Motherboard installation, 3.5 hard drive installation	B. Parafusos 6-32 x 5 mm	Instalação da placa principal, instalação da unidade de 3,5"
C. Screw CB5 X 10mm	2.5 hard drive installation	C. Parafusos M3 x 5 mm	Instalação da unidade de 2,5"
D. Screw 6-32 x 30mm	Fan installation	D. Parafusos CB5 x 10 mm	Instalação da ventoinha
E. Standoff 6-32 x 6.5+4mm	Fan installation	E. Screw 6-32 x 30mm	Instalação da ventoinha
F. Standoff Wrench	Motherboard installation	F. Separadores 6-32 x 6.5+4 mm	Instalação da placa principal
G. Cable Tie	Cable management	G. Chave para separador	Instalação da placa principal
		H. Braçadeira para cabos	Gestão de cabos

A. Tornillo hexagonal de 6-32 x 6 mm	Instalación de la fuente de alimentación	A. 육각나사 6-32 x 6mm	전원공급장치 설치
B. Tornillo de 6-32 x 5 mm	Instalación de la placa base e instalación de la unidad de disco duro de 3,5"	B. 나사 6-32 x 5mm	마더보드 설치, 3.5 하드 드라이브 설치
C. Tornillo M3 x 5mm	Instalación de la unidad de disco duro de 2,5"	C. 나사 M3 x 5mm	2.5 하드 드라이브 설치
D. Tornillo CB5 x 10 mm	Instalación del ventilador	D. 나사 CB5 x 10mm	팬 설치
E. Tornillo 6-32 x 30mm	Instalación del ventilador	E. 나사 6-32 x 30mm	팬 설치
F. Separador 6-32 x 6.5 + 4 mm	Instalación de la placa base	F. 스탠드오프 6-32 x 6.5+4mm	마더보드 설치
G. Llave para separadores	Instalación de la placa base	G. 스탠드오프 렌치	마더보드 설치
H. Brida para cables	Administración de los cables	H. 케이블 타이	케이블 정리

A. Vis hexagonale 6-32 x 6 mm	Installation de l'alimentation électrique	A. 六角ネジ 6-32 x 6mm	電源装置用
B. Vis 6-32 x 5 mm	Installation de la carte mère, installation du disque dur de 3,5"	B. 나사 6-32 x 5mm	마더보드/장치, 3.5 HDD/장치용
C. Vis M3 x 5 mm	Installation de la unité de disque dur de 2,5"	C. 나사 M3 x 5mm	2.5 HDD/장치
D. Vis CB5 x 10 mm	Installation du ventilateur	D. 나사 CB5 x 10mm	팬/장치용
E. Vis 6-32 x 30mm	Installation du ventilateur	E. 나사 6-32 x 30mm	팬/장치용
F. Entretien 6-32 x 6,5 + 4 mm	Installation de la carte mère	F. 스탠드오프 6-32 x 6.5+4mm	마더보드/장치용
G. Clé pour entretoise	Installation de la carte mère	G. 스탠드오프 렌치	마더보드/장치용
H. Attache-câble	Gestion du câblage	H. 케이블 타이	케이블/장치용

A. Sechskantschraube 6-32 x 6 mm	Netzteilinstallation	A. 六角ネジ 6-32 x 6 mm	装置電源
B. Schraube 6-32 x 5 mm	Motherboard-Installation, 3,5-Zoll-Festplatten-Installation	B. 나사 6-32 x 5 mm	주판지/장치, 3.5 하드 드라이브
C. Schraube M3 x 5 mm	2,5-Zoll-Festplatten-Installation	C. 나사 M3 x 5 mm	2.5 하드 드라이브
D. Schraube CB5 x 10 mm	Lüfter-Installation	D. 나사 CB5 x 10 mm	장치/팬
E. Schraube 6-32 x 30 mm	Lüfter-Installation	E. 나사 6-32 x 30 mm	장치/팬
F. Abstandhalter 6-32 x 6,5 + 4 mm	Motherboard-Installation	F. 스탠드오프 6-32 x 6,5 + 4 mm	주판지/장치
G. Abstandhalter-Schlüssel	Motherboard-Installation	G. 스탠드오프 렌치	주판지/장치
H. Kabelbinder	Kabelverwaltung	H. 케이블 타이	케이블/장치


  

A. Vite esagonale 6-32 x 6 mm	Instalazione dell'alimentatore	A. 六角ねじ 6-32 x 6mm	装置電源
B. Vite 6-32 x 5 mm	Instalazione della scheda madre, installazione HDD 3,5"	B. ねじ 6-32 x 5 mm	主版/装置, 3.5 하드/装置
C. ねじ M3 x 5 mm	2,5 規格装置	C. ねじ M3 x 5 mm	2.5 規格装置
D. ねじ CB5 x 10 mm	ファン装置	D. ねじ CB5 x 10 mm	装置/ファン
E. ねじ 6-32 x 30 mm	ファン装置	E. ねじ 6-32 x 30 mm	装置/ファン
F. 距離 6-32 x 6.5+4mm	マザーボード装置	F. 距離 6-32 x 6.5+4mm	主版/装置
G. スタンドオフ レンチ	マザーボード装置	G. スタンドオフ レンチ	主版/装置
H. ケーブルタイ	ケーブル管理	H. ケーブルタイ	ケーブル管理

A. Parafusos hexagonal 6-32 x 6 mm	Instalação da fonte de alimentação	A. 六角ねじ 6-32 x 6mm	装置電源
B. Parafusos 6-32 x 5 mm	Instalação da placa principal, instalação da unidade de 3,5"	B. ねじ 6-32 x 5 mm	主版/装置, 3.5 HDD/装置
C. Parafusos M3 x 5 mm	Instalação da unidade de 2,5"	C. ねじ M3 x 5 mm	2.5 HDD/装置
D. Parafusos CB5 x 10 mm	Instalação da ventoinha	D. ねじ CB5 x 10 mm	ファン/装置
E. Separadores 6-32 x 6.5+4 mm	Instalação da placa principal	E. ねじ 6-32 x 30 mm	ファン/装置
F. Chave para separador	Instalação da placa principal	F. スタンドオフ 6-32 x 6.5+4mm	マザーボード装置
G. Braçadeira para cabos	Gestão de cabos	G. スタンドオフ レンチ	マザーボード装置
		H. ケーブルタイ	ケーブル管理


### CABLE CONNECTIONS

DIAGRAMA DE ADMINISTRACIÓN DE CABLES  
CONNEXIONS DES CÂBLES  
KABELVERBINDUNGEN  
COLLEGAMENTO DEI CAVI  
LIGAGENS DE CABOS  
케이블 연결  
ケーブル接続  
線路接続



### BUTTONS AND I/O

BOTONES Y E/S  
BOUTONS ET E/S  
TASTEN UND E/A  
PULSANTI E I/O  
BOTÕES E I/S  
버튼 및 I/O  
ボタンおよび I/O  
按鈕和 I/O



1. Jack para auriculares	1. Ingresso Cuffie	1. 헤드셋/이어폰
2. USB 3.2 Gen2 Type-C	2. USB 3.2 Gen2 Type-C	2. USB 3.2 Gen2 Type-C
3. USB 3.2 Gen1 Type-A	3. USB 3.2 Gen1 Type-A	3. USB 3.2 Gen1 Type-A
4. Interruptor de encendido	4. Interruptore d'alimentazione	4. 전원 스위치
5. LED de alimentación	5. LED alimentazione	5. 전원 LED


1. Prise Casque	1. Jack de fone de ouvido	1. 耳机麦克风插孔
2. USB 3.2 Gen2 Type-C	2. USB 3.2 Gen2 Type-C	2. USB 3.2 Gen2 Type-C
3. USB 3.2 Gen1 Type-A	3. USB 3.2 Gen1 Type-A	3. USB 3.2 Gen1 Type-A
4. Interrupteur marche/arrêt	4. Interruptor de alimentação	4. 电源开关
5. Témoin d'alimentation	5. LED de alimentação	5. 电源 LED

1. Headset-Buchse	1. 헤드셋 잭	1. 耳机麦克风插孔
2. USB 3.2 Gen2 Type-C	2. USB 3.2 Gen2 Type-C	2. USB 3.2 Gen2 Type-C
3. USB 3.2 Gen1 Type-A	3. USB 3.2 Gen1 Type-A	3. USB 3.2 Gen1 Type-A
4. Netzschalter	4. 전원 스위치	4. 电源按钮
5. Betriebs-LED	5. 전원 LED	5. 电源 LED




### CABLE MANAGEMENT

SISTEMA DE GESTIÓN DE CABLES  
SYSTÈME DE CÂBLAGE  
KABELMANAGEMENTSYSTEM  
SISTEMA DI GESTIONE DEI CAVI  
SISTEMA DE GERENCIAMENTO DE CABOS  
케이블 관리 시스템  
ケーブルマネジメントシステム  
線路管理系統  
線路管理系統




### PANEL REMOVAL

EXTRACCIÓN DE PANEL  
RETRAIT DU PANNELAU  
BLENDE ENTFERNEN  
REMOZIONE DEL PANNELLO  
REMOÇÃO DOS PAINÉIS  
패널 제거  
パネルの取り外し  
面板拆卸  
面板拆卸




### CABLE BAR

BARRA PARA CABLES  
BARRIE DE CÂBLAGE  
KABELSCHENE  
BARRA DEI CAVI  
BARRA DE CABOS  
케이블 배  
ケーブルバー  
理线板  
理线板




## MOTHERBOARD INSTALLATION

INSTALACIÓN DE LA PLACA BASE  
 INSTALLATION DE LA CARTE MÈRE  
 INSTALLATION DER HAUPTKARTEN  
 INSTALLAZIONE DELLA SCHEDE MADRE  
 INSTALACÃO DA PLACA PRINCIPAL  
 母板安装 母板  
 マザーボードの装着  
 主板安装  
 主機板安裝




## SSD DRIVE INSTALLATION

INSTALACION DE LA UNIDAD DE DISCO DE ESTADO SÓLIDO  
 INSTALLATION DU DISQUE SSD  
 SSD-LAUFWERKINSTALLATION  
 INSTALLAZIONE DELL'UNITÀ SSD  
 INSTALACÃO DA PLACA DE EXPANSÃO  
 SSD 固态硬盘 安装  
 SSD 安装  
 SSD 固态硬盘安装  
 SSD 安装




## HDD DRIVE INSTALLATION

INSTALACION DE LA UNIDAD DE DISCO DURO  
 INSTALLATION DE LECTEUR HDD  
 HDD-LAUFWERKINSTALLATION  
 INSTALLAZIONE DELLA SCHEDE D'ESPANSIONE  
 INSTALACÃO DA PLACA DE EXPANSÃO  
 HDD 硬盘(机械) 安装  
 HDD 安装  
 HDD 驱动器安装  
 硬盘安装




## EXPANSION CARD INSTALLATION

INSTALACION DE LA TARJETA DE EXPANSIÓN  
 INSTALLATION DE LA CARTE D'EXTENSION  
 INSTALLATION DER ERWEITERUNGSKARTE  
 INSTALLAZIONE DELLA SCHEDE D'ESPANSIONE  
 INSTALACÃO DA PLACA DE EXPANSÃO  
 확장 카드 설치  
 扩展卡安装  
 扩展卡安装  
 擴充卡安裝



## POWER SUPPLY INSTALLATION

INSTALACION DE LA FUENTE DE ALIMENTACIÓN  
 INSTALLATION DE LA CARTE D'EXTENSION  
 INSTALLATION DER STROMVERSORGUNG  
 INSTALLAZIONE DELLA FONTE DI ALIMENTAZIONE  
 INSTALACÃO DA FONTE DE ALIMENTAZÃO  
 電源安裝 電源  
 電源安裝 電源  
 電源安裝 電源




**IMPORTANT!**  
 Install the PSU with the fan facing up.

## FAN AND RADIATOR SUPPORT

COMPARTIMENTO DE VENTILADORES Y RADIADORES  
 PRISE EN CHARGE DES RADIATEURS ET VENTILATEURS  
 LÜFTER- UND KÜHLER-UNTERSTÜTZUNG  
 SUPPORTO VENTOLE E RADIATORE  
 SUPORTE PARA VENTILADORA E RADIADOR  
 風扇及散熱器支持  
 風扇及散熱器支持  
 風扇及散熱器支持


### RADIATOR

TOP: UP TO 240MM(280MM WITH LOW-PROFILE MEMORY)  
 FRONT: UP TO 360MM  
 REAR: UP TO 120MM





### FAN

TOP: 2 X 120MM / 2 X 140MM  
 FRONT: 3 X 120MM / 2 X 140MM  
 REAR: 1 X 120MM  
 BOTTOM: 2 X 120MM




## FAN & RADIATOR INSTALLATION

INSTALACION DE VENTILADORES Y RADIADORES  
 INSTALLATION DES RADIATEURS ET VENTILATEURS  
 LÜFTER- UND KÜHLER-INSTALLATION  
 INSTALLAZIONE VENTOLE E RADIATORE  
 INSTALACÃO PARA VENTILADORA E RADIADOR  
 風扇及散熱器安裝  
 風扇及散熱器安裝  
 風扇和散熱器安裝  
 風扇和散熱器安裝



The screws shown will be provided within liquid cooler packaging.



The screws shown will be provided within liquid cooler packaging.

## 限用物质及元素列表 / 限用物質及元素清單

产品名称：机箱·型號（型號）：CA-2305, CA-2308  
 有害物質及其化學符號

部件名称	鉛(Pb)	鎘(Cd)	汞(Hg)	六价鉻(Cr <sup>VI</sup> )	多溴联苯(PBB)	多溴联苯醚(PBDE)
外壳	○	○	○	○	○	○
线材	○	○	○	○	○	○
变压/线圈	○	○	○	○	○	○
连接器	○	○	○	○	○	○

本表格依据SJ/T 11364的规定编制。  
 ○: 表示该有害物质在该部件所有均质材料中的含量均在GB/T 26572规定的限量要求下。  
 ×: 表示该有害物质至少在该部件的某一均质材料中的含量超出GB/T 26572 规定的 限量要求, 但该产品仍符合欧盟指令 2011/65/EU 的要求。

产品名称：机箱·型號（型號）：CA-2305, CA-2308  
 限用物質及其化學符號

零件	鉛(Pb)	鎘(Cd)	汞(Hg)	六价鉻(Cr <sup>VI</sup> )	多溴联苯(PBB)	多溴联苯醚(PBDE)
外壳	○	○	○	○	○	○
线材	○	○	○	○	○	○
变压器/线圈	○	○	○	○	○	○
连接器	○	○	○	○	○	○

備考1. “鉛”0.1wt%及“汞”0.01wt%“限用物質之百分比含量超出百分比含量標準值。  
 備考2. “○”係指該項限用物質之百分比含量未超出百分比含量標準值。  
 備考3. “-”係指該項限用物質為排除項目。

## REGULATORY STATEMENT



**UKCA DECLARATION OF CONFORMITY**  
 The object of the declaration described above is in conformity with the relevant UK harmonization legislation:  
 • Electromagnetic Compatibility Regulations 2016  
 • The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012

**ROHS STATEMENT**  
 This product is compliant to implemented RoHS (Restriction of Hazardous Substances) type regulations worldwide, including but not limited to China, India, Japan, Korea and European Union.

**REACH STATEMENT**  
 EU REACH SVHC Disclosure on Candidate List  
 REACH (Registration, Evaluation, Authorization and Restriction of Chemicals, EC/1907/2006) is the European Union's (EU) chemical substances regulatory framework. REACH requires NZXT Inc. to provide customers with sufficient information on Substances of Very High Concern (SVHC) contained in products in concentration above 0.1% weight by weight (w/w) to allow safe use of the product.

**DECLARATION OF CONFORMITY**  
 The device complies with the requirements set out in the Council Directives relevant Union harmonization legislation:  
 • EMC Directive 2014/30/EU  
 • RoHS Directive 2011/65/EU & (EU) 2015/863

**DECLARATION OF CONFORMITÉ**  
 L'appareil est conforme aux exigences définies dans les directives du Conseil relatives à la législation d'harmonisation de l'Union:  
 • Directive EMC 2014/30/UE  
 • Directive RoHS 2011/65/UE et (UE) 2015/863

**DECLARACIÓN DE CONFORMIDAD**  
 El dispositivo cumple los requisitos impuestos en las directivas del Consejo relativas a la legislación de armonización de la Unión Europea:  
 • Directiva EMC 2014/30/UE  
 • Directiva sobre sustancias peligrosas 2011/65/UE (UE) 2015/863

**DECLARAÇÃO DE CONFORMIDADE**  
 O dispositivo está conforme aos requisitos das Diretivas do Conselho e relevante legislação de harmonização da União Europeia:  
 • Diretiva EMC 2014/30/UE  
 • Diretiva RoHS 2011/65/UE & (UE) 2015/863

**UYUM BEYANI**  
 Ağırlık Konsantrasyonları ile ilgili Birlik uyum mevzuatında belirtilen şartlara uygundur:  
 • EMC Yönergesi 2014/30/EU  
 • RoHS Yönergesi 2011/65/EU & (EU) 2015/863

**OVERENSTEMMINGSERKLÆRING**  
 Enheden er i overensstemmelse med kravene i Rådets direktiv, relevant til EU's forlydning om harmonisering:  
 • EMC-direktiv 2014/30/EU  
 • RoHS-direktiv 2011/65/EU & (EU) 2015/863

**VAATIMUSTENMUKAISUSVAKUUTUS**  
 Laite on Euroopan neuvoston direktiivien olennaisien unionin harmonisointivaatimusten vaatimusten mukainen:  
 • EMC-direktiivi 2014/30/EU  
 • RoHS-direktiivi 2011/65/EU & (EU) 2015/863

**SAMSVARERKLÆRING**  
 Enheten oppfyller kravene i EU-lidets harmoniseringsdirektiver:  
 • EMC-direktiv 2014/30/EU  
 • RoHS-direktiv 2011/65/EU & (EU) 2015/863

**KONFORMITETSDEKLARATION**  
 Enheten oppfyller kravene i Rådets direktiv om relevant harmoniseringslovgivning for Europaens unionen:  
 • EMC-direktiv 2014/30/EU  
 • RoHS-direktiv 2011/65/EU & (EU) 2015/863

**DICHIARAZIONE DI CONFORMITÀ**  
 Il dispositivo è conforme con i requisiti definiti nelle Direttive del Consiglio relative alla Norme sull'armonizzazione dell'Unione:  
 • Direttiva EMC 2014/30/UE  
 • Direttiva RoHS 2011/65/UE & (UE) 2015/863

**KONFORMITÄTSEKLERÄRUNG**  
 Das Gerät entspricht den Anforderungen der entsprechenden EU-Harmonisierungsrichtlinien des Rates:  
 • EMV-Richtlinie 2014/30/EU  
 • RoHS-Richtlinie 2011/65/UE & (EU) 2015/863

**ZARBLIENJE O SOODVETSTVIJE**  
 Ovo uređeno odgovara zahtjevima, izloženim u Direktivi Saveta o harmonizaciji odgovarajućih zakona Zajednice, uključujući i sastav Evropske unije (EU):  
 • Direktiva 2014/30/EU o elektromagnetnoj kompatibilnosti  
 • Direktiva 2011/65/EU (EU) 2015/863 o ograničenju korištenja opasnih materija u električnim i elektronskim opremama (RoHS)

**OSWİADCZENIE ZGODNOŚCI**  
 Urządzenie jest zgodne z wymaganiami określonymi w odpowiednich unijnych Dyrektywach harmonizacyjnych Rady:  
 • Dyrektywa EMC 2014/30/UE  
 • Dyrektywa RoHS 2011/65/UE & (UE) 2015/863

En tant qu'écologiste et afin de protéger l'environnement, NZXT tient à rappeler cela: Au sujet de la directive européenne (EU) relative aux déchets des équipements électriques et électroniques, directive 2002/96/EC, prenant effet le 13 août 2005, que les produits électriques et électroniques ne peuvent être déposés dans les décharges ou tout simplement mis à la poubelle. Les fabricants de ces équipements seront obligés de récupérer certains produits en fin de vie. NZXT prendra en compte cette exigence relative au retour des produits en fin de vie au sein de la communauté européenne. Par conséquent vous pouvez retourner localement ces matériels dans les points de collecte.

## NZXT GLOBAL WARRANTY POLICY

This NZXT Global Warranty Policy governs the sale of products by NZXT to you.  
**I. WARRANTY LENGTH**

New NZXT Product	Warranty Length for Parts
Computer Cases	2 Years

Any replacement product will be covered under warranty for the remainder of the warranty period or thirty days, whichever is longer. Proof of purchase is required for warranty service.

**II. WHO IS PROTECTED**  
 The Warranty covers only NZXT products purchased by the original consumer.

**III. WHAT IS AND IS NOT COVERED**  
 Please note that our warranty is not an unconditional guarantee. If the product, in NZXT's reasonable opinion, malfunctions within the warranty period, NZXT will provide you at its sole discretion with a repaired or replacement product, either new or refurbished, with a similar function that is equal or greater in value depending on supply. Our warranty does not cover the following:

- any product or serial number/warranty sticker modification applied without permission from NZXT;
- any damage that is not a manufacturing defect;
- damage, deterioration or malfunction resulting from: accident, abuse, misuse, neglect, fire, water, lightning, or other acts of nature, unauthorized product modification or failure to follow instructions included with the product;
- improper installation, unauthorized alterations or repairs or attempted repair by anyone not authorized by NZXT;
- shipping or transport damage (claims must be made with the carrier);
- normal wear and tear.

NZXT does not warrant that this product will meet your requirements. It is your responsibility to determine the suitability of this product for your purpose. For NZXT Store orders, we cover two way return shipping for all exchanges and returns. For all other authorized dealers, NZXT Support does not cover return shipping and only covers one way shipping from NZXT back to the end user for exchanges. Two way expedited shipping is provided for all PSUs covered under the Less Than Three program, indiscriminate of purchase location, provided the location is an approved NZXT reseller.

**IV. EXCLUSION OF DAMAGES (DISCLAIMER)**  
 NZXT's sole obligation and liability under this warranty is limited to the repair or replacement of a defective product with either a new or refurbished product with a similar function that is equal or greater in value at our option. NZXT shall not, in any event, be liable for any incidental or consequential damages, including but not limited to damages resulting from interruption of service and loss of data, business, or for liability in tort relating to this product or resulting from its use or possession.

**V. LIMITATIONS OF IMPLIED WARRANTIES**  
 There are no other warranties, expressed or implied, including but not limited to those of merchantability or fitness for a particular purpose. The duration of implied warranties is limited to the warranty length specified in Paragraph I.

**VI. TO OBTAIN TECHNICAL SUPPORT**  
 If you have already referenced your product owner's manual and still need help, you may contact us by phone at +1 (800) 228-9395, by email at [service@nzxt.com](mailto:service@nzxt.com), or visit the NZXT Support site at [nzxt.com/customer-support](http://nzxt.com/customer-support).

**VII. HOW TO OBTAIN A WARRANTY SERVICE FROM NZXT**  
 To receive a warranty service for your product when purchased directly from NZXT, you must submit a request via the NZXT Support site outlining the problem. If a technician deems the product defective or requiring testing, you will be required

to provide a copy of your proof of purchase, which will enable you to submit a Return Merchandise Authorization "RMA" request. Once approved, you'll receive an RMA number, upon which you will be asked to ship the defective item back to NZXT with the RMA number clearly marked or labelled on the package. NZXT recommends that appropriate measures are taken to safeguard the product from damage during shipping.

**VIII. APPLICABLE LAW AND ADDITIONAL LEGAL RIGHTS FOR CONSUMERS**  
 This warranty gives you specific legal rights. These conditions are governed and construed in accordance with the laws of California (with exception of its conflict of law provisions), and the application of the United Nations Convention of Contracts for the International Sale of Goods is expressly excluded. The non-exclusion jurisdiction of the courts of California is agreed, which means that you may bring a claim to enforce your consumer protection rights in connection with this Global Warranty in the country which you have your habitual residence where you may have additional rights. These rights may vary.

For original consumers who are covered by consumer protection laws or regulations in their country, state, or province of purchase or, if different, their country, state, or province of residence, the benefits conferred by this warranty are in addition to all rights and remedies conveyed by such consumer protection laws and regulations. To the extent that liability under such consumer laws can be limited, NZXT's liability is limited, and its sole option, to repair or replacement, either new or refurbished, with a similar function that is equal or greater in value depending on supply.

**In the United Kingdom:**  
 For NZXT products sold to customers in the UK, during the expected lifespan of your product your legal rights entitle you to the following:  
 > Up to 30 days: if your goods are faulty, then you can get an immediate refund.  
 > Up to six months: if your goods can't be repaired or replaced, then you're entitled to a full refund, in most cases.  
 > Up to six years: if your goods do not last a reasonable length of time you may be entitled to some money back.  
 • If the person seeking to rely on the guarantee is not the original consumer, the NZXT Warranty will cover the product in relation to that person provided that they are able to provide proof of the transfer of the benefit of the guarantee from the original consumer.

**In the EU:**  
 If you are a consumer and have your habitual residence in the EU, you additionally enjoy the protection afforded to you by provisions that cannot be derogated from by agreement by virtue of the law where you have your habitual residence.

**IX. WARRANTY SERVICE FROM RESELLERS**  
 In the event that a warranty service is sought, you must provide proof of purchase (store receipt or invoice) in order to receive the service and if deemed necessary, repair or replacement product.

**In North America:**  
 Within the first 60 days after purchase, please return your product (or for power supplies installed within our enclosures, just the failed power supply) to your dealer or reseller for a replacement. If the product is still within warranty and you can no longer return it to your dealer, please contact NZXT Customer Support (see above) for assistance and instructions. NZXT will not accept returns without prior approval.

**In Europe:**  
 Within the first year after purchase, please return your product (or for power supplies installed within our enclosures, just the failed power supply) to your dealer or reseller for a replacement. If the product is still within warranty and you can no longer return it to your dealer, please contact NZXT Customer Support (see above) for assistance and instructions. NZXT will not accept returns without prior approval.

**In Australia:**  
 Within the first two years after purchase, please return your product (or for power supplies installed within our enclosures, just the failed power supply) to your dealer or reseller for a replacement. If the product is still within warranty and you can no longer return it to your dealer, please contact NZXT Customer Support (see above) for assistance and instructions. NZXT will not accept returns without prior approval.

**Outside North America, Europe, and Australasia:**  
 If your product needs to be returned within the warranty period, please contact the retailer or distributor from whom you purchased the product.

**X. NZXT.COM STORE RETURNS/EXCHANGE POLICY**  
 Eligible products under this NZXT Warranty qualify for a full refund or exchange only with an authorized RMA number and if the item is returned to the NZXT.com store inventory within 30 days of purchase. Returns are not allowed beyond 30 days of the purchase date. The NZXT.com Store reserves the right to deny any return or exchange. Refunds will be credited to the original method of payment. To initiate a return, simply submit a request via NZXT support site.

> Visit [nzxt.com/warranty](http://nzxt.com/warranty) and [support.nzxt.com](http://support.nzxt.com) for information on warranty coverage and service.  
 > Visit [nzxt.com/warranty](http://nzxt.com/warranty) and [support.nzxt.com](http://support.nzxt.com) para obtener información sobre la cobertura y el servicio de la garantía.  
 > Visitez [nzxt.com/warranty](http://nzxt.com/warranty) et [support.nzxt.com](http://support.nzxt.com) pour les informations de la couverture de la garantie et du service.  
 > Informationen zu Geltungsbereich und Service der Garantie finden Sie unter [nzxt.com](http://nzxt.com) und [support.nzxt.com](http://support.nzxt.com).

> Visit [nzxt.com/warranty](http://nzxt.com/warranty) and [support.nzxt.com](http://support.nzxt.com) per informazioni sulla copertura e sul servizio della garanzia.  
 > Visite [nzxt.com/warranty](http://nzxt.com/warranty) e [support.nzxt.com](http://support.nzxt.com) para obter informações sobre a cobertura da garantia e assistência.  
 > 請參閱本 網站 的 保 障 政 策 及 服 務 信 息 詳 情 請 參 閱 [nzxt.com/warranty](http://nzxt.com/warranty) 及 [support.nzxt.com](http://support.nzxt.com) 參 閱 中 文 手 冊 內 容。  
 > 保証 範囲 及び 一 年 以 上 の 保 障 期 間 について [support.nzxt.com](http://support.nzxt.com) と [nzxt.com/warranty](http://nzxt.com/warranty) に アクセス して ください。  
 > 請 訪 問 [nzxt.com/warranty](http://nzxt.com/warranty) 和 [support.nzxt.com](http://support.nzxt.com) 了解 保 障 范 圍 和 服 務 信 息。  
 > 請 訪 問 [nzxt.com/warranty](http://nzxt.com/warranty) 和 [support.nzxt.com](http://support.nzxt.com) 了解 保 障 范 圍 和 服 務 信 息。

Scan the QR code or visit [manuals.nzxt.com/#flowrgb2024](http://manuals.nzxt.com/#flowrgb2024) to view or download the full manual.

NZXT, Inc. | 15736 E. Valley Blvd, City of Industry, CA 91744, USA  
 NZXT Europe GmbH | Ammerthalstrasse 32 Kirchheim bei München 8551, Germany  
 NZXT UK Ltd. | First Floor 3 Fleet Place London EC4M 3RD, GB United Kingdom  
 +1 (800) 228-9395 / [service@nzxt.com](mailto:service@nzxt.com) / [nzxt.com](http://nzxt.com)



Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda NZXT, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanесenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

<https://tehnoteka.rs/p/nzxt-kuciste-h5-flow-gaming-cc-h52fw-01-akcija-cena/>