

## Informacije o proizvodu (EN)

CHIEFTEC napajanje VEGA PPG-750-S



Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

<https://tehnoteka.rs/p/chieftec-napajanje-vega-ppg-750-s-akcija-cena/>

- **Compliant with ATX 12V 3.1**
- **Support PCIe GEN5**
- **80PLUS Gold certified efficiency**
- **LLC Half-Bridge converter with DC to DC technology**

The **CHIEFTEC VEGA Series** power supply is built to Intel's ATX 12V 3.1 standard and supports PCIe GEN5 with 80PLUS Gold certified efficiency. It prioritizes a competitive price-to-performance ratio up to 850W while maintaining the trusted Chieftec quality.

The Vega Series features LLC Half-Bridge converter with DC-to-DC technology to provide enhanced power efficiency and stability. The equipped extra-long native black cables make it suitable for mainstream gamers to build their system, even in larger PC cases.

Additionally, its 135mm fluid dynamic bearing (FDB) silent fan optimizes the balance between cooling performance and noise levels. The Vega Series is your trusted reliable choice for all computing needs incorporating all necessary modern protection and safety features.



#### TECHNICAL DATA


Model	VEGA 750W
Article no.	PPG-750-S
Specification	ATX 12V 3.1
Form factor	ATX
Efficiency	80Plus Gold
PFC	Active PFC (0.9)
Fan	135mm FDB fan
Dimention(DxWxH)	150mm x 150mm x 85mm
P.F.	>0.9
Security	AFC (Automatic Fan speed Control) OPP (Overload protection) OTP (Over Temperature Protection) OVP (Overvoltage protection) SCP (Short-circuit protection) SIP (Surge & Inrush Protection) UVP (Under Voltage protection) OCP (Over-Current Protection)
Warranty	24 Months

#### OUTPUT DATA

PPG-750-S	AC Input	100 - 240V~ / 10 - 5A / 50 - 60Hz				
	DC Output	+3.3V	+5V	+12V	-12V	+5VSB
	Max. Current	20A	20A	62.5A	0.3A	3.0A
	Max. Combined Power	100W		750W	3.6W	15W
			750W			

\*The listed specifications may be altered at any point in time without any pre-notice.

\*\*Chieftec® is a registered trademark. All other brands and/or logos are property of the respective owners.

	Cable	Connectors	Length (mm)
	24 PIN ATX	1	600
	8 PIN EPS (8/4+4)	1/1	2 x 650/150
	8 PIN PCIe (6+2)	4	2 x 600/150
	16 PIN PCIe GEN5	1	600
	SATA	6	2 x 400/150/150
	MOLEX	3	400/150/150

### Specifications



Version: 10/2024

\*The listed specifications may be altered at any point in time without any pre-notice.

\*\*Chieftec® is a registered trademark. All other brands and/or logos are property of the respective owners.

Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda Chieftec, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanесenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

<https://tehnoteka.rs/p/chieftec-napajanje-vega-ppg-750-s-akcija-cena/>