

Informacije o proizvodu (EN)

TESLA inverter klima TM36AG13-1232IHWT

TESLA



Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

<https://tehnoteka.rs/p/tesla-inverter-klima-tm36ag13-1232ihwt-akcija-cena/>



Features

I Feel / Follow me, Breeze away, ECO, Self-diagnostic, Intelligent defrosting, Intelligent dusting switch, Anti-Rust Cabinet, Independent Dehumidification mode, Super Quiet Design, Low-noise airflow, Turbo mode, Auto mode, Sleep Mode, Fault Code Indication, Emergency button, Auto restart, Timer Auto turn off/of, Five-speed outdoor fan motor, Golden fin, Mono & multi compatibility, 8°C heating feature, Low-Temperature Heating/Cooling, Washable filter, High-density filter, Cold-catalyst filter, Low ambient kit, 1W Standby, Dual side Drainage, Stability Protection, 3D Air Flow, 56°C sterilization, Refrigerant Leakage Detect, Remote control, Louver position memory function, Horizontal louver auto-swing, Hidden led display, Display ON/OFF, Rapid Cooling, and Rapid Heating, RC holder, Hydrophilic Aluminum Fin, Backup Switch, Multi Fan Speed, I-clean, Intelligent on-off, Auto Swing Louver function, Anti-Cold Air, Wi-Fi

Capacity			12000BTU
Rated volt and frequency			220-240V~/50HZ
Mode	V/Hz	Cooling	Heating
Rated capacity		12000(3000~16200)	13000(2700~22200)
Power input	W	879(60~1590)	929(130~2195)
Current input	W	3.81(0.3~7.0)	4.03(0.6~9.5)
SEER-/ Energy Class	A	8,5/A+++	/
SCOP/ Energy Class - average		/	4,6/A++
SCOP/ Energy Class - warmer		/	5,9/A+++
Operating range		15-50	-20-24
Energy consumption (per year, based on standard test results)	°C	144	/
Energy consumption (per year, based on standard test results) - average	kWh	/	791
Energy consumption (per year, based on standard test results) - warmer	kWh	/	570
Dehumidifying	Kg/h		1,7
Degree of protection (IN) / (OUT)	(IP)		IPX0/IPX4
Class of electric protection (IN) / (OUT)	Class I / Class II		I/I
Max. input consumption	W		2300
Max. current	A		10
Compressor	Model		KSN98D64UFZ3
	Type		Rotary
	Brand		GMCC
Indoor	Indoor Air Circulation	m³/h	520
	Indoor Noise Level dB	dB(A)	39.0/30.0/24.0
	Net Dimension	mm	802x200x295
	Packing Dimension	mm	875x285x380
	Net Weight/Gross Weight	Kg	8.7/11.3
Outdoor	Outdoor Noise Level dB	dB(A)	58
	Net Dimension	mm	765x303x555
	Packing Dimension	mm	887x337x610
	Net Weight/Gross Weight	Kg	29.6/32.0
	Refrigerant type		R32
	Refrigerant weight	Kg	0.7
	GWP		675
	tCO ₂ eq.		0,47
	Max. Discharge/Max. Suction pressure	Mpa	4.3/1.7
Refrigerant piping	Liquid side/ Gas side/Length	mm	Dg4/Dg8 (1/4-3/8)
	Max. refrigerant pipe length/ Max. difference in level	m	25/10

Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda Tesla, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanесenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

<https://tehnoteka.rs/p/tesla-inverter-klima-tm36ag13-1232ihwt-akcija-cena/>