



USB-C PD 6-in-1 4K Docking Station / Multiport Hub

USB 3.2 Gen 1 Type-C Male to HDMI Port (4K@60Hz), Three USB-A Ports (5 Gbps), USB-C Power Delivery Port (100 W) and Gigabit RJ45 Port, Aluminum, Silver

Part No.: [153959](#)

EAN-13: 0766623153959 | UPC: 766623153959

Multiport Adapter / Docking Station for Laptop and MacBook® - Adds HDMI, Power Delivery, Ethernet and USB Connections

Elevate your device's connectivity with the Manhattan 6-in-1 Multiport Adapter. This versatile docking station fills the gaps in your laptop or MacBook®, offering essential connections such as HDMI, Power Delivery, Ethernet, and USB ports.

Unlock Enhanced Productivity

Experience seamless multitasking by connecting a UHD HDMI monitor alongside your notebook screen. The three SuperSpeed USB-A ports not only facilitate data transfer at 5 Gbps but also charge compatible devices efficiently. The 10/100/1000 auto-sensing Ethernet port ensures a swift and stable connection to your wired network, while the up-to-100-W Power Delivery (PD) input efficiently powers all USB devices connected to the dock.

Versatile Connectivity for Your Peripherals and Wired Network

Meet your connectivity needs for mice, keyboards, and flash drives with three USB-A ports. Additionally, address the absence of wired network connectivity in most contemporary Ultrabooks™ and MacBooks® by utilizing the Gigabit RJ45 port for reliable 10/100/1000 Mbps speeds.

Powerful Charging with up to 100 W

Charge your notebook with up to 100 W through the featured USB-C PD port. Simultaneously charge other mobile devices like tablets or smartphones

For more information on Manhattan products, consult your local dealer or visit www.manhattan-products.com.

All names of products or services mentioned herein are trademarks or registered trademarks of their respective owners. Distribution and reproduction of this document, and use and disclosure of the contents herein, are prohibited unless specifically authorized.

through the USB-A connections. The Power Delivery feature intelligently determines the power requirements of compatible devices, ensuring safe charging, faster than standard chargers.

Seamless Phone-to-Screen Experience

Connect any Android 9 and later smartphone supporting video output over USB-C DP Alt Mode. Enjoy your apps and media on a larger scale by watching videos or presenting slides directly from your phone to your monitor.

A Portable Companion for Your Travels

Encased in sturdy aluminum, this multiport adapter is designed to be your ideal travel companion. Compact enough to easily fit alongside your primary device in your computer bag or backpack, it ensures that connectivity is never compromised on the go.

Features:

- Connects your laptop to your display, network and peripherals while charging your devices
- One HDMI port with resolutions up to Ultra-High-Definition (UHD) 4K@60Hz (3840×2160)
- One Gigabit Ethernet (10/100/1000) port for faster downloads, media streaming and gaming
- Charges your laptop with USB Power Delivery (PD) up to 100 W; requires an external PD charger - available from Manhattan
- Three USB 3.2 Gen 1 (formerly USB 3.0) Type-A ports with SuperSpeed transfer rates up to 5 Gbps and charging up to 4.5 W (5 V / 0.9 A)
- USB-A ports to connect mice, keyboards, flash drives and more or to charge and sync mobile devices
- Compatible with all USB-C DP-Alt-Mode-supported desktops, notebooks and tablets including Apple® MacBook®, Chromebook™, Pixel™ and more
- Compliant with DisplayPort 1.4 Alternate Mode (DP Alt Mode)
- Lets your smartphone work like a desktop PC while also charging it (desktop setup requires devices with Android 9 or above that offer video output over USB-C)
- Sturdy, sleek aluminum housing, great for both desktop and travel
- Plug-and-play installation; Windows®, macOS®, Chrome OS™ and Android™ compatible
- Supports PD 3.0 Fast Role Swap (FRS) - the connection between the docking station and laptop is not interrupted when the charger is

For more information on Manhattan products, consult your local dealer or visit www.manhattan-products.com.

All names of products or services mentioned herein are trademarks or registered trademarks of their respective owners. Distribution and reproduction of this document, and use and disclosure of the contents herein, are prohibited unless specifically authorized.

unplugged

- Built-in, braided 20 cm (8 in.) cable with molded aluminum boot
- Compatible with USB4[®] and Thunderbolt™ 3 / 4 interfaces
- Fully HDCP 2.3 compliant, backward compatible
- Three-year warranty

Specifications:

Standards and Certifications

- DP 1.4 Alt Mode over USB-C
- USB 3.2 Gen 1 (USB 3.0)
- HDMI 2.0
- HDCP 2.3
- CE
- FCC
- RoHS
- REACH
- UKCA

General

- USB-A ports data transfer speed: 5 Gbps
- Video resolutions: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 4K@30Hz, 4K@60Hz
- Bus-powered operation (except charging functions)
- USB-A charging: 4.5 W (5.0 V at 0.9 A) max.
- USB-C PD charging port: 100.0 W (20.0 V at 5.0 A) max.
- Voltage/current settings (maximum):
 - 5.0 V / 5.0 A
 - 9.0 V / 5.0 A
 - 12.0 V / 5.0 A
 - 15.0 V / 5.0 A
 - 19.0 V / 5.0 A
 - 20.0 V / 5.0 A

Connections

- One USB-C 24-pin, male
- One HDMI 19-pin, female
- One 10/100/1000 Mbps RJ45, female
- Three USB-A 9-pin, female
- One USB-C 24-pin, Power Delivery, female

Physical

- Aluminum housing
- Dimensions (L x W x H): 130 x 54 x 17 mm (5.12 x 2.13 x 0.67 in.)
- Net weight: 65 g (0.14 lbs.)
- Gross weight: 90 g (0.2 lbs.)
- Cable length: 30 cm (11.8 in.)

- Cable diameter: 34 AWG

Operating Environment

- Operation temperature: 0 - 60°C (32 - 140°F)
- Storage temperature: -10 - 80°C (14 - 176°F)
- Humidity (noncondensing): 5 - 90% RH

System Requirements

- Windows 7/8.1/10/11, Chrome OS, macOS or Android

Package Contents

- USB-C PD 6-in-1 4K Docking Station / Multiport Hub
- Instructions



