

Informacije o proizvodu (EN)

CHIEFTEC napajanje VITA SM3 BPX-750-C



Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

<https://tehnoteka.rs/p/chieftec-napajanje-vita-sm3-bpx-750-c-akcija-cena/>

- **Compliant with ATX 3.1**
- **Support PCIe GEN5**
- **80 Plus® Bronze certified efficiency**
- **Semi-Modular cable management**
- **Multiple security protection**



The **CHIEFTEC's VITA SM3 series** support Intel ATX 3.1 and PCIe GEN 5 with 80 PLUS® Bronze certified efficiency.

With **CHIEFTEC's** self-designed appearance, it is painted in elegant black, competitively priced, and comes with semi-modular cable management. The **VITA SM3 series** equipped with a silent 120mm fan. **CHIEFTEC's** multiple security protection technology is designed to keep your system safe at all times.







TECHNICAL DATA	
Model	VITA SM3 750W
Article no.	BPX-750-C
EAN code	0753263078971
Weight (Net/Gross)	1.9 kg / 2.7 kg
Specification	ATX 3.1
Form factor	ATX
Efficiency	80 Plus® Bronze
PFC	Active PFC (0.9)
Fan	120mm silent fan
Dimention(DxWxH)	140mm x 150mm x 86mm
P.F.	>0.9
Security	AFC (Automatic Fan speed Control) OPP (Overload protection) OTP (Over Temperature Protection) OVP (Overvoltage protection) SCP (Short-circuit protection) SIP (Surge & Inrush Protection) UVP (Under Voltage protection) OCP (Over-Current Protection)
Warranty	36 Months

OUTPUT DATA						
BPX-750-C	AC Input	100 - 240V~ / 9 - 4.5A / 50 - 60Hz				
	DC Output	+3.3V	+5V	+12V	-12V	+5VSB
	Max. Current	18A	18A	62.5A	0.3A	3.0A
	Max. Combined Power	100W		750W	3.6W	15W
			750W			

*The listed specifications may be altered at any point in time without any pre-notice.

**Chieftec® is a registered trademark.All other brands and/or logos are property of the respective owners.

	Cable	Connectors	Length (mm)
	20 + 4 PIN ATX	1	650
	8 PIN EPS (4+4)	2	2 x 700
	8 PIN PCIe (6+2)	2	1 x 500/150
	16 PIN 12V - 2 x 6	1	600
Modular 	8 PIN PCIe (6+2)	2	1 x 600/100
Modular 	SATA	6	2 x 450/120/120
Modular 	MOLEX	3	1 x 450/120/120

Specifications



Version: 02/2025

*The listed specifications may be altered at any point in time without any pre-notice.

**Chieftec® is a registered trademark. All other brands and/or logos are property of the respective owners.

Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda Chieftec, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanесenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

<https://tehnoteka.rs/p/chieftec-napajanje-vita-sm3-bpx-750-c-akcija-cena/>