

Informacije o proizvodu (EN)

CUDY USB Hub 6-in-1 UH606

cudy



Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

<https://tehnoteka.rs/p/cudy-usb-hub-6-in-1-uh606-akcija-cena/>

Model: UH606


6-In-1 USB-C Hub

with Gigabit Ethernet Port



Highlights

Plug-and-Play USB-C dongle for extending a PC with HDMI, RJ45 Ethernet port, and three USB-A ports, ideal for IT and gaming enthusiasts who need wired network connectivity.



- 1 × HDMI 2.0, 4K 60Hz, 2K 144Hz
- 1 × Upstream PD USB-C Male (5 Gbps)
- 3 × USB-A 3.2 Gen 1 (5 Gbps)
- 1 × Gigabit Ethernet RJ45 Port
- 1 × USB-C Receiving 100W PD
- Plug-and-Play on Windows, Mac, Linux

Hardware Features

Interfaces	Upstream Connection	1 × USB-C 3.2 Gen 1 Male Connector (5 Gbps)
	Video Output	1 × HDMI 2.0
	Video Output Resolutions	4K (4096×2160) 60 Hz
		2K (2560×1440) 144 Hz
		1080P (1920×1080) 240 Hz
	Video Output Modes	Extend, Mirror
		Android phone supports mirror mode only
	USB Ports	3 × USB-A 3.2 Gen 1 Ports (5 Gbps)
	Network	1 × Gigabit RJ45 Port
	Network Feature	Wake on LAN
Power Input	USB-C Port	
Power	Power Methods	DC / PD
	DC	5~20V 0~5A
	Max Power Consumption (W)	100W if powered by a PD Adapter
		10W if powered by the host client's USB Power
	Idle Power Consumption (W)	0.4W
Physical	Color	Silver Gray Color
	Casing	Aluminum
		ABS



Requirements	Hardware Requirement	Requires a USB-C 3.2 Gen 1 / USB4 / Thunderbolt 3/4 port on the host device
	Compatible OS	Windows 7 or later macOS 10.12 or later Ubuntu LTS 18.04 or later Android 5 or higher ChromeOS R41 or higher
	Driver Installation	Auto driver installation for Windows 10/11 PC, Macs with M chipset. Manual driver installation may required on other platform.
Reliability	Environment	Operating Temperature: 0~40 °C (-32~104 °F) Storage Temperature: -20~70 °C (-10~158 °F) Operating Humidity: 20~85% RH non-condensing Storage Humidity: 10~90% RH non-condensing
	Mechanical	Product Weight 78 g (2.75 oz.) Dimension Main Part : 113.1×44.2×15.7 mm 4.45×1.74×0.62 inches Cable: 200 mm 7.87 inches

Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda Cudy, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanесenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

<https://tehnoteka.rs/p/cudy-usb-hub-6-in-1-uh606-akcija-cena/>