

Informacije o proizvodu (EN)

NJOY Aten PRO 1000 PWUP-OL100AP-AZ01B UPS uređaj



Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

<https://tehnoteka.rs/p/njoy-aten-pro-1000-pwup-ol100ap-az01b-ups-uredjaj-akcija-cena/>

Aten PRO 1000

The network sentinel

PN: PWUP-OL100AP-AZ01B

EAN: 6422956007713

Specifications

Capacity	1000 VA / 900 W
Type	On line
Input	
Nominal Voltage	230 VAC
Accepted Voltage Range	120-300 VAC (Based on load at 50%) 180-280 VAC (Based on load at 100%)
Frequency Range	40Hz ~ 70 Hz
Power Factor	≥ 0.99 @ nominal voltage (100% load)
Output	
Output Voltage	200/208/220/230/240 VAC*
Voltage Regulation	±1%
Frequency Range (Synchronized Range)	57 ~ 63 Hz
Frequency Range (Battery Mode)	50 Hz or 60Hz ± 0.5 %
Waveform (Batt. Mode)	Pure Sinewave
Harmonic Distortion	3 % THD (Linear Load) 6 % THD (Non-linear Load)
Current Crest Ratio	3:1
Transfer Time	
AC Mode to Battery Mode	Zero
Inverter to Bypass	4 ms (Typical)
Efficiency	
To AC Mode	88 % at full charged battery
To Battery Mode	83 % at full charged battery
ECO Mode	93 % at full charged battery
Indicators type	
LCD Display	Load level, Battery level, AC mode, Battery mode, Bypass mode and Fault indicators
Alarm	
Battery Mode	Sounding every 4 seconds

* Derate to 80% of capacity in Frequency converter mode and to 80% when the output voltage is adjusted to 100/200/208VAC



Pure Sine
Wave Output



Zero
Transfer Time



ECO Mode
for energy saving

- True Double Conversion Technology
- Microprocessor control optimizes reliability
- Software Management
- Up to 90% Efficiency Rates
- Converter mode available
- Input power factor correction
- Output Power Factor 0.9
- LCD Display
- USB & RS232 Port Communication
- Smart SNMP card supported
- Tower topology
- Generator compatible

Low Battery	Sounding every second
Overload	Sounding twice every second
Fault	Continuously sounding
Protection	
Outlets type	3 x Schuko Battery Backup & Surge Protection
Full protection	Overload, Overvoltage, Discharge & Overcharge protection Input spike protection Short circuit protection
Surge rating energy	760 Joules
Environment	
Humidity	20-90 % RH @ 0-40°C (non-condensing)
Noise level	Less than 50dB
Battery	
Battery Type & Number	2 x HR09122F (BTVACIUOCTD2FBT01B)
Battery Voltage	12V
Typical Recharge Time	4 hours up to 90% capacity
Charging Voltage	27.4VDC ± 1%
Battery Compatibility	nJoy HR09122F
Running time on battery (minutes)	25% Load - 20 min 50% Load - 9 min 75% Load - 5 min 100% Load - 3 min



Management


Connection port	RS232 / USB / Intelligent Port for installation of SNMP or Modbus (Protocol 01) Card
Software capability	Monitor & Control over USB, LAN and Internet (SNMP card optional)

Physical

Product dimensions	282 x 145 x 220 mm
Product weight	9.8 kg
Cable length	1.5 m
Retail pack dimensions	360 x 230 x 325 mm
Retail pack weight	10.5 kg



Running time on battery



Logistics

Carton Box Size (LxWxH)	360 x 230 x 325 mm
Pieces in the Carton Box	1 pcs / ctn
Net & Gross weight / CTN	N.W. / G.W.: 9.8 kg / 10.5 kg



Certificates



Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda nJoy, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanесenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

<https://tehnoteka.rs/p/njoy-aten-pro-1000-pwup-ol100ap-az01b-ups-uredjaj-akcija-cena/>