

## Informacije o proizvodu (EN)

HISENSE displej 55" Digital Signage 55GM50D

**Hisense**



Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

<https://tehnoteka.rs/p/hisense-displej-55-digital-signage-55gm50d-akcija-cena/>



## 55GM50D

### 55" 4K UHD DIGITAL SIGNAGE DISPLAY

Hisense Digital Signage is designed to serve multiple business applications: public spaces, transportation systems, museums, stadiums, retail stores, hotels, restaurants and corporate buildings. With GM50D series, it delivers powerful engagement from any devices, boost business with real-time updates, data-driven insights and visually appealing content, manage and control devices at anytime from anywhere, and simplify the cable management by connecting a series of displays to a single video output.

#### Highlights



##### Narrow Bezel

With a narrow bezel and symmetrical design, the display can be easily integrated into any environment. All terminals face outwards, ensuring the display hangs flush against the wall which saves space and facilitates installation.



##### Android 11

Android 11 works to keep your data safe and secure. With Android 11, you have more control over what information apps can and can't access. Devices that work better together, enhance your messaging, audio and multitasking experiences.



##### Clean Cable Solution

The integrated cable holder hides cables and keeps the back of the display tidy and uncluttered. This reduces visual distractions that can get in the way of your viewing experience.



##### Anti-glare Coating

All GM50D Series displays offer higher haze panels that help reduce reflections without adversely affecting the image quality. Anti-glare coatings can also improve the perceived contrast of the display.



##### Wireless Screen Sharing

Everything you need for screen sharing solutions. ScreenShare is a in house built-in screen sharing application that enables the screen sharing wirelessly and seamlessly from anywhere and from any devices.



##### Smart Power

The backlight intensity can be controlled and pre-set by the system to reduce the power consumption, ENERGY STAR-certified, the display helps you protect the environment and save costs.




##### Mobile Device Management

VisionInfo is a cloud-based device management software that offers end-to-end device management and control through all devices. It is a powerful, effective and easy to use tool to control your devices at anytime from anywhere.



##### Conformal Coating

Electronic components are completely protected from the environmental factors like moisture, dust, salt, chemicals, temperature changes and mechanical abrasion.



## Specifications

### Digital Display Panel

|                      |                      |
|----------------------|----------------------|
| Backlight Type       | DLED                 |
| Type                 | ADS                  |
| Size                 | 55"                  |
| Resolution           | 3840 x 2160          |
| Refresh rate         | 60Hz                 |
| Color Depth          | 1.07G (8 Bits+FRC)   |
| Brightness(Typ.)     | 500 nits             |
| Contrast Ratio(Typ.) | 1200:1               |
| Response Time(Typ.)  | 8ms                  |
| Viewing Angle(Min.)  | 178°/178°            |
| Color Gamut(Typ.)    | 72% NTSC             |
| Haze                 | 25%                  |
| Orientation          | Landscape & Portrait |
| Lifetime             | up to 50,000 hrs     |
| Operation Hours      | 7Day x 18Hour        |

### System

|                  |                                                                                                                                                      |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| Operating System | Android 11                                                                                                                                           |
| Processor CPU    | ARM Cortex-A55 Quad core                                                                                                                             |
| Processor GPU    | Mali-G52                                                                                                                                             |
| Memory           | 3G DDR4                                                                                                                                              |
| Storage          | 32G EMMC                                                                                                                                             |
| Language         | Simplified Chinese, English, French, German, Polish, Spanish, Russian, Italian, Finnish, Norwegian, Swedish, Hebrew, Arabic, Thai, Malay, Indonesian |

### Connectivity

|           |                                                                                                     |
|-----------|-----------------------------------------------------------------------------------------------------|
| Wi-Fi     | 2.4/5.0GHz dual,802.11a/b/g/n/ac                                                                    |
| Bluetooth | BT5.1                                                                                               |
| Input     | HDMI(2.0) x 2<br>DP(1.2a) x 1<br>USB2.0(A) x 1<br>USB3.0(A) x 1<br>RS232(RJ45) x 1<br>LAN(RJ45) x 1 |
| Output    | HDMI x 1<br>Audio(3.5mm) x 1<br>RS232(RJ45) x 1                                                     |

### Physical

|                           |                                                |
|---------------------------|------------------------------------------------|
| Bezel Color               | Black                                          |
| Set Dimension(W×H×D )     | 1239.7 x 710.2 x 63.3mm<br>48.8 x 28 x 2.5inch |
| Bezel width(T/L/R/B)      | 10.1mm(T/L/R), 10.6mm(B)                       |
| Net Weight                | 13.9kg / 30.6lbs                               |
| Packing Dimension (W×H×D) | 1387 x 838 x 159mm<br>54.6 x 33 x 6.3inch      |
| Gross Weight              | 19.5kg / 43lbs                                 |
| VESA Mount                | 300mm x 300mm                                  |

### Power

|                          |                       |
|--------------------------|-----------------------|
| Power Supply             | AC 100~240V (50/60Hz) |
| Power Consumption (Typ.) | 115W                  |
| Power Consumption (Max.) | 190W                  |
| Standby Consumption      | <0.5W (Standby Mode)  |

### Speaker

|                  |         |
|------------------|---------|
| Built in speaker | 10W x 2 |
|------------------|---------|

### Environment

|                       |                        |
|-----------------------|------------------------|
| Operating Temperature | 0°~40°C                |
| Operating Humidity    | 10%~80% Non-Condensing |

### What's in the box

|          |                                                                                                                     |
|----------|---------------------------------------------------------------------------------------------------------------------|
| Standard | Quick Setup Guide<br>Warranty Card<br>Power Cord<br>Remote Controller<br>Battery (AAA) x 2<br>RS232 Converter Cable |
|----------|---------------------------------------------------------------------------------------------------------------------|



### Certification

|                        |                                  |
|------------------------|----------------------------------|
| Standard Certification | CCC/CB/CE/FCC/ETUUS/UKCA/CEC/ERP |
| Safety                 | 62368-1                          |
| Enviroment             | Energy Star 8.0                  |
| IP Rating              | IP5X                             |



### Dimensions

**55"** 1239.7 x 710.2 x 63.3mm / 48.8 x 28 x 2.5inch  
13.9kg / 30.6lbs



Product specifications may vary per region, and specifications are subject to change. This material may include corporate names and trademarks of third parties which are the properties of the third parties respectively.

Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda Hisense, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanесenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

<https://tehnoteka.rs/p/hisense-displej-55-digital-signage-55gm50d-akcija-cena/>