

## Informacije o proizvodu (EN)

LENOVO laptop V15 G5 IRL i3/8/512GB

# Lenovo




Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

<https://tehnoteka.rs/p/lenovo-laptop-v15-g5-irl-i38512gb-akcija-cena/>

OVERVIEW



|                                  |                                                  |
|----------------------------------|--------------------------------------------------|
| 1. USB-A (USB 5Gbps)             | 5. USB-A (USB 5Gbps)                             |
| 2. Ethernet (RJ-45)              | 6. HDMI                                          |
| 3. Kensington Nano Security Slot | 7. USB-C (USB 5Gbps), with USB PD (20V) & DP 1.2 |
| 4. Power connector               | 8. Headphone / microphone combo jack (3.5mm)     |

PERFORMANCE

Processor

Processor Family

- 13th Generation Intel® U or H Series Core i3 / i5 / i7 Processor
- Intel® H Series Core 5 / 7 Processor (Series 2)
- Intel® U Series Core 3 / 5 / 7 Processor (Series 1)

Processor\*\*[1]

| Processor Name | Cores                    | Threads | Base Frequency                | Max Frequency                 | Cache                   | Processor Graphics  |
|----------------|--------------------------|---------|-------------------------------|-------------------------------|-------------------------|---------------------|
| Core i3-1315U  | 6 (2 P-core + 4 E-core)  | 8       | -                             | P-core 4.5GHz / E-core 3.3GHz | 10MB Intel® Smart Cache | Intel® UHD Graphics |
| Core i5-13420H | 8 (4 P-core + 4 E-core)  | 12      | -                             | P-core 4.6GHz / E-core 3.4GHz | 12MB Intel® Smart Cache | Intel® UHD Graphics |
| Core i7-13620H | 10 (6 P-core + 4 E-core) | 16      | -                             | P-core 4.9GHz / E-core 3.6GHz | 24MB Intel® Smart Cache | Intel® UHD Graphics |
| Core 3 100U    | 6 (2 P-core + 4 E-core)  | 8       | P-core 1.2GHz / E-core 900MHz | P-core 4.7GHz / E-core 3.3GHz | 10MB Intel® Smart Cache | Intel® Graphics     |
| Core 5 120U    | 10 (2 P-core + 8 E-core) | 12      | P-core 1.4GHz / E-core 900MHz | P-core 5.0GHz / E-core 3.8GHz | 12MB Intel® Smart Cache | Intel® Graphics     |
| Core 5 210H    | 8 (4 P-core + 4 E-core)  | 12      | P-core 2.2GHz / E-core 1.6GHz | P-core 4.8GHz / E-core 3.6GHz | 12MB Intel® Smart Cache | Intel® Graphics     |
| Core 5 220U    | 10 (2 P-core + 8 E-core) | 12      | P-core 1.4GHz / E-core 900MHz | P-core 5.0GHz / E-core 3.8GHz | 12MB Intel® Smart Cache | Intel® Graphics     |
| Core 7 150U    | 10 (2 P-core + 8 E-core) | 12      | P-core 1.8GHz / E-core 1.2GHz | P-core 5.4GHz / E-core 4.0GHz | 12MB Intel® Smart Cache | Intel® Graphics     |
| Core 7 240H    | 10 (6 P-core + 4 E-core) | 16      | P-core 2.5GHz / E-core 1.8GHz | P-core 5.2GHz / E-core 4.0GHz | 24MB Intel® Smart Cache | Intel® Graphics     |

Notes:

[1] Intel® Core™ 5 120U and Core 7 150U have been end of life and not available anymore.

Operating System

Operating System\*\*

- Windows® 11 Pro
- Windows® 11 Home
- Windows® 11 Home Single Language
- No preload operating system

Graphics

Graphics\*\*

| Graphics            | Type       | Memory | TGP           | Key Features  |
|---------------------|------------|--------|---------------|---------------|
| Intel® UHD Graphics | Integrated | Shared | Share CPU TDP | DirectX® 12.1 |
| Intel® Graphics     | Integrated | Shared | Share CPU TDP | DirectX® 12.1 |

Monitor Support

Monitor Support

Supports up to 3 independent displays (native display and 2 external monitors via HDMI® and USB-C®)

- HDMI® supports up to 4096x2160@30Hz
- USB-C® supports up to 4096x2160@60Hz

Chipset

Chipset

Intel® SoC (System on Chip) platform

Memory

Max Memory<sup>[1]</sup>

Up to 32GB DDR5-5200 offering

Memory Slots

Two DDR5 SODIMM slots, dual-channel capable

Memory Type

DDR5-5200

Notes:

[1] The max memory is based on the test results with current Lenovo® memory offerings.

Storage

Max Storage Support<sup>[1]</sup>

One drive, up to 1TB M.2 2242 SSD

Storage Slot<sup>[2]</sup>

One M.2 2242 PCIe® 4.0 x4 slot

Storage Type\*\*

| Disk Type                   | Interface                 | Offering            |
|-----------------------------|---------------------------|---------------------|
| M.2 2242 SSD <sup>[3]</sup> | PCIe® NVMe®, PCIe® 3.0 x4 | 128GB               |
| M.2 2242 SSD                | PCIe® NVMe®, PCIe® 4.0 x4 | 256GB / 512GB / 1TB |

Notes:

[1] The storage capacity supported is based on the test results with current Lenovo® storage offerings.

[2] The actual data transfer rate of the following PCIe® interface also depends on the capabilities of the connected PCIe® device. The listed values represent theoretical maximums.  
PCIe® 3.0 (x2 / x4): 2 GB/s (16 Gbps) / 4 GB/s (32 Gbps);  
PCIe® 4.0 (x2 / x4): 4 GB/s (32 Gbps) / 8 GB/s (64 Gbps);  
PCIe® 5.0 (x2 / x4): 8 GB/s (64 Gbps) / 16 GB/s (128 Gbps).

[3] 128GB SSD is for special bid only.

Removable Storage

Card Reader

No card reader

Multi-Media

Audio Chip

High Definition (HD) Audio, Senary SN6147 codec

Speakers

Stereo speakers, 1.5W x2

Microphone

Dual-microphone array

Camera

HD 720p, with privacy shutter, fixed focus

Battery

Battery

47Wh Rechargeable Li-ion Battery, supports Rapid Charge (charge up to 80% in 1hr)

Max Battery Life<sup>[1]</sup>

MobileMark® 2018: 8.9 hr

Local video (1080p) playback@150nits: 11.2 hr

Notes:

[1] All battery life claims are approximate maximum and based on results using the MobileMark® 2014, MobileMark® 2018,

MobileMark® 25, MobileMark® 30, JEITA 2.0, JEITA 3.0, continuous 1080p video playback (with 150nits brightness and default volume level) or Google Power Load Test (PLT) battery-life benchmark tests. Actual battery life will vary depending on many factors such as product configuration and usage, software use, wireless functionality, power management settings, and screen brightness. The maximum capacity of the battery will decrease with time and use.

Power Adapter

Power Adapter\*\*<sup>[1]</sup>

- 65W round tip (3-pin) AC adapter, 100-240V, 50-60Hz
- 65W USB-C® (3-pin) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- 65W USB-C® slim (2-pin, wall-mount) AC adapter, supports PD 3.0, 100-240V, 50-60Hz
- No power adapter

Notes:

<sup>[1]</sup> AC adapter offerings depend on the country.

Special Features

Special Features

Modern Standby

DESIGN

Display

Display\*\*

| Size  | Resolution      | Touch     | Type               | Brightness | Surface    | Aspect Ratio | Contrast Ratio | Color Gamut | Refresh Rate | Viewing Angle (L/R/U/D) | Key Features                  |
|-------|-----------------|-----------|--------------------|------------|------------|--------------|----------------|-------------|--------------|-------------------------|-------------------------------|
| 15.6" | FHD (1920x1080) | Non-touch | TN                 | 250nits    | Anti-glare | 16:9         | 500:1          | 45% NTSC    | 60Hz         | 45° / 45° / 15° / 35°   | TÜV Low Blue Light (Software) |
| 15.6" | FHD (1920x1080) | Non-touch | IPS <sup>[1]</sup> | 300nits    | Anti-glare | 16:9         | 800:1          | 45% NTSC    | 60Hz         | 85° / 85° / 85° / 85°   | TÜV Low Blue Light (Software) |

Touchscreen

Non-touch

Screen-to-Body Ratio

87%

Notes:

<sup>[1]</sup> IPS (in-plane switching) technology may refer to IPS, PLS, ADS, AHVA, AAS.

Input Device

Pen

No support

Keyboard

6-row, spill-resistant, multimedia Fn keys, numeric keypad, key travel 1.3mm, Copilot key

Keyboard Backlight

Non-backlight

Touchpad

Buttonless Mylar® surface multi-touch touchpad, supports Precision TouchPad (PTP), 62 x 104 mm (2.44 x 4.09 inches)

Mechanical

Dimensions (WxDxH)<sup>[1]</sup>

359.2 x 235.8 x 18.3 mm (14.14 x 9.28 x 0.72 inches)

Weight<sup>[2]</sup>

Starting at 1.61 kg (3.55 lbs)

**Case Color\*\***

- Business black
- Luna grey

**Case Material**

PC-ABS (top), PC-ABS (bottom)

**Surface Treatment\*\***

- IMR (in-mold decoration by roller)
- Texture

Notes:

[1] The system dimensions may vary depending on configurations.

[2] The system weight is approximate and based on results in Lenovo® lab, which varies depending on the source of component, variance of the distribution of each component, and manufacturing process. It may not be the exact weight for each specific model.

## CONNECTIVITY

### Network

**WLAN + Bluetooth®\*\*[1]**

- Wi-Fi® 6, 802.11ax 2x2 Wi-Fi® + Bluetooth® 5.2, M.2 card
- Intel® Wi-Fi® 6 AX203, 802.11ax 2x2 Wi-Fi® + Bluetooth® 5.2, M.2 card

**WWAN**

No support

**Ethernet**

Gigabit Ethernet, 1x RJ-45, supports Wake-on-LAN

Notes:

[1] Wi-Fi® operation (including Wi-Fi® 6, Wi-Fi® 6E, Wi-Fi® 7, etc.) is subject to the regulatory requirements of each country. Bluetooth® may operate at a lower version than hardware design depending on the factors such as operating system, driver, etc.

### Ports<sup>[1]</sup>

**Standard Ports**

- 2x USB-A (USB 5Gbps / USB 3.2 Gen 1)
- 1x USB-C® (USB 5Gbps / USB 3.2 Gen 1), with USB Power Delivery (20V only) and DisplayPort™ 1.2
- 1x HDMI® 1.4b
- 1x Headphone / microphone combo jack (3.5mm)
- 1x Ethernet (RJ-45)
- 1x Power connector

Notes:

[1] The transfer speed of the ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

### Docking

**Docking**

Various docking solutions supported via USB-C®.

For more compatible docking solutions, please visit [Docking for Lenovo® V15 G5 IRL](#)

## SECURITY & PRIVACY

### Security

**Security Chip\*\***

- Firmware TPM 2.0 integrated in SoC
- Discrete TPM 2.0, TCG certified

**Physical Locks**

Kensington® Nano Security Slot™, 2.5 x 6 mm

**Fingerprint Reader**

- Touch style fingerprint reader integrated in power button, match-on-chip
- No fingerprint reader

**BIOS Security**

- Administrator password
- Hard disk password
- Power-on password
- User password
- Self-healing BIOS
- More BIOS security features, please visit [BIOS Simulator](#)<sup>[1]</sup>

**Other Security**

Camera privacy shutter

---

Notes:

[1] The BIOS simulator is just for reference. Default settings and some options may vary depending on the hardware, operating system and BIOS version.

## SERVICE

### Warranty

**Base Warranty\*\***

- 1-year courier or carry-in service
- 2-year (1-yr battery) courier or carry-in service
- No base warranty

## ACCESSORIES

### Bundled Accessories

**Bundled Accessories**<sup>[1]</sup>

- Lenovo® 15.6" laptop casual toploader, polyester<sup>[2]</sup>
- None

---

Notes:

[1] For more compatible accessory solutions, please visit [Accessories for Lenovo® V15 G5 IRL](#).

[2] Lenovo® 15.6" laptop casual toploader is exclusively available to EMEA.

## OPERATING REQUIREMENTS

### Operating Environment

**Temperature**<sup>[1]</sup>

- At altitudes up to 2438 m (8,000 ft)
  - Operating: 5°C to 35°C (41°F to 95°F)
  - Storage: 5°C to 43°C (41°F to 109°F)
- At altitudes above 2438 m (8,000 ft)
  - Maximum temperature when operating under the unpressurized condition: 31.3°C (88°F)

**Relative Humidity**

- Operating: 8% to 95% at wet-bulb temperature 23°C (73°F)
- Storage: 5% to 95% at wet-bulb temperature 27°C (81°F)

**Altitude**

Maximum altitude (without pressurization): 3048 m (10,000 ft)

## Notes:

[1] When you charge the battery, its temperature must be no lower than 10°C (50°F).

## ENVIRONMENTAL

### Sustainability

#### Material<sup>[1]</sup>

25% PCC recycled plastic used in the battery pack enclosure  
90% PCC recycled plastic used in standard 65W USB-C® adapter  
30% PCC recycled plastic used in standard 65W round tip adapter  
95% recycled content in PIC cushion  
90% recycled content in OBP bag  
FSC certified content in carton box

## Notes:

[1] PCC: Post Consumer Content, recycled materials from customers.

## CERTIFICATIONS

### Green Certifications<sup>[1]</sup>

#### Green Certifications<sup>[2][3]</sup>

- ENERGY STAR® 9.0
- EPEAT™ Gold Registered<sup>[4]</sup>
- ErP Lot 6/26
- RoHS compliant
- TCO Certified 9.0

## Notes:

[1] The items listed under the "Green Certifications" section may not only refer to certification but also registration or self-declaration. For ESG & regulatory compliance documents, please visit <https://compliance.lenovo.com>.

[2] EPEAT™ registration and ENERGY STAR® certification are optional and only available on the models with preloaded OS. Please visit [epeat.net](https://epeat.net) and [energystar.gov](https://energystar.gov) for more information.

[3] EPEAT™ registration and TCO certification are only available for MT 83HF.

[4] EPEAT™ is registered where applicable, please visit [epeat.net](https://epeat.net) for registration status by country.

### Other Certifications


#### Mil-Spec Test

MIL-STD-810H military test passed

#### Other Certifications

TÜV Rheinland® Low Blue Light (Software Solution)

- Feature with \*\* means that only one option listed under the feature can be configured on selected models. Please refer to the model configuration for specific information.
- Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.
- The specifications on this page may not be available in all regions, and may be changed or updated without notice.



Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda Lenovo, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanесenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

<https://tehnoteka.rs/p/lenovo-laptop-v15-g5-irl-i38512gb-akcija-cena/>