

Informacije o proizvodu (EN)

Be Quiet napajanje Pure Power 13 M 750W BP026EU

be quiet![®]



Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

<https://tehnoteka.rs/p/be-quiet-napajanje-pure-power-13-m-750w-bp026eu-akcija-cena/>



PURE POWER 13 M

1200W • 1000W • 850W • 750W • 650W • 550W

IDEAL APPLICATIONS

Gaming systems with latest graphic cards
Silent PC builds
Office applications
Home theater systems

HIGHLIGHTS

80 PLUS® Gold efficiency
Fulfills all ATX 3.1 specifications
Semi-passive PSU with silent be quiet! fan for exceptionally quiet operation
Modular cables

Exceptional Quiet, Superior Features

Pure Power 13 M is ATX 3.1 compliant and PCIe 5.1 compatible, offers 80 PLUS® Gold efficiency and a silence-optimized 120mm be quiet! fan.

Highlights

- 80 PLUS® Gold efficiency (up to 93.5%)
- ATX 3.1 PSU with full support for PCIe 5.1 GPUs and GPUs with 6+2 pin connectors
- Handles massive power excursions
- Exceptionally silent semi-passive 120mm be quiet! fan
- Semi-passive construction for quiet and energy-saving operation
- LLC technology for advanced stability and voltage regulation
- One massive high-performance 12V-rail
- One PCIe 5.1 12V-2x6 with up to 600W and up to 4 PCIe 6+2 connectors for overclocked high-end GPUs
- Full suite of safety features
- Meets latest requirements for modern standby
- 10-year manufacturer's warranty



PURE POWER 13 M

Technical Data					
IN GENERAL	Model	1200W	1000W	850W	750W
	Article no.	BP029EU	BP028EU	BP027EU	BP026EU
	EAN code	4260052193655	4260052192207	4260052192191	4260052192184
	Voltage (Vac) / Frequency (Hz)	110-240 / 50-60	100-240 / 50-60		
	Dimensions (L x W x H, mm)	160 x 150 x 86			
	ATX12V 3.1 / EPS 12V 2.92	✓ / ✓			
	Fan type fan size (mm)	temperature-controlled quality fan 120			
	Noise level (dB(A)) at 20 / 50 / 100% load	9.8 / 11.6 / 32.3	8.2 / 8.6 / 19.5	7.6 / 8.3 / 17.6	7.2 / 8.5 / 16.5
	12V rail (Multi-Rail) / 12V Single Rail	- / 1			
	Overclocking Key / Jumper	- / -			
	Power Good signal (ms)	100-150			
	PFC	active			
	Certifications / Efficiency (%) at 230V	80 PLUS® Gold / 93.5	80 PLUS® Gold / 94.4		80 PLUS® Gold / 94.3
	Energy Star 9.0 / 8.0 compatible	✓ / ✓	- / ✓		
	ErP 2014 ready / Power in stand-by (W)	✓ / <0.1			
	OCP, OVP, UVP, SCP, OPP, OTP	✓			
	Lifetime of PSU at 25 °C (h)	>100,000			
CABLES	No. of cables	8			
	Maximum cable length (cm)	95			
	Length of ATX-connection cable (cm)	55			
	Modular cable management	-			
	Sleeved cables	20+4Pin, PCIe 5.1 (12V-2x6 / 12VHPWR)			
	Flat cables	P4+4, P8, PCIe, drives			
CONNECTORS	ATX-motherboard (20+4-pin)	✓			
	PCI-express (6+2-pin)	4			
	P8/P4 connector	1 x P4+4, 1 x P8			
	S-ATA	6			
	P-ATA	2			
	Easy-plug HDD connectors	-			
	FDD (Floppy)	-			

PURE POWER 13 M

Technical Data			
IN GENERAL	Model	650W	550W
	Article no.	BP025EU	BP024EU
	EAN code	4260052192177	4260052192160
	Voltage (Vac) / Frequency (Hz)	100-240 / 50-60	
	Dimensions (L x W x H, mm)	160 x 150 x 86	
	ATX12V 3.1 / EPS 12V 2.92	✓ / ✓	
	Fan type fan size (mm)	temperature-controlled quality fan 120	
	Noise level (dB(A)) at 20 / 50 / 100% load	7.3 / 8.4 / 15.9	7.5 / 8.6 / 14
	12V rail (Multi-Rail) / 12V Single Rail	- / 1	
	Overclocking Key / Jumper	- / -	
	Power Good signal (ms)	100-150	
	PFC	active	
	Certifications / Efficiency (%) at 230V	80 PLUS® Gold / 94.2	80 PLUS® Gold / 93.8
	Energy Star 8.0 compatible	✓	
	ErP 2014 ready / Power in stand-by (W)	✓ / <0.1	
	OCP, OVP, UVP, SCP, OPP, OTP	✓	
Lifetime of PSU at 25 °C (h)	>100,000		
CABLES	No. of cables	7	6
	Maximum cable length (cm)	95	
	Length of ATX-connection cable (cm)	55	
	Modular cable management	-	
	Sleeved cables	20+4Pin, PCIe 5.1 (12V-2x6 / 12VHPWR)	
	Flat cables	P4+4, P4, PCIe, drives	
CONNECTORS	ATX-motherboard (20+4-pin)	✓	
	PCI-express (6+2-pin)	2	
	P8/P4 connector	1 x P4+4, 1 x P4	1 x P4+4
	S-ATA	5	
	P-ATA	2	
	Easy-plug HDD connectors	-	
	FDD (Floppy)	-	

Output Data													
PURE POWER 13 M 1200W	AC Input	110-240Vac		50-60Hz	15-7.5A		PURE POWER 13 M 1000W	AC Input	100-240Vac		50-60Hz	12-6A	
	DC Output	3.3V	5V	12V	-12V	5VSB		DC Output	3.3V	5V	12V	-12V	5VSB
	Max. Current	22A	22A	100A	0.3A	3A		Max. Current	22A	22A	83.4A	0.3A	3A
	Max. Combined Power	120W		1200W	3.6W	15W		Max. Combined Power	120W		1000W	3.6W	15W
						1200W							
PURE POWER 13 M 850W	AC Input	100-240Vac		50-60Hz	12-6A		PURE POWER 13 M 750W	AC Input	100-240Vac		50-60Hz	10-5A	
	DC Output	3.3V	5V	12V	-12V	5VSB		DC Output	3.3V	5V	12V	-12V	5VSB
	Max. Current	22A	22A	70.9A	0.3A	3A		Max. Current	20A	20A	62.5A	0.3A	3A
	Max. Combined Power	120W		850W	3.6W	15W		Max. Combined Power	120W		750W	3.6W	15W
						850W							
PURE POWER 13 M 650W	AC Input	100-240Vac		50-60Hz	10-5A		PURE POWER 13 M 550W	AC Input	100-240Vac		50-60Hz	10-5A	
	DC Output	3.3V	5V	12V	-12V	5VSB		DC Output	3.3V	5V	12V	-12V	5VSB
	Max. Current	20A	20A	54.1A	0.3A	3A		Max. Current	20A	20A	45.8A	0.3A	3A
	Max. Combined Power	120W		650W	3.6W	15W		Max. Combined Power	120W		550W	3.6W	15W
						650W							
						650W							

PURE POWER 13 M

Logistics data			
Region	Model	Article no.	EAN code
EU	Pure Power 13 M 1200W	BP029EU	4260052193655
EU	Pure Power 13 M 1000W	BP028EU	4260052192207
EU	Pure Power 13 M 850W	BP027EU	4260052192191
EU	Pure Power 13 M 750W	BP026EU	4260052192184
EU	Pure Power 13 M 650W	BP025EU	4260052192177
EU	Pure Power 13 M 550W	BP024EU	4260052192160
US	Pure Power 13 M 1200W	BP029US	4260052193730
US	Pure Power 13 M 1000W	BP028US	4260052192252
US	Pure Power 13 M 850W	BP027US	4260052192245
US	Pure Power 13 M 750W	BP026US	4260052192238
US	Pure Power 13 M 650W	BP025US	4260052192221
US	Pure Power 13 M 550W	BP024US	4260052192214
ROW US Cord	Pure Power 13 M 1200W	BP029U2	4260052193716
ROW US Cord	Pure Power 13 M 1000W	BP028U2	4260052192303
ROW US Cord	Pure Power 13 M 850W	BP027U2	4260052192290
ROW US Cord	Pure Power 13 M 750W	BP026U2	4260052192283
ROW US Cord	Pure Power 13 M 650W	BP025U2	4260052192276
ROW US Cord	Pure Power 13 M 550W	BP024U2	4260052192269
UK	Pure Power 13 M 1200W	BP029UK	4260052193723
UK	Pure Power 13 M 1000W	BP028UK	4260052193020
UK	Pure Power 13 M 850W	BP027UK	4260052193037
UK	Pure Power 13 M 750W	BP026UK	4260052193044
UK	Pure Power 13 M 650W	BP025UK	4260052193051
UK	Pure Power 13 M 550W	BP024UK	4260052193068
AU	Pure Power 13 M 1200W	BP029AU	4260052193679
AU	Pure Power 13 M 1000W	BP028AU	4260052192450
AU	Pure Power 13 M 850W	BP027AU	4260052192443
AU	Pure Power 13 M 750W	BP026AU	4260052192436
AU	Pure Power 13 M 650W	BP025AU	4260052192429
AU	Pure Power 13 M 550W	BP024AU	4260052192412
AR	Pure Power 13 M 1200W	BP029AR	4260052193662
AR	Pure Power 13 M 1000W	BP028AR	4260052192986
AR	Pure Power 13 M 850W	BP027AR	4260052192979
AR	Pure Power 13 M 750W	BP026AR	4260052192962
AR	Pure Power 13 M 650W	BP025AR	4260052192955
AR	Pure Power 13 M 550W	BP024AR	4260052192948
TW	Pure Power 13 M 1200W	BP029TW	4260052193709
TW	Pure Power 13 M 1000W	BP028TW	4260052192351
TW	Pure Power 13 M 850W	BP027TW	4260052192344
TW	Pure Power 13 M 750W	BP026TW	4260052192337
TW	Pure Power 13 M 650W	BP025TW	4260052192320
TW	Pure Power 13 M 550W	BP024TW	4260052192313
CN	Pure Power 13 M 1200W	BP029CN	4260052193686
CN	Pure Power 13 M 1000W	BP028CN	4260052192405
CN	Pure Power 13 M 850W	BP027CN	4260052192399
CN	Pure Power 13 M 750W	BP026CN	4260052192382
CN	Pure Power 13 M 650W	BP025CN	4260052192375
CN	Pure Power 13 M 550W	BP024CN	4260052192368
JP	Pure Power 13 M 1200W	BP029JP	4260052193693
JP	Pure Power 13 M 1000W	BP028JP	4260052193488
JP	Pure Power 13 M 850W	BP027JP	4260052193471
JP	Pure Power 13 M 750W	BP026JP	4260052193464

Certifications

UK Authorised Representative (for authorities only) ProductIP (UK) Ltd. 8, Northumberland Av. London WC2N 5BY

Contact

be quiet! Headquarters
Listan GmbH
Wilhelm-Bergner-Straße 11c
21509 Glinde
Germany

Service hotline: +49 40 7367 686 44
e-mail: service@bequiet.com

Visit the contact section on bequiet.com for the right regional service information.

Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda Be quiet!, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanесenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

<https://tehnoteka.rs/p/be-quiet-napajanje-pure-power-13-m-750w-bp026eu-akcija-cena/>