


## Informacije o proizvodu (EN)

DELL monitor 27" IPS Pro E2726HS



Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

<https://tehnoteka.rs/p/dell-monitor-27-ips-pro-e2726hs-akcija-cena/>



# The essentials to enhance productivity


---

Dell Pro 27 Adjustable Stand Monitor

**MODEL: E2726HS**

The world's # 1 monitor company\*

\* Source: IDC Worldwide Quarterly PC Monitor Tracker, Q2 2025. CLM-005299



Get the essentials to enhance productivity with this 27-inch height-adjustable monitor certified by TÜV Rheinland® for 3-star eye comfort.

### Improved viewing experience

Enjoy smoother and sharper motion visuals with the 100Hz refresh rate, delivering an enhanced viewing experience.

These monitors also feature TÜV Rheinland® 3-star<sup>1</sup> eye comfort certification, the latest standard to help reduce eye fatigue. Additionally, ComfortView Plus is built in to minimize harmful blue light emissions without compromising color quality.

Enjoy vibrant and consistent visuals from virtually any angle, thanks to In-Plane Switching (IPS) technology that offers a wide 178°/178° viewing angle. Paired with a 1000:1 contrast ratio, this monitor ensures brilliant colors, bringing your content to life with stunning clarity and precision.

### Functional, space-saving design

Height adjustability, built-in speakers, and an ultra-thin bezel design make this monitor a standout choice for improved everyday ergonomics and productivity.

The sleek, ultra-thin bezels allow you to see more with fewer distractions, creating a streamlined viewing experience while keeping comfort and functionality in focus.

### Next-level productivity

Boost efficiency and productivity with Dell Display and Peripheral Manager that lets you customize your monitor settings, organize your screen using Easy Arrange and simplify management.

Conveniently connect to current and legacy systems via VGA, DisplayPort and HDMI ports. Make your workspace your own with VESA-compatible mounts and stands.

Experience reduced downtime with Advanced Exchange Service<sup>2</sup>. If, after remote diagnosis, a monitor replacement becomes necessary, it will be shipped to you the next business day.

<sup>1</sup> TÜV Rheinland certified - Low Blue Light Hardware Solution and Flicker Free (ID 0217010014).

<sup>2</sup> Advanced Exchange Service replaces hardware after remote diagnosis. The customer must return the original hardware to Dell according to the rules specified. Advanced Exchange Service is subject to country availability. For complete details about On-site Service or Advanced Exchange Service, [see more](#) for details.



**Improved visual comfort**

Experience firsthand benefits with ComfortView Plus, engineered to minimize harmful blue light emissions without compromising color. Coupled with a 100 Hz refresh rate, this monitor delivers a TÜV Rheinland 3-star<sup>1</sup> certified viewing experience.



**See your work clearly**

Work in FHD clarity and get consistent views across any angle, thanks to In-Plane Switching (IPS) technology that offers a wide 178°/178° viewing angle. With a 1000:1 contrast ratio, this monitor delivers vivid colors with exceptional clarity and detail.



**Multi-task with ease**

Boost efficiency with Dell Display and Peripheral Manager that lets you organize multiple apps on your screen.



**Easy to connect**

Connect to current and legacy systems via VGA, DisplayPort and HDMI ports.

**World's number 1 monitor company\***

We deliver world-class monitors that have gone through rigorous development processes and stringent tests to ensure dependable performance. Get peace of mind with unmatched warranty and support options. Being environmentally forward in thinking, our monitors adhere to environment standards and are made with sustainable materials.

\* Source: IDC Worldwide Quarterly PC Monitor Tracker, Q2 2025. CLM-005299  
 1 TÜV Rheinland certified - Low Blue Light Hardware Solution and Flicker Free (ID 0217010014).



# Environmentally forward thinking

## Intentional design in every part

At the heart of our design is a commitment to sustainability. That's why our monitor helps reduce waste with a design made from recycled materials like up to 85% post-consumer recycled plastic, up to 16% recycled steel and up to 20% recycled glass<sup>1</sup>.

## Seamlessly modernize your tech

We can help you responsibly and securely retire your legacy IT equipment, regardless of brand, while addressing your sustainability goals.

[Learn more >](#)

## Environmental standards

This monitor is certified ENERGY STAR®, registered EPEAT Gold with Climate+ and carries the latest TCO Certification and is TCO Certified Edge, ensuring the use of safer materials, renewable energy use, and extended product life<sup>2</sup>.

## Packaging with purpose

This monitor ships in a box made from 100% renewable materials. We are reducing plastic waste wherever possible and transitioning to a responsible fiber-based solution<sup>3</sup>.

<sup>1</sup> Based on internal analysis, July 2025. Up to 85% recycled plastic and closed loop ITE derived plastic, up to 16% recycled steel in the chassis, and at least 20% recycled glass in the panel. Applies to E2726HS and E2726DS monitors.

<sup>2</sup> Based on internal analysis, August 2025. EPEAT registered where applicable. EPEAT registration varies by country. See [www.epeat.net](http://www.epeat.net) for registration status by country.

<sup>3</sup> Applies to all Dell monitors launched since 2023. Made from FSC mix sources which is a mix of material from FSC certified forests, recycled content and/or FSC controlled wood. Based on internal analysis, January 2025. Cushions now made from corrugated materials.

# All day comfort

Get a seamless viewing experience and focus on your task with slim bezels and small footprint.




## Work comfortably

Designed for your comfort, this monitor offers height adjustability, pivot, swivel, and tilt features, allowing you to customize your setup for optimal productivity and ergonomic support throughout the day.



## Conveniently connect

Connect to current and legacy systems via VGA, DisplayPort and HDMI interfaces.



# Dell Display and Peripheral Manager



Screen image simulated for illustrative purposes only. Monitor model varies.

Experience Dell's singular, innovative application to optimize the performance of your entire Dell PC workspace.<sup>1</sup>

## Maximize productivity

Easy Arrange tiles apps across screens with pre-set partitions and customizes up to five windows, enhancing multitasking. Easy Arrange Memory saves and restores app profiles manually, on schedule, or at start-up.

## Customize your views

Work comfortably, day or night. Automate your brightness and contrast settings to match your schedule.

## More manageable

Scale up management across your entire fleet of Dell displays and client peripherals with expanded Command Line Interface features.

[Download Dell Display and Peripheral Manager](#)

<sup>1</sup> Based on Dell internal analysis – December 2024.

# Ports & Slots



- 1 Security lock slot (based on Kensington Security Slot™)
- 2 Power connector
- 3 Stand lock
- 4 DisplayPort 1.4 (HDCP 1.4)
- 5 HDMI (HDCP 1.4) (Supports up to 1920 x 1080 100Hz, as per specified in HDMI 1.4)
- 6 VGA
- 7 Built-in speakers

FEATURE	TECHNICAL SPECIFICATION
MODEL	Dell Pro 27 Adjustable Stand Monitor - E2726HS
DIAGONAL VIEWING SIZE	686.0 mm (27")
PANEL TYPE	In-Plane Switching (IPS) Technology
MAXIMUM PRESET RESOLUTION AND REFRESH RATE	<ul style="list-style-type: none"> <li>• 1920 x 1080</li> <li>• Up to 100 Hz</li> </ul>
VIEWING ANGLE	Horizontal: 178° Vertical: 178°
PIXEL PITCH	Horizontal: 0.3144 mm Vertical: 0.3144 mm
PIXEL PER INCH (PPI)	82
CONTRAST RATIO	1,000:1 (typical)
ASPECT RATIO	16:9
BRIGHTNESS	300 cd/m2 (typical)
RESPONSE TIME	<ul style="list-style-type: none"> <li>• 8 ms (gray to gray normal mode)</li> <li>• 5 ms (gray to gray fast mode)</li> </ul>
COLOR GAMUT	NTSC 72% (CIE 1931) (minimum)
COLOR DEPTH	16.70 million colors
TÜV EYECOMFORT	3-star
CONNECTIVITY	<ul style="list-style-type: none"> <li>• 1 HDMI port/s (HDCP 1.4) (Supports up to 1920 x 1080, 100 Hz, as specified in HDMI 1.4)</li> <li>• 1 DisplayPort 1.4 (HDCP 1.4) port/s</li> <li>• 1 VGA port</li> </ul>
DISPLAY SCREEN COATING	Anti-Glare (AG) with hard-coating 3H
VOLTAGE REQUIRED	100 VAC to 240 VAC/50 Hz or 60 Hz ± 3 Hz/1.5 A
POWER CONSUMPTION	16.90 W (On mode) 0.30 W (Off mode) 0.30 W (Standby mode) 38.00 W (Max.)
ENERGY EFFICIENCY CLASS (A TO G)	D 
BEZEL WIDTH – TOP	6.40 mm (0.25 in.)
BEZEL WIDTH – LEFT OR RIGHT	6.40 mm (0.25 in.)
BEZEL WIDTH – BOTTOM	12.30 mm (0.48 in.)
DIMENSIONS (WITH STAND) – HEIGHT	Extended: 514.57 mm (20.26 in.) Compressed: 384.57 mm (15.14 in.)
DIMENSIONS (WITH STAND) – WIDTH	610.68 mm (24.04 in.)
DIMENSIONS (WITH STAND) – DEPTH	211.59 mm (8.33 in.)
DIMENSIONS (WITHOUT STAND) – HEIGHT	355.02 mm (13.98 in.)

FEATURE	TECHNICAL SPECIFICATION
DIMENSIONS (WITHOUT STAND) – WIDTH	610.68 mm (24.04 in.)
DIMENSIONS (WITHOUT STAND) – DEPTH	55.10 mm (2.17 in.)
STAND DIMENSIONS – HEIGHT	Extended: 408.30 mm (16.07 in.) Compressed: 348.06 mm (13.70 in.)
STAND DIMENSIONS – WIDTH	257.12 mm (10.12 in.)
STAND DIMENSIONS – DEPTH	211.59 mm (8.33 in.)
WEIGHT WITH PACKAGING	7.10 kg (15.65 lbs)
WEIGHT WITH STAND ASSEMBLY AND CABLES	4.83 kg (10.65 lbs)
WEIGHT WITHOUT STAND ASSEMBLY (WITHOUT CABLES)	3.09 kg (6.81 lbs)
WEIGHT OF STAND ASSEMBLY	1.51 kg (3.33 lbs)
FLAT PANEL MOUNT INTERFACE	VESA (100 mm x 100 mm)
SECURITY	Security lock slot (cable lock sold separately)
COMPLIANT STANDARDS	<ul style="list-style-type: none"> <li>• Electronic Product Environmental Assessment Tool Climate+ (EPEAT Climate+)</li> <li>• Electronic Product Environmental Assessment Tool (EPEAT Gold)</li> <li>• TCO Certified 10</li> <li>• TCO Certified Edge</li> <li>• Restriction of Hazardous Substances (RoHS)</li> <li>• Product Safety, EMC and Environmental Datasheets</li> <li>• Dell Regulatory Compliance Home Page</li> <li>• Dell and the Environment</li> <li>• BFR/PVC reduce monitor (Circuit boards are made from BFR/PVC-free laminates)</li> <li>• Meets NFPA 99 leakage current requirements.</li> <li>• ERP Lot 5 (Tier2)</li> <li>• California CEC</li> <li>• ENERGY STAR 8.0</li> <li>• Energy-related Products Directive (ErP)</li> <li>• Energy-related Products Directive Lot 5 (ErP Lot 5)</li> </ul>
TEMPERATURE RANGE	<ul style="list-style-type: none"> <li>• Operating: 0°C to 40°C (32°F to 104°F)</li> <li>• Non-Operating: -20°C to 60°C (-4°F to 140°F)</li> </ul>
HUMIDITY RANGE	<ul style="list-style-type: none"> <li>• Operating: 10% to 80% (non-condensing)</li> <li>• Non-Operating: 5% to 90% (non-condensing)</li> </ul>
ALTITUDE	<ul style="list-style-type: none"> <li>• Operating: 5,000 m (16,400 ft) maximum</li> <li>• Non-Operating: 12,192 m (40,000 ft) maximum</li> </ul>
WHAT'S INCLUDED	<ul style="list-style-type: none"> <li>• Monitor with stand</li> <li>• Power cable</li> <li>• 1 HDMI cable - 1.80 m</li> <li>• QR card</li> <li>• Safety, Environmental, and Regulatory Information</li> </ul>

# Dell monitors offer a reliability rate of 99.6% uptime<sup>1</sup>

As the No. 1 monitor company worldwide\*, we take pride in our unyielding commitment to quality and the utmost in customer satisfaction.



## Advanced Exchange Service

These monitors come with Advanced Exchange Service<sup>2</sup>. If, after remote diagnosis, a monitor replacement becomes necessary, it will be shipped to you the next business day.

## ProSupport

Upgrade to 24x7 specialized technical phone support with the Dell ProSupport option.<sup>3</sup>

## Optimal integration

Dell Monitors are designed to work seamlessly with our PC and accessories. Visit the [support page](#) to find out more.

\* Source: IDC Worldwide Quarterly PC Monitor Tracker, Q2 2025. CLM-005299

<sup>1</sup> Source: Based on Dell Quality Intelligence (Qi) tool - Dell Internal Analysis, January 2025. 99.6% uptime rate reflects operational reliability, with 0.4% dispatch in the first year.

<sup>2</sup> Advanced Exchange Service replaces hardware after remote diagnosis. The customer must return the original hardware to Dell according to the rules specified. Advanced Exchange Service is subject to country availability. For complete details about On-site Service or Advanced Exchange Service, [see more](#) for details.

<sup>3</sup> Availability varies, please visit [www.dell.com/support](http://www.dell.com/support) for details. In some countries, hours for in-region support may vary. Support after local business hours may be provided in a language other than the local language.

Technical specifications subject to change without prior notice. Product availability varies by country. Please contact your Dell representative for more information.

© 2025 Dell Inc. or its subsidiaries. All Rights Reserved. Dell Technologies, Dell, EMC, Dell EMC and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners. USB Type-C® and USB-C® are registered trademarks of USB Implementers Forum. Thunderbolt and the Thunderbolt logo are trademarks of Intel Corporation in the U.S. and/or other countries.

Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda Dell, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanесenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

<https://tehnoteka.rs/p/dell-monitor-27-ips-pro-e2726hs-akcija-cena/>