

Informacije o proizvodu (EN)

DELL konferencijski monitor 23.8" IPS Pro P P2426HEB



Tehnoteka je online destinacija za upoređivanje cena i karakteristika bele tehnike, potrošačke elektronike i IT uređaja kod trgovinskih lanaca i internet prodavnica u Srbiji. Naša stranica vam omogućava da istražite najnovije informacije, detaljne karakteristike i konkurentne cene proizvoda.

Posetite nas i uživajte u ekskluzivnom iskustvu pametne kupovine klikom na link:

<https://tehnoteka.rs/p/dell-konferencijski-monitor-238-ips-pro-p-p2426heb-akcija-cena/>




Next generation collaboration experience

Dell Pro P 24 USB-C Hub Conferencing Monitor

MODEL: P2426HEB

The world's # 1 monitor company*

* Dell monitors are #1 Worldwide for 11 years! Source: IDC Worldwide Quarterly PC Monitor Tracker, Q3 2025. From 2014 to 2024. Exclude Alienware and gaming monitors.



Experience effortless collaboration with a 23.8-inch Full HD IPS monitor, featuring a built-in webcam, speakers, and microphone for enhanced productivity.

Effortless collaboration

Transform your virtual meetings with the Sony Starvis 5MP QHD camera, delivering sharp video clarity and balanced HDR exposure even in low light.

Stay polished and distraction-free with AI Auto Framing, which keeps you in focus and ensures you're always the center of attention, no matter how much you move.

Crystal-clear audio is guaranteed with dual beamforming AI noise cancellation, filtering out background noise, and 5W speakers that bring every call and presentation to life.

Easier connections

Certified for Microsoft Teams and Zoom, this monitor offers seamless compatibility and quick-access touch controls for instant meeting launches.

Enjoy worry-free collaboration with secure Windows Hello sign-in and privacy features like a mechanical tilt and shutter, giving you complete control over your workspace.

Enhanced eye comfort



This monitor is TÜV Rheinland® 4-star certified for eye comfort, designed to help minimize eye fatigue.

Equipped with built-in hardware low blue light technology, it reduces harmful blue light emissions to ≤35% while maintaining vibrant, true-to-life colors with 99% sRGB coverage.

The 120Hz refresh rate ensures reduced flicker, seamless scrolling, and smoother motion for a more comfortable viewing experience.



Your connectivity hub

Reduce cable clutter with USB-C connectivity that transmits data and video while delivering up to 90W of power. Get stable Ethernet connection to your network with RJ45 Ethernet Port (1GbE) and connect your accessories via a wide variety of ports including pop-out quick access USB-C (up to 15W) and USB Type-A ports.



Enhanced eye comfort

Stay productive while ensuring eye comfort. This monitor reduces harmful blue light emissions to $\leq 35\%$ for all day eye comfort without sacrificing color accuracy. The 120Hz refresh rate delivers smooth motions visuals.



Multi-task with ease

Boost efficiency with Dell Display and Peripheral Manager that lets you organize multiple apps on your screen. Daisy chain multiple monitors for efficient multitasking.



A better view from anywhere

See consistent images across wide viewing angles enabled by In-Plane Switching (IPS) technology and detailed images with 1500:1 contrast ratio on this Full HD (1920 x 1080 resolution) monitor.

World's number 1 monitor company*

We deliver world-class monitors that have gone through rigorous development processes and stringent tests to ensure dependable performance. Get peace of mind with unmatched warranty and support options. Being environmentally forward in thinking, our monitors adhere to environment standards and are made with sustainable materials.

* Dell monitors are #1 Worldwide for 11 years! Source: IDC Worldwide Quarterly PC Monitor Tracker, Q3 2025. From 2014 to 2024. Exclude Alienware and gaming monitors.

See every detail, even in low light

The Sony Starvis 5MP QHD camera ensures professional-grade video clarity with HDR for balanced exposure, so you always look your best during virtual meetings.

Camera offer 0-20 degree tilt adjustability.

Stay polished and distraction-free

AI Auto Framing keeps you center-framed even as you move.



Quick Access Touch Control

Microsoft Teams control panel lets you launch, join meetings and respond to notifications in one simple touch.

Call control buttons

Call control buttons are located at the front of the screen for easy access to conferencing controls such as volume and mute/unmute.

Integrated speakers

Enjoy clear and crisp audio with the AI noise-canceling mic and two 5W integrated speakers.





Environmentally-forward thinking

Intentional design in every part

At the heart of our design is a commitment to sustainability. That's why our monitor helps reduce waste with a design made from recycled materials with up to 95% post-consumer recycled plastic, 100% recycled aluminum, 50% recycled steel, and 20% recycled glass¹.

Environmental standards

This monitor is certified ENERGY STAR®, registered EPEAT Gold with Climate+ and carries the latest TCO Certification and is TCO Certified Edge, ensuring the use of safer materials, renewable energy use, and extended product life².

Seamlessly modernize your tech

We can help you responsibly and securely retire your legacy IT equipment, regardless of brand, while addressing your sustainability goals.

Packaging with purpose

This monitor ships in a box made from 100% recycled or renewable materials. We are reducing paper usage in monitors packaging, which is the equivalent to saving 790 trees annually³.

¹ Based on internal analysis, December 2025. Up to 95% recycled plastic throughout the device, 100% recycled aluminum in the stand, up to 50% recycled steel in the monitor head and stand, and up to 20% recycled glass in the panel.


² Based on internal analysis, December 2025. ENERGY STAR certifications may vary by region and configuration. See www.energystar.gov/productfinder/ for certification status. EPEAT registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country. TCO Certification may vary by region and configuration. See www.tcocertified.com/product-finder/ for certification status.

³ Based on internal analysis, December 2025. Packaging Applies to all Dell monitors launched since 2023. Made from FSC mix sources which is a mix of material from FSC certified forests, recycled content and/or FSC controlled wood. January 2025, introduced cushions now made from corrugated materials. Paper reduction applies to all Monitors shipping in 2026. Reductions in paper usage in monitor packaging is attributed to the quick start guide size reduction and calibration sheet digitization. Calculation for trees saved based on: Detailed Calculator | 10 THOUSAND TREES. <https://www.omnicalculator.com/everyday-life/paper-weight>.




All day comfort

Get a seamless viewing experience and focus on your task with an ultra-thin bezel design.



De-clutter your workspace

Free up your desk space with the small monitor base and hide cables from view by tucking them into the riser.



Easy-to-use

Navigate the onscreen menu and adjust settings with a convenient joystick control.




Quick access ports



Front-facing, pop-out USB-C (with up to 15W charging) and USB Type-A ports for easy connectivity.

Work comfortably

Tilt, swivel, pivot and adjust the height of your monitor (150mm max).



Dell Display and Peripheral Manager



Screen image simulated for illustrative purposes only. Monitor model varies.

Experience Dell's singular, innovative application to optimize the performance of your entire Dell PC workspace.¹

Maximize productivity

Easy Arrange tiles apps across screens with pre-set partitions and customizes up to five windows, enhancing multitasking. Easy Arrange Memory saves and restores app profiles manually, on schedule, or at start-up.

Customize your views

Work comfortably, day or night. Automate your brightness and contrast settings to match your schedule.


More manageable

Save time and boost IT efficiency with the Dell Device Management Console to manage your Dell peripheral fleet at scale, from a single cloud-based console. Discover expanded Command Line Interface features from Dell Display and Peripheral Manager².

[Download Dell Display and Peripheral Manager](#)

¹ Based on Dell internal analysis, December 2024.
² Based on Dell internal analysis, November 2024.

Ports & Slots



- | | | | |
|----------|---|-----------|--|
| 1 | Power connector | 7 | 2 x USB Type-A 5Gbps downstream port/s |
| 2 | 1 x HDMI port/s (HDCP 1.4) (Supports up to 1920 x 1080 as specified in HDMI 2.1 (TMDS)) | 8 | RJ45 Ethernet port/s, 1GbE |
| 3 | 1 x DisplayPort 1.4 (HDCP 1.4) port/s | 9 | Stand lock |
| 4 | 1 x USB-C 5Gbps upstream port/s (DisplayPort 1.4 Alt Mode, Power Delivery up to 90 W) | 10 | 1 x USB-C 5Gbps downstream port/s, Power Delivery up to 15 W |
| 5 | 1 x DisplayPort Out 1.4 port/s | 11 | 1 x USB Type-A 5Gbps downstream port/s with Battery Charging 1.2 |
| 6 | 1 x USB Type-B 5Gbps upstream port/s | 12 | Built-in speakers |
| | | 13 | Security lock slot (cable lock sold separately) |

| FEATURE | TECHNICAL SPECIFICATION |
|---|---|
| MODEL | Dell Pro P 24 USB-C Hub Conferencing Monitor - P2426HEB |
| MONITOR COLOR | Black |
| DIAGONAL VIEWING SIZE | 60.47 cm (23.8") |
| ASPECT RATIO | 16:9 |
| MAXIMUM PRESET RESOLUTION | 1920 x 1080 |
| REFRESH RATE | Up to 120 Hz |
| PANEL TYPE | In-Plane Switching (IPS) Technology |
| VIEWING ANGLE (H/V) | Horizontal: 178° Vertical: 178° |
| DISPLAY SCREEN COATING | Anti-Glare (AG) with hard-coating 3H |
| PIXEL PITCH | Horizontal: 0.275 mm Vertical: 0.275 mm |
| PIXEL PER INCH (PPI) | 93 |
| CONTRAST RATIO | 1,500:1 (typical) |
| BRIGHTNESS | 300 cd/m2 (typical) |
| RESPONSE TIME | 8 ms (gray to gray normal mode) 5 ms (gray to gray fast mode) |
| COLOR GAMUT | sRGB 99% (CIE 1931) (typical) |
| COLOR DEPTH | 16.70 million colors |
| PANEL BITS | 8-bit (6-bit+FRC) |
| TÜV RHEINLAND EYE COMFORT CERTIFICATION | 4-Star |
| LOW BLUE LIGHT | Hardware Solution Category II |
| FICKER FREE | Yes |
| CONNECTIVITY (BACK) | <ul style="list-style-type: none"> 1 x HDMI port/s (HDCP 1.4) (Supports up to 1920 x 1080 as specified in HDMI 2.1 (TMDS)) 1 x DisplayPort 1.4 (HDCP 1.4) port/s 1 x DisplayPort Out 1.4 port/s 2 x USB Type-A 5Gbps downstream port/s 1 x USB Type-B 5Gbps upstream port/s 1 x USB-C 5Gbps upstream port/s (DisplayPort 1.4 Alt Mode, Power Delivery up to 90 W) 1 x RJ45 Ethernet port/s, 1GbE |
| CONNECTIVITY (FRONT) | <ul style="list-style-type: none"> 1 x USB Type-A 5Gbps downstream port/s with Battery Charging 1.2 1 x USB-C 5Gbps downstream port/s, Power Delivery up to 15 W |
| AUDIO OUTPUT | 2 x 5 W speakers |
| MICROPHONE | Yes |
| SOFTWARE COMPATIBILITY | Dell Display and Peripheral Manager (DDPM) |
| PBP/PIP/KVM | USB Keyboard Video Mouse (USB KVM) |
| CAMERA: VIDEO RESOLUTION & FRAME SIZE | 4 Megapixel RGB camera at 30 fps |
| SECURITY | Security lock slot (cable lock sold separately) |
| OTHER FEATURES | Windows Hello |

| FEATURE | TECHNICAL SPECIFICATION |
|------------------------------------|---|
| PLATFORM SUPPORTED | Windows Mac |
| LIMITED WARRANTY | 3 year |
| ADDITIONAL WARRANTY INFORMATION | 3-Year Advanced Exchange Service and Premium Panel Exchange |
| STAND HEIGHT RANGE | 150 mm |
| TILT ANGLE | -5° to 21° |
| SWIVEL ANGLE | -45° to 45° |
| PIVOT ANGLE | -90° to +90° |
| FLAT PANEL VESA MOUNT INTERFACE | 100 mm x 100 mm |
| BEZEL WIDTH (TOP): | 5.80 mm (0.23 in.) |
| BEZEL WIDTH (LEFT OR RIGHT): | 5.80 mm (0.23 in.) |
| BEZEL WIDTH (BOTTOM) | 16.95 mm (0.67 in.) |
| STAND DIMENSIONS – HEIGHT | Extended: 410.90 mm (16.18 in.) Compressed: 364.00 mm (14.33 in.) |
| STAND DIMENSIONS – WIDTH: | 249.80 mm (9.83 in.) |
| STAND DIMENSIONS – DEPTH | 186.25 mm (7.33 in.) |
| WEIGHT (WITH PACKAGING) | 7.90 kg (17.41 lbs) |
| WEIGHT (WITH STAND AND CABLES) | 5.95 kg (13.12 lbs) |
| WEIGHT (WITHOUT STAND AND CABLES) | 4.10 kg (9.03 lbs) |
| WEIGHT OF STAND ASSEMBLY: | 1.47 kg (3.24 lbs) |
| DIMENSION (WITHOUT STAND)- HEIGHT | 351.38 mm (13.83 in.) |
| DIMENSION (WITHOUT STAND)- WIDTH | 538.64 mm (21.21 in.) |
| DIMENSION (WITHOUT STAND)- DEPTH | 64.06 mm (2.52 in.) |
| WEIGHT (WITH PACKAGING): | 6.43 kg (14.18 lbs) |
| WEIGHT (WITHOUT STAND AND CABLES): | 4.10 kg (9.03 lbs) |
| VOLTAGE REQUIRED | 100 VAC to 240 VAC/50 Hz or 60 Hz ± 3 Hz/2.5 A |
| POWER CONSUMPTION | Off mode: 0.30 W Standby mode: 0.50 W On mode: 14.50 W Max: 195.00 W |
| HUMIDITY RANGE | Operating: 10% to 80% (non-condensing) Non-operating: 5% to 90% (non-condensing) |
| ALTITUDE | Operating: 5,000 m (16,404 ft) maximum Non-operating: 12,192 m (40,000 ft) maximum |

| FEATURE | TECHNICAL SPECIFICATION |
|--|--|
| ENERGY EFFICIENCY CLASS (A TO G) | F  |
| TEMPERATURE RANGE | Operating: 0°C to 40°C (32°F to 104°F) Non-operating: -20°C to 60°C (-4°F to 140°F) |
| COUNTRY OF ORIGIN | China and Vietnam |
| ENVIRONMENTAL COMPLIANCE & CERTIFICATION | <ul style="list-style-type: none"> • BFR/PVC free monitor (excluding external cables) • Electronic Product Environmental Assessment Tool (EPEAT Gold) • TCO Certified 10 • TCO Certified Edge • Restriction of Hazardous Substances (RoHS) • Product Safety, EMC and Environmental Datasheets • Dell Regulatory Compliance Home Page • Dell and the Environment • Electronic Product Environmental Assessment Tool Climate+ (EPEAT Climate+) • Meets NFPA 99 leakage current requirements. |

| FEATURE | TECHNICAL SPECIFICATION |
|--|---|
| ENERGY EFFICIENCY COMPLIANCE & CERTIFICATION | <ul style="list-style-type: none"> • China Energy Conservation Program (CECP) • ENERGY STAR 8.0 • Energy-related Products Directive Lot 5 (ErP Lot 5) • Korea E-Standby • Korea MEPS • Ukraine EE • Mexico EE • CEL • GS Mark |
| What's included | <ul style="list-style-type: none"> • Monitor with stand • Power cable • 1 DisplayPort-DisplayPort cable - 1.80 m • 1 USB Type A to Type B downstream cable 1.80 m • 1 USB-C to C 5Gbps 100 W cable 1.80 m • Quick Start guide • Safety Information |

Steadfast reliability

As the No. 1 monitor company worldwide*, we take pride in our unyielding commitment to quality and the utmost in customer satisfaction.

Premium Panel Exchange

Dell's Premium Panel Exchange (PPE) allows panel replacement on monitors during the Dell Limited Hardware Warranty period even if only one bright pixel is found. PPE is not a standard or up-sell Support Service.

Advanced Exchange Service

Your monitor comes with Advanced Exchange Service¹. If, after remote diagnosis, a monitor replacement becomes necessary, it will be shipped to you the next business day.

Upgrade your support

Get a higher level of support with ProSupport for Monitors². You'll get 24x7 support³ for set-up, configuration, troubleshooting and more from highly trained ProSupport engineers.



* Dell monitors are #1 Worldwide for 11 years! Source: IDC Worldwide Quarterly PC Monitor Tracker, Q3 2025. From 2014 to 2024. Exclude Alienware and gaming monitors.

1 Advanced Exchange Service replaces hardware after remote diagnosis. The customer must return the original hardware to Dell according to the rules specified. Advanced Exchange Service is subject to country availability. For complete details about On-site Service or Advanced Exchange Service, see <https://www.dell.com/en-us/lp/legal/global-commercial-service-contracts> for more details.

2 Availability varies, please visit <https://www.dell.com/en-us/lp/legal/global-commercial-service-contracts> for details.

3 In some countries, hours for in-region support may vary. Support after local business hours may be provided in a language other than the local language.

Technical specifications subject to change without prior notice. Product availability varies by country. Please contact your Dell representative for more information.

© 2026 Dell Inc. or its subsidiaries. All Rights Reserved. Dell Technologies, Dell, EMC, Dell EMC and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners. USB Type-C® and USB-C® are registered trademarks of USB Implementers Forum. Thunderbolt and the Thunderbolt logo are trademarks of Intel Corporation in the U.S. and/or other countries.

Ovaj dokument je originalno proizveden i objavljen od strane proizvođača, brenda Dell, i preuzet je sa njihove zvanične stranice. S obzirom na ovu činjenicu, Tehnoteka ističe da ne preuzima odgovornost za tačnost, celovitost ili pouzdanost informacija, podataka, mišljenja, saveta ili izjava sadržanih u ovom dokumentu.

Napominjemo da Tehnoteka nema ovlašćenje da izvrši bilo kakve izmene ili dopune na ovom dokumentu, stoga nismo odgovorni za eventualne greške, propuste ili netačnosti koje se mogu naći unutar njega. Tehnoteka ne odgovara za štetu nanесenu korisnicima pri upotrebi netačnih podataka. Ukoliko imate dodatna pitanja o proizvodu, ljubazno vas molimo da kontaktirate direktno proizvođača kako biste dobili sve detaljne informacije.

Za najnovije informacije o ceni, dostupnim akcijama i tehničkim karakteristikama proizvoda koji se pominje u ovom dokumentu, molimo posetite našu stranicu klikom na sledeći link:

<https://tehnoteka.rs/p/dell-konferencijski-monitor-238-ips-pro-p-p2426heb-akcija-cena/>